# Canadian Journal of Anaesthesia

# Journal canadien d'anesthésie

EDITOR-IN-CHIEF

David R. Bevan, Vancouver

ASSOCIATE EDITOR

Yves Lamarche, Sherbrooke

EDITOR EMERITUS

R.A. Gordon, Toronto

EDITORIAL BOARD

Keisuke Amaha, Tokyo

David P. Archer, Calgary

Alan D. Baxter, Ottawa

Frank Cervenko, Kingston

Joanne Douglas, Vancouver

Barry A. Finegan, Edmonton

Richard I. Hall, Halifax

Jean-François Hardy, Montréal

Robert J. Hudson, Winnipeg

David H. Johnson, Saskatoon

Pascal Labrecque, Québec


Jerrold Lerman, Toronto

Carol Moote, London

Gilles Plourde, Montréal

Kari G. Smedstad, Hamilton





# Canadian Journal of Anaesthesia

# Index of Authors

Volume 43, 1996

Abramson DC. Eschew the ACHOO! (correspondence – reply), 192

- see Ezri T, jt. auth.
- see Koch SM, jt. auth.

Ackerman TS, see Storella RJ, jt. auth.

Adams DC, see Schwartz AE, it. auth.

Adams M, see Jaeger M, jt. auth.

Adams TJ, see Grange CS, jt. auth.

Aimono M, see Nakayama M, jt. auth.

Aitkenhead AR. Awareness during anaesthesia: when is an anaesthetic not an anaesthetic? / La conscience sous anesthésie ou quand un anesthésie cesse de l'être (editorial), 206

Akasaka N, see Kawamura T, jt. auth.

Alahdal OA, see Vaghadia H, jt. auth.

Alam S. Epidural catheter connector (correspondence), 642

 Saito Y, Kosaka Y. Antinociceptive effects of epidural and intravenous ketamine to somatic and visceral stimuli in rats (laboratory investigation), 408

Alesker E, see Gurmarnik S, jt. auth.

Al-Hasani A, see Searle N, jt. auth.

Ali MJ, Ballantyne M, Norris D. What is delaying extubation after heart surgery? A40-A

Al-Oufi H, see Kashkari I, jt. auth.

Alvarez J, see Franco A, jt. auth.

Amaha K, see Saitoh Y, jt. auth.

Amar D, see Cohen S, jt. auth.

Ananthanarayan C, Paek W, Rolbin SH, Dhanidina K. Hysteroscopy and anaesthesia (review article), 56

Anderson BA, see Pascoe EA, jt. auth.

Ansermino JM, Sanderson PM, Bevan JC, Bevan DR. Acceleromyography improves detection of residual neuromuscular blockade in children, 589

Ansley DM. Anaesthesia fellowships in Canada (correspondence), 984

- O'Connor JP, Merrick PM, Ricci DR, Dolman J, Kapnoudhis P. On line ST-segment analysis for detection of myocardial ischaemia during and after coronary revascularization, 995
- see Dryden PJ, jt. auth.

Antecol D, see Johnson D, jt. auth.

Antognini JF. Movement associated with high cerebral concentrations of isoflurane: no evidence of seizure activity (laboratory investigation), 310

Aoyama K, Takenaka I, Sata T, Shigematsu A. Cricoid pressure impedes positioning and ventilation through the laryngeal mask airway, 1035 Archer DP, Ewen A, Froelich J, Roth SH, Samanani N. Thiopentone induced enhancement of somatic motor responses to noxious stimulation: influence of GAGA<sub>A</sub> receptor modulation, 503

Arellano R, see Halpern SH, it. auth.

Arndt GA, Voth BR. Paradoxical vocal cord motion in the recovery room: a masquerader of pulmonary dysfunction: clinical report), 1249

Arney KL, see Henderson CL, it. auth.

Asai T. Blind tracheal intubation through the laryngeal mask (correspondence), 1275

- see Stacey MRW, jt. auth.

Asantila R, see Cozanitis D, it. auth.

Asantila R, see Cozanitis D, jt. auth.

Ashbury T, see Jaeger M, it. auth.

Ashour M, see Naguib M, it. auth.

Asokumar B, see Cheng DCH, it. auth.

Attia M, see Naguib M, jt. auth.

Attolini L, see Gantenbein M, it. auth.

Au JW, see LeDez KM, jt. auth.

Auslander S, see Yaniv R, jt. auth.

Avidan A, see Shenkman Z, jt. auth.

Avraamides E.J., Murkin J.M. The effect of surgical dislocation of the heart on cerebral blood flow in the presence of single, two-stage venous cannula during cardiopulmonary bypass, A 36. B.

Azofra J, see Menendez B, jt. auth.

Backman SB, Fox GS, Stein RD, Ralley FE. Neostigmine decreases heart rate in heart transplant patients, 373

- Stein RD, Blank DW, Collier B, Polosa C. Different properties of the bradycardia produced by neostigmine and edrophonium in the cat (laboratory investigation), 731
- Stein RD, Fox GS, Polosa C. Effect of edrophonium on heart rate in cardiac transplant patients and in the denervated cat heart A29-B
- Stein RD, Ralley FE, Fox GS. Neostigmine-induced bradycardia following recent vs remote cardiac transplantation in the same patient: clinical report, 394

Badner NH, Bourne RB, Rorabeck CH, Doyle JA. The addition of morphine to intra-articular bupivacaine does not improve outcome following knee joint replacement, A54-A

- Komar WE, Bhandari R, Craen R, Cullerier D, Dobkowski WB, Smith MH, Vanelli AN. Patient attitudes regarding PCA and associated costs, A53-B
- Reid D, Sullivan P, Ganapathy S, Crosby ET, McKenna J,

Lui A. Continuous epidural infusion of ropivacaine for the prevention of postoperative pain after major orthopaedic surgery: a dose-finding study, 17

Bailey PL, see Hansfurther DL, jt. auth.

Bainton CR. Difficult intubation – What's the best test? / Quel est le meilleur test pour dépister l'intubation difficile? (editorial), 541

Baird D, see St-Amand MA, jt. auth.

Baker A, see Benaroia M, jt. auth.

- see Lin R, jt. auth.

Baker AJ, see McLean RF, jt. auth.

Baker AJ, see McLean RF, jt. auth.

Balaton J, see Pash MP, jt. auth.

Balbirsingh M, see Pinto Pereira LM, jt. auth.

Bali I, see O'Hanlon J, jt. auth.

Ballantyne M, see Ali MJ, jt. auth.

- see Klashen AJ, it. auth.

Balmès P, see Le Merre C, jt. auth.

Bamgboye EA, see Naguib M, it. auth.

Bapat P, Joshi RN, Young E, Jago RH. Comparison of propofol versus thiopentone with midazolam or lidocaine to facilitate laryngeal mask insertion, 564

Barbagli R, see Bartoli F, jt. auth.

Barber GG, see Garnett RL, it. auth.

Bartoli F, Barbagli R, Rucci F. Anterior epidural haematoma following subarachnoid block (correspondence), 94

Bass J, see Splinter WM, it. auth.

Beattie C. Anaesthesia for major vascular surgery (refresher course outline), R3

- L'anesthésie pour la chirurgie vasculaire majeure, R8

Beed SD, Devitt JH. Mortality associated with orthognathic surgery, A40-B

Bëique F, Joffe D, Kleiman S. An introduction to transoesophageal echocardiography: I. Basic principles (equipment in anaesthesia), 252

- see Wahba RWM, jt. auth.

Beattie S, see Park J, it. auth.

Belani KG, see Carr RJ, jt. auth.

Bélisle S, Van der Linden P, Hardy J-F. Pour une correction efficiente de l'anémie: le temps est venue de passer à l'évaluation de la tolérance à la déplétion érythrocytaire / correction of anaemia: the time has come to evaluate tolerance for red cell depletion (editorial), 647

- see Hardy J-F, it. auth.

Bellemare F, Couture J, Marchand M. Mechanics of expiratory muscles in spinal anesthesia for prostatectomy, A25-B

Belo S, Vaillancourt S. Combination of droperidol and metoclopramide for antiemetic prophylaxis, A63-B

- see Koutsoukos G, jt. auth.

Benaroia M, Baker A, Mazer CD, Errett L. The effect of cannula characteristics and blood velocity on transcranial doppler-detected microemboli during cardiopulmonary bypass, A37-B Benhamou D, see Mercier FJ, jt. auth.

Bensimon M, see Truong A, jt. auth.

Bérard D, Martel B, Martin R, Pirlet M, Tétrault J-P. A comparison of three needles in spinal anaesthesia with glucosefree 2% lidocaine. A57-B

Bernaud C, see Freysz M, jt. auth.

Bernard P, see Splinter HM, jt. auth.

Berrada K, see Chassard D, jt. auth.

Bertrix L, see Freysz M, jt. auth.

Bevan DR, see Ansermino JM, jt. auth.

- Johnson DH, jt. auth.

Bevan JC, Macnab AJ, Veall G, Marsland C, Ries CR. Modification of propofol-induced movements by oral midazolam premedication in children, A43-A

- see Ansermino JM, jt. auth.

Bhandari R, see Badner NH, jt. auth.

Bohla D, see Park J, jt. auth.

Bingham, see Locke Bingham

Birey M, see Durak I, jt. auth.

Bissonnette B, see McAuliffe G, it. auth.

- see Wong AK, jt. auth.

Black DW, see Backman SB, jt. auth.

Black PMcL, see Soruano SG, jt. auth.

Blaise G, see Troncy E, it. auth.

- see Yang F, jt. auth.

Blanchet T, see McKay WPS, jt. auth.

Blank DW, see Backman SB, it. auth.

Blew PG, see Miller DR, jt. auth.

Bluestein LS, Stinson LW Jr, Lennon RL, Quessy SN, Wilson RM. Evaluation of cisatracurium, a new neuromuscular blocking agent, for tracheal intubation, 925

Bogdonoff DL, see Spiekermann BF, jt. auth.

Boisvert D, see Garnett RL, jt. auth.

Bonn GG, see Splinter WM, jt. auth.

Botero CA, Pinchak AC, Smith CE. Multicompartment pharmacokinetic model for fentanyl during cardiopulmonary bypass, A3-B

- Raghupathy AK, Smith CE, Haug R, Punjabi F, Ditzig F, Pinchak AC. Sedative infusions during surgery: propofol vs propofol-ketamine, A11-A
- Smith CE, Holbrook C, Pinchak AC. Propofol and ketamine versus fentanyl for open heart surgery, A4-A
- Rocuronium vs vecuronium during fentanyl induction in coronary artery surgery, A3-A

Bouffers E, see Carr RJ, it. auth.

Bouges S, see LeMerre C, jt. auth.

Boulanger BR, see Devitt JH, it. auth.

Boulanger M. Rosario Denis, 1922-1996 (obituary), 982

Boultétreau P, see Chassard D, jt. auth.

Bourdua I, see Martin R, it. auth.

Bourke ME. The patient with a pacemaker or related device (refresher course outline), R24

 Le patient porteur d'un pacemaker ou d'un dispositif de même type, R33 Bourne RB, see Badner NH, jt. auth.

Bourne TM, Mushambi MC. Maternal death following epidural anaesthesia (correspondence), 318

Boushra NN. Anaesthetic management of patients with sleep approach syndrome (review article), 599

Boutin C, see McAuliffe G, it. auth.

Boylen P, see Cheng DCH, jt. auth.

Bratton SL, see Haberkern CM, it. auth.

Braude BA, see Wong AK, it. auth.

Brauneis S, see Tritapepe L, jt. auth.

Breen TW. Optimal labour analgesia 1996 / La meilleure analgésie obstétricale in 1996 (editorial), 327

- see Maslow AD, jt. auth.

Brimacombe J, Berry A. Leak reduction with the LMA (correspondence), 537

Brinker R, see Tekkök IH, jt. auth.

Brock JW, see Tobias JD, jt. auth.

Brock-Utne JG, see Mallat AM, it. auth.

- see Tays R, jt. auth.

Brown KA. Pattern of ventilation during halothane anaesthesia in infants less than two months of age, 121

Kulkarni P. Ventilatory parameters during propofol anaesthesia in children, a comparison with halothane A24-B

- see Kulkarni P, jt. auth.

Bruguerolle B, see Gantenbein M, jt. auth.

Brull SI, see Stout RG, it. auth.

Brunet DG, see Lafreniere GK, it. auth.

Brush BA, see Tsang JYC, jt. auth.

Bucx MJL, van der Vegt MH, Snijders CJ, Stijnen T, Wesselink PR. Transverse forces exerted on the maxillary incisors during laryngoscopy, 665

Burbridge M, see Johnson D, it. auth.

Burr LH, see Dryden PJ, jt. auth.

Burrows FA, see Soriano SG, jt. auth.

Byrick RJ. Technology assessment: a Canadian perspective (refresher course outline), R108

- L'évaluation de la technologie au Canada, R112

- see Rose DK, jt. auth.

Calla S, Patel S, Shashtri N, Shah D. Occipital alopecia after cardiac surgery (correspondence), 1180

Camboulives J, see Paut O, jt. auth.

Campbell RCH, see Irwin MG, jt. auth.

Canbolat O, see Durak I, jt. auth.

Carlen R, see Ouanounou A, jt. auth.

Carstoniu J, see Halpern SH, jt. auth.

Carr RJ, Reyford H, Belani KG, Boufflers E, Krivosic-Horber R, Palahniuk RJ. Augustine guide (correspondence – reply), 643

Carter DA, see Tekkök IH, jt. auth.

Cascio M. Aseptic meningitis using the needle-through-needle technique (correspondence – reply), 1183  Heath G. Meningitis following a combined spinal-epidural technique in a labouring term parturient: (clinical report), 399

Casey W, see Cregg N, jt. auth.

Caskennette GM, see Rose DK, it. auth.

Cervenko C-Y, see Greenhow RJ, it, auth.

Chai C-Y, see Yang CY, jt. auth.

Chan V, see Finucane BT, it. auth.

Chang J-Y, see Yang C-Y, it. auth.

Channa AB, see Naguib M, it. auth.

Chao C-C, see Chen T-L, it. auth.

Chapados R, see Morgan PJ, jt. auth.

Charboneau M, see Troncy E, jt. auth.

- see Yang F, it. auth.

Chartrand D, see Daloze T, jt. auth.

Chassard D, Berrada K, Boulétreau P. Alcalinisation des anesthésiques locaux: théoriquement justifiée mais inutile cliniquement: review article, 384

 Tournadre JP, Berrada KR, Boulétreau P. Cricoid pressure decreases lower oesophageal sphincter tone in anaesthetized pigs (laboratory report), 414

Chen RJB, Yee DA, Harrington E, Orser BA. Drug errors in anaesthesia: a survey of 650 practitioners, A13-A

Chen S-Y, see Yang C-Y, it. auth.

Chen T-L, Lin C-J, Lai H-S, Chen W-J, Chao C-C, Liu C-C.
Anaesthetic management for conjoined twins with complex cardiac anomalies (clinical report), 1161

Chen W-J, see Chen T-L, jt. auth.

Cheng DCH, Jiang MT, Asokumar B, Boylen P, Sandler A.
Comparison of nifedipine and metroprolol on collateral coronary blood flow in a swine model of chronic coronary obstruction and acute ischaemia during isoflurane anaesthesia (laboratory investigation), 160

Chilvers CR, see Zabani I, jt. auth.

Chin CA, Lerman J, Endo J, Cutz E. Acute lung injury after tracheal instillation of acidified soya milk, infant formula or human breast milk, A51-A

 O'Hare B, Lerman J, Endo J. Effects of PEEP of surfactant on acute lung injury caused by tracheal instillation of acidified human breast milk, A50-A

Chu C, see Park J, jt. auth.

Chu Y-C, see Lui P-W, jt. auth.

Chung F, Su J, Ritchie E. Pain after ambulatory surgery: what really matters? A63-A

Un V, SU J. Postoperative symptoms 24 hours after ambulatory anaesthesia, 1121

- see Duffy C, jt. auth.

- see Fortier J, jt. auth.

- see Hurtado C, jt. auth.

- see Kantor GSA, jt. auth.

see Morgan PJ, jt. auth.
see Ritchie ED, jt. auth.

Clark AS. MAOIs and anaesthesia (correspondence), 641

Clarke W, see Splinter WM, jt. auth.

Cohen A, see Serour F, jt. auth.

Cohen M. see Rose DK. it. auth.

Cohen MH, Hudson RJ. Opioid supplementation of nitrous oxide-propofol anaesthesia: effects of different opioids on recovery, A14-A

Cohen MM, see Devitt JH, jt. auth.

- see Rose DK, jt. auth.

Cohen S, Amar D, Pantuck CB, Pantuck EJ, Goodman EJ, Leung DHY. Epidural analgesia for labour and delivery: fentanyl or sufentanil? 341

Colclough GW, see Javery KB, jt. auth.

Cole C, see Ledsome JR, jt. auth.

Cole CW. see Garnett RL, it. auth.

Collier B, see Backman SB, jt. auth.

Comfort VK, Lang SA, Yip RW. Saphenous nerve anaesthesia – a nerve stimulator technique (anaesthetic techniques), 852

Conway F, Critchley LAH, Stuart JC, Freebairn RC. A comparison of the haemodynamic effects of intrathecal meperidine, meperidine-bupivacaine mixture and hyperbaric bupivacaine. 23

- see Cregg N, it. auth.

Conzen P, see Searle N, jt. auth.

Coombs DW, see Lunt PG, jt. auth.

Cooper AB, Sharpe MD. Bacterial meningitis and cauda equina syndrome following epidural steroid injections: (clinical report), 471

Cooper RM. The use of an endotracheal ventilation catheter in the management of difficult extubations (technical report), 90

Coovadia AS, see Pinkerton PH, jt. auth.

Corda DM, see Krasner LJ, jt. auth.

Cortes J, see Franco A, jt. auth.

Corvo A, Tessler MJ, Wahba RM, Scheffer N. Patient controlled analgesia in the elderly surgical population, A54-B

Cottrell JE. Trends in neuroanaesthesia (refresher course outline), R61

- Les orientations de la neuroanaesthésie, R69

Couture J, see Bellemare F, jt. auth.

Couturier A, see Hardy J-F, jt. auth.

Cox RG, see Elwood T, jt. auth.

Cozanitis D, Asantila R, Eklund P, Paloheimo M. A comparison of ranitidine, droperidol or placebo in the prevention of nausea and vomiting after hysterectomy, 106

Cox J, see Frenette L, jt. auth.

Cox P, see Parker S, jt. auth.

Craen R, see Badner NH, jt. auth.

Craig DB. Do not resuscitate orders in the operating room (special report), 840

Cregg N, Conway F, Casey W. Analgesia after otoplasty: regional nerve blockade vs local anaesthetic infiltration of the ear, 141

- Wall C, Green D, Mannion D, Casey W. Humifidication

reduces coughing and breath-holding during inhalation induction with isoflurane in children, 1090

Crisnic IM, see Shenkman Z, jt. auth.

Critchley LAH, see Conway F, jt. auth.

Crosby ET. see Badner NH, it. auth.

Crossan ML, see Zamora JE, jt. auth.

Cruickshank L, see Mathieson AL, it. auth.

Cruise C, see McGuire G, jt. auth.

Cuillerier D, see Badner NH, jt. auth.

Cujec B, see Johnson D, it. auth.

Curran M, see McDonagh P, jt. auth.

Curran M, see McDonagh P, it. auth.

Cutz E, see Chin CA, jt. auth.

Cyrenne L, see Lavoie J, jt. auth.

Dagenaris C, Martin R, Pirlet M, Dansereau D, Tétrault J-P, D'Orléans-Justes P. Acute L-arginine supplement and cardiac surgery, A16-A

Dain S, see Ganapathy S, it. auth.

Daloze T, Chartrand D, St-Laurent D, Fox GS. Efficacy of mechanical ventilation using the oxylator EM-100, A22-B

Dalton L, see Mathieson AL, jt. auth.

Dansereau D, see Dagenais C, jt. auth.

Dauzat M, see LeMerre C, jt. auth.

Davies JM. Anaesthetic care and audit: 150 years on / L'audit et l'anesthésie: déjà 150 ans (editorial), 323

 Helmreich RL. Simulation: it's a start / La simulation, c'est parti! (editorial), 425

De Amici D, see Ramaioli F, jt. auth.

DeLima L, see Mark D.

Dennehy KC, Dupuis J-Y. Fibreoptic intubation in the anaesthetized patient (correspondence), 197

Denstedt JD, see Ganapathy S, jt. auth.

D'Ercole F, see Greengrass R, jt. auth.

Desjardins G, Varon AJ. Do you really want the surgeon to take care of the airway? (correspondence), 1181

DeVarennes B, see Ralley FE, jt. auth.

Devitt JH, Boulanger BR. Do you really want the surgeon to take care of the airway? (correspondence – reply), 1182

- Lower airway injuries and anaesthesia (review article), 148
- Kurrek MM, Cohen MM, Fish K, Fish P, Murphy P, Fung D, Noel A, Szalai J-P. Testing the raters: inter-rater reliability during observation of simulator performance, A51-B
- see Beed SD, jt. auth.
- see Ho-Tai LM, jt. auth.

Dhanidina K, see Ananthanarayan C, jt. auth.

Dhoste K, Lacoste L, Karayan J, Lehuede MS, Thomas D, Fusciardi J. Haemodynamic and ventilatory changes during laparoscopic cholecystectomy in elderly ASA III patients, 783

Dickstein J, see Fisher JA, jt. auth.

Dikmen B, see Durak I, jt. auth.

Ditzig F, see Botero CA, it. auth.

Diz JC, see Franco A, jt. auth.

Dobkowski WB, see Badner NH, it, auth.

Dokler ML, see Hall JK, it. auth.

Dolbec D, see Dolbec P, it. auth.

Dolbec P, Dolbec D, Gendron G, Fortin R. Le dextrométorphan en anesthésie (correspondence), 195

Dolman J, see Ansley DM, jt. auth.

Donati F, see Ibebunjo C, jt. auth.

D'Orléans-Justes P, see Dagenais C, jt. auth.

Douglas MJ, see Grange CS, jt. auth.

- see Peter EA, jt. auth.

Downey DB, see St Amand MA, jt. auth.

Doyle DJ. Electronic publishing (correspondence), 640

Kim L. Importance of anaesthetists' traits ranking by operating room nurses, A31-A

- see Rice ML, jt. auth.

Doyle JA, see Badner NH, jt. auth.

Drolet P, see Ripart J, jt. auth.

Dryden PJ, O'Connor JP, Jamieson WRE, Reid I, Ansley D, Sadeghi H, Burr LH, Munro AI, Merrick PM. The effect of tranexamic acid on blood loss in patients undergoing reoperative valve replacement surgery, A37-A

Duffy CM, Manninen PH, Chung F, Sundar S. Assessment of a new autocell blood processing system, A21-B

Duffy PJ, Miller DR. Electronic publishing (correspondence – reply), 640

Duke PC, see Mathieson AL, jt. auth.

Duncan P, see Jaeger M, jt. auth.

Dupuis J-Y, see Dennehy KC, jt. auth.

- see McDonagh P, jt. auth.

- see Mark D, jt. auth.

Durak I, Güven T, Birey M, Öztürk, Kurtipek Ö, Yel M, Dikmen B, Canbolat O, Kavutcu M, Kaçmaz. Halothane hepatotoxicity and hepatic free radical metabolism in guinea pigs: the effects of vitamin E, 741

Dust WN, see Goranson BD, jt. auth.

Dyck JB, see Hung OR, jt. auth.

Eagle CJ, see Froelich J.

- see Pash MP, jt. auth.

Ebert T, see Searle NR, jt. auth.

Ecoff SA, Miyahara C, Steward DJ. Severe bronchospasm during cardiopulmonary bypass (clinical report), 1244

Edelist G, see Oxorn D, it. auth.

Eklund P, see Cozanitis D, jt. auth.

El Bakry AK, see Naguib M, jt. auth.

El-Beheiry H. Prevention of hypotension after propofol for rapid sequence intubation (correspondence – reply), 878

- see Ouanounou A, jt. auth.

El Dawlatly AA, see Naguib M

Eldor J. Aseptic meningitis using the needle-through needle technique (correspondence), 1183

Eledjam J-J, see LeMerre C, jt. auth.

El Gammal K, see Naguib M, jt. auth.

El Gammal M, see Naguib M, it. auth.

Elhattab YS, see Naguib M, jt. auth.

Elwood T, Cox RG. Laryngeal mask insertion with a laryngoscope in paediatric patients, 435

Loken RG, Hamilton RC. Eschew the ACHOO (correspondence), 192

- see Maltby R, jt. auth.

Endo J, see Chin CA, jt. auth.

English M, see Weyland W, it. auth.

Enright, see O'Callaghan-Enright

Entwistle LM, see Kearney RA, jt. auth.

Erjavec M, see McKay WPS, it. auth.

Esch, see Schulte am Esch

Errett L, see Benaroia M, it. auth.

Ewen A, see Archer DP, jt. auth.

Ezra S, see Serour F, jt. auth.

Ezri T, Szmuk P, Konichezky S, Abramson D, Geva D. Central anticholinergic syndrome complicating management of a difficult airway (correspondence), 1079

Fabre C, see LeMerre C, jt. auth.

Fard, see Meisami-Fard

Faucon G, see Freysz M, jt. auth.

Fear DW, see Wong AK, it. auth.

Fernández-Liesa I, see Panadero A, jt. auth.

Ferris LE, see Karkouti K, jt. auth.

Finley GA, McGrath PJ. Postoperative pain in children (correspondence), 418

Finucane BT, Sandler AN, McKenna J, Reid D, Milner A-L, Friedlander M, Muzyka D, O'Callaghan-Enright S, Chan V. A double-blind comparison of ropivacaine 0.5%, 0.75%, 1.0% and bupivacaine 0.5% injected epidurally, in patients undergoing abdominal hysterectomy, 442

- see Kashkari I, jt. auth.

Fish K, see Devitt JH, jt. auth.

Fish KJ, see Kurrek MM, jt. auth.

Fish P, see Devitt JH, jt. auth.

Fisher JA, Martire T, Volgyesi GA. Evaluation of a new pulse oximeter testing device (equipment), 179

Robicsek A, Rucker J, Kruger J, Slutsky M, Sommer L, Silverman J, Dickstein J, Volgyesi G. Breathing pattern during maximal unimpeded hyperventilation in normal subjects, A52-A

- see Volgyesi GA, jt. auth.

Fisman DN, Ward ME. Intrapleural placement of a nasogastric tube: an unusual complication of nasotracheal intubation (clinical report), 1252

Fitzpatrick T, Stafford-Smith M. Intrathecal morphine: influence on recovery of cardiac surgical patients, A56-B

Fletcher JE, Foster JMT, Heard CMB. Carbon dioxide sampling error due to leaking O-ring? (correspondence), 880

Flor P, see Fredman B, jt. auth.

Florete O, see Lobato EB, jt. auth.

Ford M, see Koch SM, jt. auth.

Forrest J, see Park J, jt. auth.

Fortier J, Chung F, Su J, Jeganathan R. Unanticipated admission – an area for improvement, A62-B

Fortin R, see Dolbec P, jt. auth.

Foster A, see Klopfenstein CE, jt. auth.

Foster JMT, see Fletcher JE, jt. auth.

Fox GS, see Backman SB, it. auth.

- see Daloze T, jt. auth.

Franco A, Cortes J, Alvarez J, Diz JC. The development of blood transfusion: the contributions of Norman Bethune in the Spanish Civil War (1936-1939) (History of Anaesthesia), 1076

Francoeur M, see Troncy E, jt. auth.

- see Yang F, jt. auth.

Frasca JT, see Gurmarnik S, jt. auth.

Fredman B, Olsfanger D, Flor P, Jedeikin R. Ketrolac does not decrease postoperative pain in elderly men following transvesical prostatectomy, 438

Freebairn RD, see Conway F, jt. auth.

Freitag M, see Stanal T, jt. auth.

Freitag U, see Stanal T, jt. auth.

Frenette L, Cox J, Kerns D, Pearce S. Target therapy coagulation assessment, the way of the future during orthotopic liver transplantation, A38-A

Freysz M, Timour Q, Bernaud C, Bertrix L, Faucon G. Cardiac implications of amlodipine-dantrolene combinations (laboratory investigation), 50

Friedlander M, see Finucane BT, jt. auth.

Fritz U, see Weyland W, jt. auth.

Froelich J, Eagle CJ. Anaesthetic management of a patient with myasthenia gravis and tracheal stenosis (clinical anaesthesia file), 84

- see Aracher DP, jt. auth.

Fu ES, Scharf JE, Mangar D, Miller WD. Malignant hyperthermia involving the administration of desflurane (clinical report), 687

Fujii Y, Tanaka H, Toyooka H. Granisetron and dexamethasone provide more improved prevention of postoperative emesis than granisetron alone in children, 1229

 Granisetron reduces vomiting after strabismus surgery and tonsillectomy in children, 35

 Toyooka H, Tanaka H. Antiemetic effects of granisetron on postoperative nausea and vomiting in patients with and without motion sickness, 110

 Antiemetic efficacy of granisetron and metoclopramide in children undergoing ophthalmic ENT surgery, 1095

 Effective dose of granisetron for preventing postoperative emesis in children, 660

Fujita T, see Ishizaki K, jt. auth.

- see Morishita Y, jt. auth.

- see Morita T, jt. auth.

Fukuda H, see Hirabayashi Y, jt. auth.

- see Inoue S, jt. auth.

Fukumitsu K, see Kinouchi K, jt. auth.

Fukushima K, see Miwa Y, jt. auth.

- see Morisaki H, jt. auth.

Fuller JG, see Spadafora SM, it. auth.

Fung D, see Devitt JH, jt. auth.

Fusciardi J, see Dhoste K, jt. auth.

Gadalla F, Spencer J. Prolonged delirium after propofol (correspondence), 877

Gagnon L, see Hardy J-F, it. auth.

Galeotti G, see Pogulanik J, jt. auth.

Gallagher TJ, see Krasner LJ, it. auth.

Gallart L, see Samsó E, jt. auth.

Ganapathy S, Razvi H, Moote C, Parkin J, Yee I, Gverzdys S, Dain S, Denstedt JD. Eutectic mixture of local anaesthetics is not effective for extracorporeal shock wave lithotripsy, 1030

- see Badner NH, jt. auth.

Gantenbein M, Attolini L, Bruguerolle B. Potassium channel agonists modify the local anaesthetic activity of bupivacaine in mice (laboratory investigation), 871

Garcia del Valle S, see Menéndez B, jt. auth.

Garnett RL, MacIntyre A, Lindsay P, Barber GG, Cole CW, Hajjar G, McPhail NV, Ruddy TD, Stark R, Boisvert D. Perioperative ischaemia in aortic surgery: combined epidural/ general anaesthesia and epidural analgesia vs general anaesthesia and iv analgesia, 769

Garvey B, see Lin R, jt. auth.

Gauthier M, see Morgan PJ, jt. auth.

Gelb AW, see Herrick IA, jt. auth.

Gendron G, see Dolbec P, jt. auth.

Gershon RY. Surgical anaesthesia for Caesarean section with a subdural catheter (clinical report), 1068

Geva D, see Ezri T, jt. auth.

Giffin DM, Gow KW, Phang PT, Walley KR, Warriner CB.

Effect of peritoneal ventilation on mixed venous O<sub>2</sub> in a porcine model of hypoxemia, A13-B

Gilron I, Solomon P, Plourde G. Unintentional intraoperative awareness during sufentanil anaesthesia for cardiac surgery: clinical reports, 295

Gin T. Omeprazole before emergency Caesarean section (correspondence), 878

 Prevention of hypotension after propofol for rapid sequence intubation (correspondence), 877

Girard M, see Ripart J, jt. auth.

Gleason D, see Greengrass R, jt. auth.

Godley M, Reddy ARR. Use of LMA for awake intubation for Caesarean section (clinical report), 299

Godley MB. Blind tracheal intubation through the laryngeal mask (correspondence – reply), 1275

Golub Y, see Shenkman Z, jt. auth.

Gomez-Arnau J, see Menéndez B, jt. auth.

Goodman EJ, see Cohen S, it. auth.

Goranson BD, Lang S, Dust WN, McKerrell J. A comparison of three peripheral regional anaesthesia techniques for outpatient knee arthroplasty, A15-A

Goresky GV. Midazolam for caudal analgesia in children (correspondence – reply), 536

 Muir J. Inhalation induction of anaesthesia / L'induction par inhalation de l'anesthésie (editorial), 1085

- see Kuwahara BS, jt. auth.

Gould M, see Splinter WM, jt. auth.

Gow KW, see Giffin DM, it. auth.

Graham MR, Thiessen DB, Mutch WAC. Isoflurane and halothane impair both systolic and diastolic function in the newborn pig (laboratory investigation), 495

Grange CS, Douglas MJ, Adams TJ, Wadsworth L. Haemodiluation for caesarean section, A59-B

Granry J-C, see Monrigal J-P, jt. auth.

Green D, see Cregg N, jt. auth.

Greengrass R, O'Brien F, Lyerly K, Hardman D, Gleason D, D'Ercole F, Steele S. Paravertebral block for breast cancer surgery (anaesthetic techniques), 858

Greenhow RJ, Cervenko FW, Milne B. Efficacy of propofol in reducing sodium nitroprusside requirements to control mean arterial pressure and systemic vascular resistance during cardiopulmonary bypass, A27-A

Gregson PH, see McKay WPS, it. auth.

Greim C, see Standl T, jt. auth.

Grover VK, see Sharma S, jt. auth.

Gurmarnik S, Poreda M, Reid GM, Frasca JR, Paul-Blanc R. A combination of low dose spinal and general anaesthesia for laparoscopic cholecystectomy (correspondence), 95

 Young R, Alesker E. Divided doses of methohexitone improves ECT outcome (correspondence), 535

Guys JM, see Paut O, jt. auth.

Güven T, see Durak I, jt. auth.

Guyton DC, Scharf SM. Should atropine be routine in children? (correspondence), 754

Gverzdys S, see Ganapathy S, jt. auth.

Haberkern CM, Lynn AM, Nespeca MK, Jacoabson LE, Bratton SL, Pomietto M. Epidural and intravenous bolus morphine for postoperative analgesia in infants, 1203

Hainaut Ph, see Hantson Ph, jt. auth.

Hajjar G, see Garnett RL, jt. auth.

Hall JK, Dokler ML, Patton A. An unusual foreign body (correspondence), 420

Hall LE, see Splinter WM, jt. auth.

Hall RI, Do we all need to have TEE capability? / Devons-nous tous être compétents en ETO? (editorial) 201

Hall S. Tonsillectomies, ketrolac, and the march of progress / L'amygdalectomie, le kétorolac et la marche du progrès (editorial), 544

- MacLaren C. Heavy vs light sedation in the CVICU and

myocardial ischemia: implications for early extubation protocols. A39-B

Hall SC, see Przybylo HJ, jt. auth.

Halpern S. Development of a scale for the measurement of acute pruritus: validity, A58-B

Halpern SH, Arellano R, Preston R, Carstoniu J, O'Leary G, Roger S, Sandler A. Epidural morphine vs hydromorphone in post-Caesarean section patients, 595

Hamid SK, Selby IR, Sikich N, Lerman J. Prophylactic therapy for postoperative vomiting in children after adenotonsillectomy: a comparison of dimenhydrinate, ondansetron or placebo, A43-B

Hamilton E, see Elwood T, jt. auth.

Hanagata K, see Matsukawa T, jt. auth.

Hanaoka K, see Nishiyama T, jt. auth.

Hansen, see Helbo-Hansen

Hantson Ph, Hainaut Ph, Vander Stappen M, Mahieu P. Regulation of body temperature after acute organophosphate poisoning (correspondence), 755

Hardman D, see Greengrass R, it. auth.

Hardy J-F, Bélisle S, Couturier A, Robitaille D, Roy M, Gagnon L. Compared efficacy of aprotinin and e-aminocaproic acid in cardiac surgical patients at high risk of receiving allogeneic blood products, A36-A

 Pelletier M. La qualité en anesthésie: un modèle intégré et constructif (conférence d'actualisation), R75

 Quality in anaesthesia: an integrated and constructive model (refresher course outline), R83

- see Bélisle S, jt. auth.

Harrington E, see Chen RJB, jt. auth.

- see Ho-Tai LM, it. auth.

- see Oxorn D, jt. auth.

Harrington EM, see McLean RF, it. auth.

Hasani, see Al-Hasani

Hasfurther DL, Bailey PL. Failure of neuromuscular blockade reversal after rocuronium in a patient who received oral neomycin (clinical report), 617

Haug R, see Botero CA, jt. auth.

Hadzic A, see Vloka JD, jt. auth.

Heard CMB, see Fletcher JE, it. auth.

Heath G, see Cascio M, jt. auth.

Helbo-Hansen HS, see Kirkegaard-Nielsen H, jt. auth.

Helmreich RL, see Davies JM, jt. auth.

Hemphill DJ, see Mazer CD, jt. auth.

Henderson CL, Rosen HD, Arney KL. Oxygen flow through nasal cannulae (equipment), 636

Herrick IA, Gelb AW, Nichols B, Kirkby J. Patient-controlled propofol sedation for elderly patients: safety and patient attitude toward control, 1014

Hirabayashi Y, Fukuda H, Saitoh K, Inoue S, Mitsuhata H, Shimizu R. Failed spinal anaesthesia: cause identified by MRI (clinical report), 1072

Hirota K, see Sato T, jt. auth.

Ho S-T, see Yang C-Y, jt. auth.

Hodgins LR, see Searle NR, jt. auth.

Holbrook C, see Botero CA, jt. auth.

Holcomb GW III, see Tobias JD, jt. auth.

Holtby H, see Parker S, jt. auth.

Honda N, see Iwasaka H, jt. auth.

Honkavaara P, Pyykkö, Rutanen E-M. Increased incidence of retching and vomiting during periovulatory phase after middle ear surgery, 1108

Horan T, see Lieberman D, jt. auth.

Horber, see Krivosic-Horber

Horn B. see Przybylo HJ, it. auth.

Horn J-L, see Parris WCV, jt. auth.

Horn P, see Standl T, jt. auth.

Ho-Tai LM, Devitt JH, Noel AG, O'Donnell MP, Harrington E. Airway management: a comparison of face mask and laryngeal mask airway during positive pressure ventilation, A26-B

Hsing C-H, see Lui P-W, jt. auth.

Hsu E, see Splinter WM, jt. auth.

Huang J-J, see Yang C-Y, it. auth.

Hudson RJ, see Pascoe EA, jt. auth.

Hudson RJ, see Cohen MH, jt. auth.

- see Moon M, jt. auth.
- see Petersen MD, jt. auth.
- see Thomson IR, jt. auth.

Hull KA, see Miller DR, jt. auth.

Hung O, see McNeil P, jt. auth.

Hung OR, Dyck JB, Varvel J, Shafer SL, Stanski DR. Comparative absorption kinetics of intramuscular midazolam and diazepam, 450

Hunter T, Kleiman S. Anaesthesia for Caesarean hysterectomy in a patient with a preoperative diagnosis of placenta percreta with invasion of the urinary bladder (obstetric forum), 246

Hurst T, see Johnson D, jt. auth.

Hurtado C, Chung F, Krishnathas A. Does the nurse practitioner have a role in the pre-admission unit? A61-B

Ibejunjo C, Srikant CB, Donati F. Duration of succinylcholine and vecuronium blockade but not potency correlates with the ratio of endplate size to fibre size in seven muscles in the goat (laboratory investigation), 485

 Properties of fibres, endplates and acetylcholine receptors in the diaphragm, masseter, laryngeal, abdominal and limb muscles in the goat (laboratory investigation), 475

de T, Kochi T, Iijima K, Mizuguchi T. Distribution of diaphragm blood flow during sevoflurane anaesthesia in dogs (laboratory investigation), 44

Iijima K, see Ide T, jt. auth.

Imai T, Shiga T, Saruki N, Nishikawa K, Fujita T, Morishita Y.
Change in plasma endotoxin titres and endotoxin neutralizing activity in the perioperative period, 812

Inada K, see Kawamura T, jt. auth.

Inada T, Shingu K, Uchida M, Kawachi S, Tsushima K, Niitsu T.
Changes in the cerebral arteriovenous oxygen content difference by surgical incision are similar during sevoflurane and isoflurane anaesthesia, 1019

Inomata S, Nishikawa T. Determination of end-tidal sevoflurane concentration for tracheal intubation in children with the rapid method, 806

Inoue S, Ishii R, Fukuda H, Saitoh K, Shimizu R. Sevoflurane anaesthesia for a patient with adult polyglucosan body disease: clinical report), 1257

- see Hirabayashi Y, jt. auth.

Intrater H, see Mathieson AL, it. auth.

Iribarren MJ, see Pandero A, jt. auth.

Irwin MG, Campbell RCH, Lun TS, Yang JCS. Patient maintained alfentanil target-controlled infusion for analgesia during extracorporeal shock wave lithotripsy, 919

Isert PR. Arterial to end-tidal carbon dioxide differences during neurosurgical procedures (correspondence), 196

Ishii R, see Inoue S, jt. auth.

Ishizaki K, Yoshida N, Yoon DM, Yoon M-H, Sudoh M, Fujita T. Intrathecally administered NMDA receptor antagonists reduce the MAC of isoflurane in rats (laboratory investigation), 724

Itoh K, see Iwasaka H, jt. auth.

Iwama H. Graduated compression stocking prevents hypotension during spinal anaesthesia (correspondence), 984

 Watanabe K, Kaneki T, Komatsu T. No lipid droplets in blood during propofol anaesthesia (correspondence), 1081

Iwasaka H, Itoh K, Miyakawa H, Kitano T, Taniguchi K, Honda N. Glucose intolerance during prolonged sevoflurane anaesthesia (brief report), 1059

 Miyakawa H, Yamamoto H, Kitano T, Taniguchi K, Honda N.
 Respiratory mechanics and arterial blood gases during and after laparoscopic cholecystectomy, 129

 Ohmori H, Yamauchi M, Namiki A. Differential effects of propofol, thiamylal and ketamine on the cricothyroid and posterior cricoarytenoid muscles of the canine larynx (laboratory investigation), 39

- see Kawamata M, jt. auth.

Iwao Y, see Morisaki H, jt. auth.

Iwasaki H, see Kawamata M, jt. auth.

Iwashita H, see Matsukawa T, jt. auth.

Jacobs E, see Standl T, jt. auth.

Jacobson LE, see Haberkern CM, jt. auth.

Jaeger M, Ashbury T, Adams M, Duncan P. Perioperative onsite haemoglobin determination: as accurate as laboratory values? 795

Jago RH, see Bapat P, it. auth.

Jamieson WRE, see Dryden PJ, jt. auth.

Janicki PK, see Parris WCV, jt. auth.

Janis KM. Divided doses of methohexitone improves ECT outcome (correspondence – reply), 535

Jankowska A, Veillette Y. A comparison of differential blockade during spinal anesthesia using 2% isobaric vs hyperbaric lidocaine, A16-B

Janssen P, see Peter EA, jt. auth.

Jarpudi R, see Naguib M, jt. auth.

Javery KB, Ussery TW, Steger HG, Colclough GW. Comparison of morphine and morphine with ketamine for postoperative analgesia, 212

Jedeikin R, see Fredman B, jt. auth.

Jeejeebhoy KN, see Mazer CD, jt. auth.

Jeganathan R, see Fortier J, jt. auth.

Jensen EW, see Kirkegaard-Nielsen H, jt. auth.

Jensen V. The anaesthetic management of a patient with Emery-Dreifuss muscular dystrophy (clinical report), 968

Jiang MT, see Cheng DCH, it. auth.

Joffe D, see Beïque F, jt. auth.

Johnson B, Jr., see Parris WCV, jt. auth.

Johnson D, Cujec B, McCuaig R, Hurst T, Antecol D. Inhaled nitric oxide (NO) does not decrease pulmonary artery(PA) systolic pressure in patients with left ventricular(LV) systolic dysfunction, A25-A

 Thomson D, Mycyk T, Burbridge M, Mayers I. Respiratory outcomes in patients anaesthetized with high dose or low dose narcotic for aortocoronary bypass surgery (ACB), A4-B

Johnson DH, Bevan DR. Structured abstracts / Le résumé structuré (editorial), 1

Johnson JG, see Moudgil GC, jt. auth.

Jolly D, see Kashkari I, it. auth.

Jones R, Ueda I. Cuff bulk of tracheal tubes in adolescence: anaesthesia equipment, 514

Joshi RN, see Bapat P, jt. auth.

Juneau M, see Tardif J-C, jt. auth.

Justes, see D'Orleans-Justes

Kaçmaz M, see Durak I, jt. auth.

Kalra R, see Sharma S, it. auth.

Kaneko M, see Iwama H, jt. auth.

- see Yamamori Y. it. auth.

Kao YJ, Le ND. The reversal of profound mivacurium-induced neuromuscular blockade, 1128

Kantor GSA, Chung F. Anaesthesia drug cost, control and utilization in Canada, 9

Kapnoudhis P, see Ansley DM, it. auth.

Karayan J, see Dhoste K, jt. auth.

Kardash K, Tessler M. Video feedback in teaching laryngoscopy, A30-A

- see Tessler MJ, jt. auth.

Karkouti K, Rose DK, Ferris LE. Preoperative airway assessment: do we measure up? A64-A

- Tracheal intubation: how should it be documented? A31-B

 Rose DK, Ferris LE, Wigglesworth DF, Meisami-Fard T, Lee
 H. Inter-observer reliability of ten tests used for predicting difficult tracheal intubation, 554 Karl HW, Tyler DC, Krane EJ. Respiratory depression after low-dose caudal morphine (clinical report), 1065

Kasaba T, Yoshikawa G, Seguchi T, Takasaki M. Epidural fentanyl improves the onset and spread of epidural mepivacaine analgesia, 1211

Kashkari I, Al-Oufi H, Jolly D, Finucane BT. Propofol vs thiopental/lidocaine combinations for laryngeal mask airway(LMA) insertion – a dose finding study, A18-A

Kassum DA, see Pascoe EA, it. auth.

Katz J, see Koch SM, jt. auth.

Kavanagh JP, see Selby IR, it. auth.

Kavutch M, see Durak I, jt. auth.

Kawachi S, see Inada T, jt. auth.

Kawaguchi T, Mashimo AT, Yagi M, Takeyama E, Yoshiya I. Xenon is another laughing gas (correspondence), 641

Kawamata M, Omote K, Sumita S, Iwasaki H, Namiki A. Epidural pressure in a patient with superior vena cava syndrome (correspondence), 1277

Kawamura T, Inada K, Akasaka N, Wakusawa R. Ulinastatin reduces elevation of cytokines and soluble adhesion molecules during cardiac surgery, 456

Kawana S, see Nakayama M, jt. auth.

Kearney RA, Mack CA, Entwistle LM. Withholding oral fluids from children undergoing day surgery reduces vomiting, A42-B

Kelly D, see Stout RG, it. auth.

- see Walsh F, jt. auth.

Kember G, see McKay WPS, it. auth.

Kempen PM. Full body forced air warming commercial blanket vs air delivery beneath bed sheets (laboratory investigation), 1168

Kerns D, see Frenette L, jt. auth.

Kettler D, see Weyland W, jt. auth.

Khoshim MHB, see Naguib M, jt. auth.

Kim L, see Doyle DJ, jt. auth.

Kim S, see Vivien B, jt. auth.

Kinouchi K, Fukumitsu M, Takeuchi M, Matsuyama M, Kitamura S. Anaesthesia for balloon dilation for congenital tracheal stenosis in an infant (correspondence), 1081

Kirby J, see Herrick IA, jt. auth.

Kirihara Y, see Yamamori Y, jt. auth.

Kirkegaard-Nielsen H, Helbo-Hansen HS, Lindholm P, Severinsen IK, Pedersen HS, Jensen EW. Optimum time for neostigmine reversal of atracurium-induced neuromuscular blockade, 932

Kitamo T, see Iwasaka H, jt. auth.

Kitamura S, see Kinouchi K, jt. auth.

Kitts J, see McDonagh P, jt. auth.

Klahsen AJ, O'Reilly D, McBride J, Ballantyne M, Parlow JL.
Reduction of post-operative nausea and vomiting with the combination of morphine and droperidol in patient controlled analgesia, A14-B; 1100

- see Norris D, jt. auth.

Klassen K, see Kuwahara B, jt. auth.

Kleiman S, see Beique F, jt. auth.

- see Hunter T, jt. auth.

Kleiman SJ, see Lannes M, jt. auth.

- see Wayhba RWM, it. auth.
- see Tessler MJ, jt. auth.
- see Truong A, jt. auth.
- see Wahba PWM, jt. auth.

Klopfenstein CE, Foster A. La consultation préhospitalière d'anesthésie en Suisse francophone (correspondence), 317

Kobayashi T, see Taniguchi T, jt. auth.

Koch SM, Abramson DC, Ford M, Peterson D, Katz J. Bronchoscopic findings in post-obstructive pulmonary oedema (clinical report), 73

Kochi T, see Ide T, it. auth.

Kolesar R, see Park J, jt. auth.

Komar WE, see Badner NH, jt. auth.

Komatsu T, see Iwama H, jt. auth.

Konichezky S, see Ezri T, jt. auth.

Koorn R, see Vloka JD, it. auth.

Kopf A, see Striebel HW, it. auth.

Kosaka Y, see Alam S, jt. auth.

- see Sumi M, jt. auth.
- see Yamamori Y, jt. auth.

Koutsoukos G, Belo S. Does nitric oxide regulate coronary metabolic dilation? A-49-B

Knox JWD, see Morgan PJ, jt. auth.

Krane EJ, see Karl HW, jt. auth.

Krasner LJ, Corda DM, Solanki K, Layon AJ, Gallagher TJ, Stoltzfus DP. Effects of ethanol on complications and outcome from blunt trauma: an intensive care unit study, A12-A

Krishnathas A, see Hurtado C, jt. auth.

Krivosic-Horber R, see Carr RJ, jt. auth.

Kruger J. see Fisher JA. it. auth.

Kulkarni P, Brown KA. Ventilatory parameters in children during propofol anaesthesia: a comparison with halothane, 653

- see Fisher JA, jt. auth.

Kumar N, see Symington MJJ, jt. auth.

Kumazawa T, see Matsukawa T, jt. auth.

Kurian R, see Mazer CD, it. auth.

Kurosaki D, see Morita T, jt. auth.

Kurrek MM, Fish KJ. Anaesthesia crisis resource management training: an intimidating concept, a rewarding experience, 430

- see Devitt JH, jt. auth.

Kurtipek O, see Durak I, jt. auth.

Kuwahara B, Goresky GV. Anaesthetic management in patients with asthma (correspondence – reply), 196

 Klassen K. Epidural catheter connector (correspondence), 642

Lacoste L, see Dhoste K, jt. auth.

Lacroix G, Lessard MR, Trépanier CA. Treatment of postopera-

tive nausea and vomiting: comparison of propofol, droperidol and metoclopramide, 115

Lafreniere GK, Brunet DG, Milne B, Parlow JL. Changes in autonomic cardiovascular control with increasing levels of propofol sedation, A45-A

Lai H-S, see Chen T-L, it. auth.

Lambert T, see Vivien B, jt. auth.

Landau D. see Shenkman Z. it. auth.

Landau EH, see Shenkman Z, jt. auth.

Landmann H, see Weyland W, jt. auth.

Lang S. Vitalert 3200 capnometer alarm (correspondence), 985

- see Goranson BD, jt. auth.

Lang SA, see Comfort VK, jt. auth.

Lannes M, Tessler MJ, Kleiman SJ. Send for the next patient, please, A62-A

Lavenac G, see N'Guyen NQ, jt. auth.

Lavoie J, Vischoff D, Cyrenne L, Villeneuve E, Williot P. Preemptive analgesia in pediatric urologic patients, A10-B

Layon AJ, see Krasner LJ, jt. auth.

Le ND see Kao YJ, jt. auth.

LeDez KM, Peachey GO, Au JW, Snedden W. Repetitive inhalation endotracheal anaesthesia for cobalt radiotherapy in a child (clinical report), 835

Ledsome JP, Cole C, Sharp-Kehl JM. Somatosensory evoked potentials during hypoxia and hypocapnia in conscious humans, 1025

Lee H, see Karkouti K, it. auth.

Lehuede MS, see Dhoste K, jt. auth.

LeLorier J, see Morgan PJ, jt. auth.

Le Merre C, Dauzat M, Poupard P, Targhetta R, Fabre C, Bouges S, Eledjam J-J, Balm6es P. Pulmonary gas exchange capacity is reduced during normovolaemic haemodilution in healthy human subjects, 672

Lennon RL, see Bluestein LS, jt. auth.

Lerman J. Study design in clinical research: sample size estimation and power analysis (statistics), 184

- see Chin CA, it. auth.
- see Hamid SK, jt. auth.

Lessard M. ARDS – Nouveau concepts en ventilation mécanique (conférence d'actualisation), R42

 New concepts in mechanical ventilation for ARDS (refresher course outline), R50

Lessard MR, see Lacroix G, jt. auth.

Leung DHY, see Cohen S, it. auth.

Leyden P, see O'Hanlon J, it. auth.

Lieberman D, Littleford J, Horan T, Unruh H. Placement of left double-lumen endobronchial tubes with or without stylet, 238

Lin C-J, see Chen T-L, jt. auth.

Lin R, Baker A, Rose K, Garvey B, McBroom R. Bleeding and coagulopathy associated with major spinal surgery, A46-B

Lindholm P, see Kirkegaard-Nielsen H, jt. auth.

Liston R, see Muir HA, jt. auth.

Lindsay MP, see Zamora JE, jt. auth.

Littleford J, see Lieberman D, jt. auth.

- see Ong BY, jt. auth.
- see Paetkau D, jt. auth.

Liu C-C, see Chen T-L, jt. auth.

Lo CF, see Ng KFJ, jt. auth.

Lobato EB, Florete O, Locke-Bingham H. Single-dose milrinone and discontinuation of cardiopulmonary bypass in patients with pre-existing left ventricular dysfunction, A29-A

 Florete O, Paige GB. Effect of position, positive intrathoracic pressure, and hepatic compression on internal jugular vein area, A22-A

Locke-Bingham H, see Lobato EB, it. auth.

Loken RG, see Elwood T, it, auth.

Lowry D, see O'Hanlon JJ, jt. auth.

Lui A, see Badner NH, jt. auth.

Lui P-W, Hsing C-H. Chu Y-C. Terbutaline inhalation suppresses fentanyl-induced coughing, 1216

Luk H-N, see Yang C-Y, it. auth.

Lun TS, see Irwin MG, it. auth.

Lunt PG, Coombs DW. Epidural test dose use in anesthetic literature: how standard is this practice? A58-A

Lyerly K, see Greengrass R, jt. auth.

Lynn AM, see Hakerkern CM, jt. auth.

McAdam LC, MacDonald JF, Orser BA. Midazolam increases the affinity of the GABA<sub>A</sub> receptor for propofol, A49-A

McAuliffe G, Bissonnette B, Boutin C. Should atropine be routine in children? (correspondence – reply), 754

McBride J, see Klahsen AJ, jt. auth.

McBroom R, see Lin R, jt. auth.

McCarthy P, see Splinter WM, jt. auth.

McCleane G, see O'Hanlon JJ, jt. auth.

McCuaig R, see Johnson D, jt. auth.

McDonagh P, Dupuis J-Y, Curran M, Kitts J, Wynands JE.Pharmacodynamics of doxacurium during cardiac surgery with hypothermic cardiopulmonary bypass, 134

- see Mark D, jt. auth.

McDonald JF, see McAdam LC, jt. auth.

MacDonald RM, see Wong AK, jt. auth.

McGrath PJ, see Finley GA, jt. auth.

McGuire G, Cruise C. Arterial to end-tidal carbon dioxide differences during neurosurgical procedures (correspondence – reply), 197

McGuire GP. Lung ventilation and bronchopleural fistula (correspondence), 1275

MacIntyre A, see Garnett RL, jt. auth.

McIntyre JWR. Oropharyngeal and nasopharyngeal airways: I (1880-1995) (History of Anaesthesia), 629

McKay BWS, see McKay WPS, jt. auth.

McKay WPS, Erjavec M, McKay BWS, Gregson PH, Blanchet T, Kember G. Muscle sounds in anaesthetized patients, A10-A McKenna J, see Badner NH, it. auth.

- see Finucane BT, it. auth.

McKerrell J, see Goranson BD, jt. auth.

McLaren C, see Hall RI, jt. auth.

McLaren R, see Muir H, jt. auth.

McLean RF, Baker AJ, Walker SE, Mazer CD, Wong BI, Harrington EM. Ketamine concentrations during cardiopulmonary bypass, 580

MacLeod JP, see Rosaeg OP, jt. auth.

McManus ML, see Soriano SG, it. auth.

Macnab AJ, see Bevan JC, jt. auth.

MacNeill HB, see Splinter WM, jt. auth.

McNeil P, Hung O. Tracheal intubation using a gum elastic bougie for patients with restricted cervical spine movement, A26-A

MacNeill HB, see Splinter WM, jt. auth.

McPhail NV, see Garnett RL, jt. auth.

Mack CA, see Kearney RA, it. auth.

Maekawa N, see Nichina K, jt. auth. Mahieu P, see Hantson Ph, jt. auth.

Mahy J, see Peter EA, it. auth.

Mallat AM, Robertson J, Brock-Utne JG. Preoperative marijuana inhalation – an airway concern (clinical report), 691

Maltby JR, Elwood T, Price B. Acute transient unilateral macroglossia following use of a LMA (correspondence), 94

Mandelberg A, see Serour F, jt. auth.

Mangar D, see Fu ES, jt. auth.

Manninen PH, see Duffy CM, jt. auth.

Mannion D, see Cregg N, jt. auth.

Marchand M, see Bellemare F, jt. auth. Marcos RC, see Menéndez B, jt. auth.

Mark D, McDonagh P, DeLima L, Nathan H, Dupuis J-Y, Wynands JE. Post-operative critical oxygen delivery in high risk cardiac surgical patients, A38-B

Mark L, see Searle NR, jt. auth.

Marsland C, see Bevan JC, jt. auth.

Martel B, see Bérard D, jt. auth.

Martin D, see Martin G, jt. auth.

Martin G, Martin R, Martin D, Valet P, Tétrault J-P. Effects of CO<sub>2</sub> and epinephrine on lidocaine 1% in axillary block, A15-B

Martin R, Bourdua I, Thériault S, Tétrault JP, Pilote M. Neuromuscular monitoring: does it make a difference? 585

- see Bérard D, jt. auth.
- see Dagenais C, jt. auth.
- see Martin G, jt. auth.

Martineau RJ, see Miller DR, jt. auth.

- see Searle NR, jt. auth.

Martire T, see Fisher JA, jt. auth.

Mashimo T, see Kawaguchi T, jt. auth.

Maslow AD, Breen TW, Sarna MC, Soni AK, Watkins J, Oriol NE. Prevalence of coagulation abnormalities associated with intrauterine fetal death, 1237 Masuda J, see Morisaki H, jt. auth.

Mathieson AL, Intrater H, Cruickshank L, Duke PC, Ong BY, Woo V, Schimnowski D, Trosky S, Dalton L. The effect of chronic epidural depo-medrol on the hypothalmic-pituitaryadrenal axis, A17-A

Matsukawa T, Ozaki M, Hanagata K, Iwashita H, Miyaji T, Kumazawa T. A comparison of four infrared tympanic thermometers with tympanic membrane temperatures measured by thermocouples, 1224

Matsuki A, see Sato T, jt. auth.

Matsushima M, see Morisaki H, jt. auth.

Matsuvama M, see Kinouchi K, jt. auth.

Mayers I, see Johnson D, it, auth.

Mazer CD, Naik V, Hemphill DJ, Kurian R, Jeejeebhoy KN.
Pentane and ethane: non-invasive markers of oxygen free radical induced lipid peroxidation during cardiopulmonary bypass, A52-B

- see Benarioia M, jt. auth.
- see McLean RF, it. auth.
- see Tu JV, jt. auth.

Mazoit X, see Vivien RF, jt. auth.

Meisami-Fard T, see Karkouti K, jt. auth.

Melnik H, Tessler MJ. When no one is there, A11-B

Mély L, see Paut O, jt. auth.

Menard EA, see Splinter WM, jt. auth.

Menéndez B, Garcia del Valle S, Marcos RC, Azofra J, Gomez-Arnau J. Left superior vena cava: a vascular abnormality discovered following pulmonary artery catheterization (clinical report), 626

Menichetti A, see Tritapepe L, jt. auth.

Menkis AH, see St Amand MA, jt. auth.

Mercier FJ, Benhamou D. Anaesthetic management in patients with asthma (correspondence), 195

Meretyk S, see Shenkman Z, jt. auth.

Merkley L, see Pinkerton PH, it. auth.

Merrick PM, see Ansley DM, it. auth.

- see Dryden PJ, jt. auth.
- see Purday JP, jt. auth.
- see Wong DHW, it. auth.
- see Zabani I, jt. auth.

Meyer RM. Augustine guide (correspondence), 642

Michler RE, see Schwartz AE, jt. auth.

Mikawa K, see Nishina K, jt. auth.

Miller DR. Anaesthesia drug costs and utilization – time for a critical re-appraisal? / Le coût des produits anesthésiques et leur utilisation: est-il temps de modifier nos attitudes? (editorial), 4

- Intravenous anaesthesia: new drugs, new concepts, and clinical applications (refresher course outline), R142
- L'anesthésie intraveineuse, nouveaux agents, nouveaux concepts, R149
- Blew PG, Martineau RJ, Hull KA. Midazolam and awareness with recall during total intravenous anaesthesia, 946

- see Duffy PJ, it. auth.

Miller WD, see Fu ES, jt. auth.

Milne B, see Greenhow R, jt. auth.

Milner AL, see Finucane BT, jt. auth.

Milon D, see N'Guyen NQ, jt. auth.

Minanov O, see Schwartz AE, it. auth.

Miniaci A, see Ritchie ED, jt. auth.

- see Lafreniere GK, it. auth.
- see Norris D, jt. auth.

Mirakhur RK, see Symington MJJ, jt. auth.

Mitra S, see Sharma S, it. auth.

Mitsuhata H, see Hirabayashi Y, jt. auth.

Miwa Y, Yonemura E, Fukushima K. Epidural administered buprenorphine in the perioperative period, 907

Miyahara C, see Ecoff SA, jt. auth.

Miyaji T, see Matsukawa T, jt. auth.

Miyakawa H, see Iwasaka H, jt. auth.

- see Iwasaka H, jt. auth.

Mizuguchi T, see Ide T, jt. auth.

Monedero P, see Panadero A, jt. auth.

Monrigal J-P, Granry J-C. Excision of bronchogenic cysts in children using an ultrathin fibreoptic bronchoscope (clinical report), 694

Moon M, Thomson IR, Hudson RJ, Rosenbloom M. Does sufentanil dose influence isoflurane requirements during coronary artery surgery? A28-A

Moote CA. Postoperative pain management – beyond basics (correspondence – reply), 194

- see Ganapathy S, it. auth.
- see Rabuka SL, jt. auth.

Mora CT, see Torjman M, jt. auth.

Morgan NM III, see Tobias JD, jt. auth.

Morgan PJ. Maternal death following epidural anaesthesia (correspondence – reply), 318

Chapados R, Chung FF, Gauthier M, Knox JWD, LeLorier J.
 Evaluation of zolpidem, triazolam and placebo as hypnotic agents the night before surgery, A46-A

Mori J, see Serour F, jt. auth.

Morisaki H, Masuda J, Fukushima K, Iwao Y, Suzuki K, Matsushima M. Wound infiltration with lidocaine prolongs postoperative analgesia after haemorrhoidectomy with spinal anaesthesia, 914

Morishita Y, see Imai T, jt. auth.

Morita T, Kurosaki D, Tsukagoshi H, Sugaya T, Saito S, Sato H, Fujita T. Sevoflurane and isoflurane impair edrophonium reversal of vecuronium-induced neuromuscular block, 799

Morris M, see Ouanounou R, jt. auth.

Morrison S, see Rosaeg OP, jt. auth.

Moudgil GC, Johnson JG, Moudgil GM. Comparative effect of anti-inflammatory drugs on human leukocyte superoxide generation in vitro, A39-A

Moudgil GM, see Moudgil GAC, jt. auth.

- Muir HA, Shukla R, Liston R, Writer D. Randomized trial of labor analgesia: a pilot study to compare patient-controlled intravenous analgesia with patient-controlled epidural analgesia to determine in analgesic method affects delivery outcome, A60-B
- Shukla AR, Writer D, McLaren R. A randomized, doubleblind placebo-controlled trial of EMLA for analgesia prior to epidural needle insertion, A60-A

Muir J, see Goresky GV, jt. auth.

Muldoon T, see O'Hanlon JJ, jt. auth.

Munro AI, see Dryden PJ, jt. auth.

Murkin JM, see Avraamides ER, jt. auth.

- see St Amand MA, jt. auth.

Murphy P, see Devitt JH, jt. auth.

Mushambi MC, see Bourne TM, jt. auth.

Mutch WAC, see Graham MR, jt. auth.

Muzi M, see Searle NR, jt. auth.

Mycyk T, see Johnson D, jt. auth.

Muzyka D, see Finucane BT, it. auth.

- Naguib M, El Bakry AK, Khoshim MHB, Channa AB, El Gammal M, El Gammal K, Elhattab YS, Attia M, Jaroudi R, Saddique A. Prophylactic antiemetic therapy with ondansetron, tropisetron, granisetron and metocloparmide in patients undergoing laparoscopic cholecystectomy: a randomized double-blind comparison with placebo, 226
- El Dawlatly AA, Ashour M, Bamgboye EA. Multivariate determinants of the need for postoperative ventilation in myasthenia gravis, 1006
- Seraj M. Midazolam for caudal analgesia in children (correspondence), 535

Naik, see Mazer CD, jt. auth.

Naito H, see Yamaguchi H, jt. auth.

Nakayama M, Aimono M, Kawana S, Oomori H, Watanabe H, Namiki A. Cardiac arrest during removal of a pulmonary artery catheter (clinical report), 972

Nakazawa K, see Saitoh Y, jt. auth.

Namiki A, see Kawamata M, jt. auth.

- see Iwasaki H, jt. auth.
- see Nakayama M, jt. auth.

Nathan H, see Mark D, jt. auth.

Neelakandan B, see Sekaran NK, jt. auth.

Ng KFJ, Lo CF. The bamboo skewer: airway management in a patient with penetrating injury of the floor of the mouth (clinical report), 1156

N'Guyen NQ, Orain C, Tougui S, Lavenac G, Milon D. La clonidine augmente t-elle la duree de l'analgesie dans les blocs plexiques? A55-B

Nespeca MK, see Haberkern CM, jt. auth.

Nichols B, see Herrick IA, jt. auth.

Nielsen H, see Kirkegaard-Nielsen

Nishikawa K, see Imai T, jt. auth.

Nishikawa T, see Inomata S, jt. auth.

Nishimura K, see Saitoh Y, it. auth.

Nishina K, Mikawa K, Shiga M, Maekawa N, Obara H. Prostaglandin E<sub>1</sub> attenuates the hypertensive response to tracheal extubation, 678

Nishiyama T, Hanaoka K. Optimal dose of thiamylal in combination with midazolam for induction of anaesthesia, 1134

Nitsu T, see Inada T, jt. auth.

Noel A, see Devitt JH, jt. auth.

Noel AG, see Ho Tai LM, jt. auth.

Norris A, see Ritchie ED, jt. auth.

- see Splinter WM, jt. auth.

Norris D, Klashen A, Milne B. Delayed bilateral spinal anaesthesia following interscalene brachial plexus block (clinical reports), 303

- see Ali MJ, jt. auth.

Obara H, see Nishina K, jt. auth.

O'Brien F, see Greengrass R, jt. auth.

O'Callaghan-Enright SO, see Finucane BT, it. auth.

O'Connor JP, see Ansley DM, it. auth.

- see Dryden PJ, jt. auth.

O'Donnell MP, see Ho-Tai LM, it. auth.

- O'Hanlon J, Bali I, Leyden P. Trigeminal neve blockade, following inadvertent dural puncture – was there a connection? (correspondence), 316
- Muldoon AT, Lowry D, McCleane G. Improved postoperative analgesia with preoperative piroxicam, 102

Ohmori H, see Iwasaki H, jt. auth.

O'Hare B, see Chin CA, it. auth.

O'Leary G, see Halpern SH, it. auth.

Olsfanger O, see Fredman B, jt. auth.

Omote K, see Kawamata M, jt. auth.

Ong BY, Littleford J, Segstro R, Paetkau D, Sutton I. Spinal anaesthesia for Caesarean section in a patient with a cervical arteriovenous malformation (obstetric forum), 1052

- see Mathieson AL, jt. auth.
- see Paetkau D, jt. auth.

Oomori H, see Nakayama M, jt. auth.

O'Reilly D, see Klahsen AJ, it. auth.

Orain C, see N'Guyen NQ, jt. auth.

O'Reilly D, see Klahsen AJ, jt. auth.

Oriol NE, see Maslow AD, jt. auth.

Orrett FA, see Pinto Pereira LM, jt. auth.

Orser BA. Medication labels: for whose benefit? (correspondence), 194

- see Chen RJB, jt. auth.
- see McAdam LC, jt. auth.

Ortega RA, Singh N, Peine R. Ciguatera and the anesthesiologist (correspondence), 1080

Ouanounou A, Morris M, Carlen P, El-Beheiry H. Pretreatment with phenytoin ensures recovery of synaptic transmission in hippocampal slices after anoxic insults, A45-B

Oufi, see Al-Oufi

- Oxorn D, Edelist G, Harrington E, Tsang S. Echocardiographic assessment of left ventricular filling during isoflurane anaesthesia, 569
- Smith MS. An introduction to transoesophageal echocardiography: II. Clinical applications (equipment in anaesthesia), 278

Ozaki M, see Matsukawa T, jt. auth.

Öztürk HS, see Durak I, jt. auth.

Paek W, see Ananthanarayan C, it. auth.

Paetkau D, Ong BY, Segstro R, Littleford J. Analgesia/anaesthesia for removal of retained placentas, A61-A

- see Ong BY, it. auth.

Paige GB, see Lobato EB, it. auth.

Palahniuk RJ, see Carr RJ, jt. auth.

Palencia A, see Pogulanik J, jt. auth.

Paloheimo M, see Cozanitis D, jt. auth.

Panadero A, Iribarren MJ, Fernández-Liesa I, Monedero P. A simple method to decrease malposition of Robertshaw-type tubes (correspondence), 984

Pantuck CB, see Cohen S, jt. auth.

Pantuck EJ, see Cohen S, jt. auth.

Park J, Forrest J, Kolesar R, Bhola D, Beattie S, Chu C. Oral clonidine reduces postoperative PCA morphine requirements. 900

Parker S, Cox P, Holiby H, Roy L. The use of propofol for repair of congenital heart defects, A5-B

Parlow JL, see Klashen AJ, it. auth.

- see Lafrenier GK, jt. auth.

Parris WCV, Janicki PK, Johnson B Jr., Horn J-L. Intrathecal ketorolac tromethamine produces analgesia after chronic constriction injury of sciatic nerve in rat (laboratory investigation), 867

Pascoe EA, Hudson RJ, Anderson BA, Kassum DA, Shanks A, Rosenbloom M, Thomson IR. High-dose thiopentone for open-chamber cardiac surgery: a retrospective review, 575

Pash MP, Balaton J, Eagle ℂ. Anaesthetic management of a parturient with severe muscular dystrophy, lumbar lordosis and a difficult airway: clinical anaesthesia file, 959

Patel S, see Calla S, jt. auth.

Patton A, see Hall JK, jt. auth.

Paul-Blanc R, see Gurmarnik S, jt. auth.

Paut O, Mély L, Viard L, Silicani MA, Guys JM, Camaboulives J. Acute presentation of congenital diaphragmatic hernia past the neonatal period: a life threatening emergency (clinical report), 621

Peachey JW, see LeDez KM, jt. auth.

Pearce DJ. Brevibloc drug errors (correspondence), 419

Pearce S, see Frenette L, jt. auth.

Pearson ME, see Schwartz AE, jt. auth.

Pedersen HS, see Kirkegaard-Nielsen H, jt. auth.

Peine R, see Ortega RA, jt. auth.

Pelletier M, see Hardy, J-F, it. auth.

Penning JP. Pre-emptive analgesia: what does it mean to the clinical anaesthetist? / Que signifie l'analgésie préventive? (editorial), 97

Perreault L, see Ripart J, jt. auth.

Peter EA, Janssen P, Mahy J, Douglas MJ. A comparison of ibuprofen versus acetaminophen with codeine for perineal post-delivery pain, A59-A

Peterson D, see Koch SM, jt. auth.

Peterson MD, Thomson IR, Hudson RJ, Rosenbloom M. The comparative effect of three premedication regimens on anaesthetic requirements during coronary artery surgery, A27-B

Peynet J, see Vivien B, jt. auth.

Phang PT, see Giffin DM, it. auth.

Pilote M, see Martin R, jt. auth.

Pinchak AC, see Boterp CA, jt. auth.

Pinkerton PH, Merkley L, Coovadia AS. Autologous blood and cardiac surgery (correspondence), 1180

Pinto G, see Tritapepe L, jt. auth.

Pinto Pereira LM, Orrett FA, Balbirsingh M. Physiological perspectives in therapy in bronchial hyperactivity (review article), 700

Pirlet M, see Bérard D, jt. auth.

- see Bérard D, jt. auth.

Plourde G, see Gilron I, it. auth.

Pogulanik J, Palencia A, Galeotti G. Difficult intubation in obstetrics (correspondence), 879

Pol O, see Samsó E, jt. auth.

Polosa C, see Backman SB, jt. auth.

Pomietto M, see Haberkern CM, jt. auth.

Poreda M, see Gurmarnik S, jt. auth.

Poupard O, see Le Merre C, jt. auth.

Preston R, see Halpern SH, jt. auth.

Price B, see Malthy JR, it. auth.

Przybylo HJ, Stevenson GW, Vicari FA, Horn B, Hall SC.
Retrograde fibreoptic intubation in a child with Nager's syndrome (brief clinical report), 697

Pullerits J, Wiss K, Scharf MJ. Ketamine sedation obviates the need for general anaesthesia in children having laser ablation of facial port-wine stains (correspondence), 755

Puig MM, see Samsó E, jt. auth.

Punjabi B, see Botero CA, jt. auth.

Purday JP, Reichert CC, Merrick PM. Comparative effects of three doses of intravenous ketorolac or morphine on emesis and analgesia for restorative dental surgery in children, 221

Purkin J, see Ganapathy S, jt. auth.

Pyykkö I, see Honkavaara P, jt. auth.

Quessy SN, see Bluestein LS, jt. auth.

Rabito SF, see Sato T, jt. auth.

Rabuka SL, Moote CA. Anaesthesia in the media: out of the operating room, into the living room, A21-B

Raghupathy AK, see Botero CA, jt. auth.

Raithatha HH, see Strachan AN, jt. auth.

Ralley FE. The diabetic patient: a challenge or just routine? (refresher course outline), R14

- Le diabète, défi ou affaire de routine? R19
- Postoperative anaesthesia care / Les soins postanesthésiques (editorial), 759
- DeVarennes B, Robitaille M. Cost effectiveness of high vs low dose tranexamic acid on blood loss and blood product requirements after cardiac surgery, A35-A
- see Backman SB, jt. auth.

Ramaioli F, DE Amici D. Central antiemetic effect of atropine: our personal experience (correspondence), 1079

Ramsay J. The patient with heart disease (refresher course outline), R99

- L'anesthésie et la maladie cardiaque, R104

Rasmussen GE, see Tobias JD, jt. auth.

Raza A. Brevibloc drug errors (correspondence - reply), 419

Razvi H, see Ganapathy S, jt. auth.

Ready LB. Postoperative pain management – beyond basics (correspondence), 193

Reddy ARR, see Godley MJ, jt. auth.

Reichert CC, see Purday JP, jt. auth.

Reid CW, see Splinter WM, jt. auth.

Reid D, see Badner NH, jt. auth.

- see Finucane BT, jt. auth.

Reid GM, see Gurmarnik S, jt. auth.

Reid I, see Dryden PJ, jt. auth.

- see Splinter WM, jt. auth.

Reyford H, see Carr RJ, jt. auth.

Rhine EJ, see Splinter WM, jt. auth.

Rice LJ. Pain management in children (refresher course outline), R155

- La gestion de la douleur chez l'enfant, R159

Rice ML, Doyle DJ. Phonocardiographic monitoring sites: importance in on-line cardiac monitoring, A23-A

Ricci DR, see Ansley DM, jt. auth.

Ries CR, see Bevan JC, jt. auth.

Ripart J, Drolet P, Perreault L, Girard M. Effects de différentes doses d'édrophonium sur la neutralisation du bloc neuromuscular induit par le mivacurium en présence de N<sub>2</sub>O de propofol et d'alfentanil, 368

Ritchie ED, Tong D, Chung F, Norris A, Miniaci A, Vairavanthan SD. Suprascapular nerve block for pain relief after arthroscopic shoulder surgery, A56-A

- see Chung F, jt. auth.

Roberts DJ, see Splinter WM, jt. auth.

Roberts DE, see Splinter WM, jt. auth.

Robertson J, see Mallat AM, jt. auth.

Robicsek A, see Fisher JA, it. auth.

Robitaillé M, see Ralley FE, jt. auth.

Rockoff MA, see Soriano SG, jt. auth.

Rolbin SH, see Ananthanarayan C, jt. auth.

Römer M, see Striebel HW, jt. auth.

Rorabeck CH, see Badner NH, it. auth.

Rosaeg OP, Morrison S, MacLeod JP. Anaesthetic management of labour and delivery in the parturient with mitochondrial myopathy (clinical report), 403

- see Zamora JE, jt. auth.

Rose DK. Recovery room problems or problems in the PACU (refresher course outline), R116

- Les soins de la période postanesthésique, R123
- Byrick RJ, Cohen MM, Caskennette GM. Planned and unplanned postoperative admissions to critical care for mechanical ventilation, 333
- Cohen MM. Bypassing the post anaesthetic care unit: cost savings versus patient safety, A32-B
- The incidence of airway problems depends on the definition used, 30
- Predicting difficult laryngoscopy (correspondence), 1082
- Obstructive and nonobstructive pulmonary edema in the post-anaesthetic care unit, A32-A
- see Karkouti K, jt. auth.

Rose K, see Lin R, it. auth.

Rosen HD, see Henderson CL, jt. auth.

Rosenberg PH, see Tarkkila P, jt. auth.

Rosenbloom M, see Moon M, jt. auth.

- see Pascoe EA, it. auth.
- see Peterson MD, jt. auth.
- see Thomson IR, it. auth.

Rossignol M, see Tessler MJ, jt. auth.

Roth SH. see Archer DB. it. auth.

Roy L, see Parker S, it. auth.

Roy WL. Anaesthetizing children in remote locations: necessary expeditions or anaesthetic misadventures? / L'administration de l'anesthésie à des enfants dans des secteurs de l'hôpital éloignés: expéditions nécessaires ou tribulations inutiles? (editorial), 764

Roy M, see Hardy J-F, jt. auth.

Rucci F, see Bartoli F, jt. auth.

Rucker J, see Fisher JA, jt. auth.

Ruddy TD, see Garnett RL, jt. auth.

Rutanen E-M, see Honkavaard P, jt. auth.

Saddique A, see Naguib M, jt. auth.

Sadeghi H, see Dryden PJ, jt. auth.

St-Amand MA, Murkin JM, Baird D, Downey DB, Menkis AH.

The influence of epiaortic scanning on aortic cannulation for cardiac surgery, A6-A

St-Laurent D, see Daloze T, jt. auth.

St Louis PJ, see Wong AK, it. auth.

Saito S, see Morita T, jt. auth.

Saito Y, see Alam S, jt. auth.

- see Yamamori Y. it. auth.

Saitoh K, see Hirabayashi Y, jt. auth.

- see Inoue S, jt. auth.

- Saitoh Y, Nakazawa K, Tanaka H, Toyooka H, Amaha K. Double burst stimulation<sub>2,3</sub>: a new stimulating pattern for residual neuromuscular block, 1001
- Nishimura MC. Visual evaluation of TOF and DBS fade using a rubber band (correspondence), 316
- Tanaka H, Toyooka H, Amaha K. Recovery of post-tetanic and train-of-four responses at the first dorsal interosseous and adductor pollicus muscles in patients receiving vecuronium. 362
- see Sugiyama K, jt. auth.
- see Yamamori Y, jt. auth.

Sakaguchi Y, see Sumi M, jt. auth.

Sakura S, see Sumi M, jt. auth.

- see Yamamori Y, jt. auth.

Samanani N, see Archer DP, jt. auth.

Samii K, see Vivien B, jt. auth.

Sampson DL. Error – publishers correction (correspondence), 986

Samsó E, Vallés J, Pol O, Gallart L, Puig MM. Comparative assessment of the anaesthetic and analgesic effects of intramuscular and epidural clonidine in humans, 1195

Sanderson PM, see Ansermino JM, jt. auth.

Sandhu AA, see Schwartz AE, jt. auth.

Sandler A, see Finucane BT, jt. auth.

- see Halpern SH, jt. auth.

Sandler AN. The role of clonidine and alpha<sub>2</sub>-agonists for postoperative analgesia / L'analgésie postopératoire à la clonidine et aux autres agonistes alpha<sub>2</sub> (editorial), 1191

Sareen J, see Thomson IR, jt. auth.

Sarna MC, see Maslow AD, jt. auth.

Saruki N, see Imai T, jt. auth.

Sata T, see Aaoyama K, jt. auth.

Sato H, see Morita T, jt. auth.

Sato T, Hirota K, Matsuki A, Zsigmond EK, Rabito SF. Droperidol inhibits tracheal contraction induced by serotonin, histamine or carbachol in guinea pigs (laboratory investigation), 172

Satoh Y, see Sugiyama K, jt. auth.

Scharf JE, see Fu ES, jt. auth.

- see Guyton DC, it. auth.

Scharf MJ, see Pullerits J, jt. auth.

Scharf SM, see Guyton DC, jt. auth.

Scheffer N, see Corvo A, jt. auth.

Schelew BL, Vaghadia H. Ankylosing spondylitis and neuraxial anaesthesia – a 10 year review (clinical report), 65

Schimnowski D, see Mathieson AL, jt. auth.

Schreiber PJ. Vitalert 3200 capnometer alarm (correspondence), 985

Schulte am Esch J, see Standl T, jt. auth.

Schumacher I, see Weyland W, jt. auth.

Schwagmeier R, see Striebel HW, jt. auth.

Schwartz AE, Minanov O, Stone JG, Adams DC, Sandhu AA, Pearson ME, Young WL, Michler RE. Phenylephrine increases cerebral blood flow during low-flow cardiopulmonary bypass, A50-B

Scull T, Weeks S. Epidural analgesia for labour in a patient with Charcot-Marie-Tooth disease (clinical report), 1150

Searle N, Martineau R, Conzen P, Al-Hasani A, Ebert T, Muzi M. A multicenter study comparing the cardiovascular effect of sevoflurane and isoflurane anaesthesia for elective coronary artery bypass surgery, A35-B

 Martineau RJ, Conzen P, Al-Hasani A, Mark L, Ebert T, Muzi M, Hodgins LR, Sevoflurane venture group. Comparison of sevoflurane/fentanyl and isoflurane/fentanyl during elective coronary artery bypass surgery, 890

Segstro R, see Ong BY, jt. auth.

- see Paetkau D, jt. auth.

Seguchi T, see Kasaba T, jt. auth.

Sekaran NK, Neelakandan B. Spinal ketamine anaesthesia for hemithyroidectomy (correspondence), 537

Selby IR, Kavanagh JP. Do "Venflon" sideport valves leak? (correspondence), 756

- see Hamid SK, jt. auth.

Seraj M, see Naguib M, jt. auth.

Serour F, Cohen A, Mandelberg A, Mori J, Ezra S. Dorsal penile nerve block in children undergoing circumcision in a day-care surgery, 954

Severinsen IK, see Kirkegaard-Nielsen H, jt. auth.

Sevoflurane venture group, see Searle NR.

Shafer SL, see Hung OR, it. auth.

Shah D, see Calla S, jt. auth.

Shanks A, see Pascoe EA, jt. auth.

Sharma S, Mitra S, Grover VK, Kalra R. Esmolol blunts the haemodynamic response to tracheal intubation in treated hypertensive patients, 778

Sharp-Kehl JM, see Ledsome JR, jt. auth.

Sharpe MD. Anaesthesia and the transplanted patient (refresher course outline), R89

- L'anesthésie et la transplantation, R94
- see Cooper AB, jt. auth.

Shashtri N, see Calla S, jt. auth.

Shenkman Z, Crisnic IM, Avidan A. Calculation of dead space volume (correspondence), 319

Golub Y, Meretyk S, Shir Y, Landau D, Landau EH. Anaesthetic management of a patient with glycogen storage disease type 1b (clinical report), 467

Shephard DAE. Lemuel Ewart Prowse (History of Canadian Anaesthesia), 315

Shiga M, see Nishina K, jt. auth.

Shiga T, see Imai T, jt. auth.

Shigematsu A, see Aoyama K, jt. auth.

Shimizu R, see Inoue S, jt. auth.

Shingu K, see Inada T, jt. auth.

Shir Y, see Shenkman Z, jt. auth.

Shukla R, see Muir HA, it. auth.

Sikich N, see Hamid SK, it. auth.

1299

Silicani MA, see Paut O, jt. auth.

Silverman DG, see Stout RG, it. auth.

Silverman J, see Fisher J-A, jt. auth.

Singh B, see Tripathi A, it. auth.

Singh H. Pneumothorax complicating hypertrophic cardiomyopathy (correspondence), 419

Skidmore GB. Reuse of syringes in anaesthesia practice (correspondence), 418

- see Ortega RA, jt. auth.

Slutsky A, see Volgvesi GA, it, auth.

Slutsky M, see Fisher JA, jt. auth.

Smith, see Stafford-Smith

Smith CE, see Botero CA, jt. auth.

Smith MH, see Badner NH, jt. auth.

- see Oxorn D, it. auth.

Snedden W, see LeDez KM, jt. auth.

Snyders CJ, see Bucx MJL, jt. auth.

Solanki K, see Krasner LJ, jt. auth.

Solomon P, see Gilron I, jt. auth.

Sommer L, see Fisher JA, jt. auth.

Somwanshi M, see Tripathi A, jt. auth.

Soni AK, see Maslow AD, jt. auth.

Soriano SG, McManus ML, Sullivan LJ, Rockoff MA, Black P McL, Burrows FA. Cerebral blood flow velocity after mannitol infusion in children, 461

Spadafora SM, Fuller JG. Anaesthesia PGY-1 selection: CaRMS objective dossier scores are not predictive of success in structured interviews, A30-B

Spencer J, see Gadalla F, jt. auth.

Spiekermann BF, Stone DJ, Bogdonoff DL, Yemen TA. Airway management in neuroanaesthesia (review article), 820

Splinter WM, Bass J, Reid CW. Reducing pain after inguinal hernia repair in children: caudal anaesthesia vs ketorolac, A42-A

- Hsu E, McCarthy P. Sedation in paediatric oncology procedures: propofol vs midazolam, A44-A
- Rhine EJ, Gould M, Hall LE, MacNeill HB, Menard EA,
   Reid CW, Roberts DJ, Bernard P. Dexamethasone decreases
   vomiting by children after tonsillectomy, A41-B
- Rhine EJ, Menard EA, MacNeill HB, Noel LP, Bonn GG, Clarke W. Prevention of vomiting after strabismus surgery: propofol vs ondansetron, A41-A
- Rhine EJ, Roberts DW, Reid CW, MacNeill HB. Preoperative ketorolac increases bleeding after tonsillectomg in children, 560
- Roberts DJ, Rhine EJ, MacNeill HB, Reid CW. Prolonged exposure to nitrous oxide increases postoperative vomiting in children, A9-B

Sputtek A, see Standl T, jt. auth.

Srikant CB, see Ibebunjo C, it. auth.

Stacey MRW, Asai T, Wilkes A. Obstruction of a breathing system filter (correspondence), 1276

Stafford-Smith, M. Impaired haemostasis and regional anaesthesia (refresher course outline), R129

- Les anomalies de l'haemostase et l'anesthésie régionale, R136
- see Fitzpatrick T, jt. auth.

Standl T, Horn P, Wilhelm S, Greim C, Freitag M, Freitag U, Sputtek A, Jacobs E, Schulte am Esch J. Bovine haemoglobin is more potent than autologous red blood cells in restoring muscular tissue oxygenation after profound isovolaemic haemodilution in dogs (laboratory investigation), 714

Stanski DR, see Hung OR, jt. auth.

Stark R, see Garnett RL, jt. auth.

Steele S, see Greengrass R, it. auth.

Steger HG, see Javery KB, it. auth.

Stein RD, see Backman SB, it. auth.

Stevenson GW, see Przybylo HJ, jt. auth.

Steward DJ, see Ecoff SA, jt. auth.

Stijnen T, see Bucx, jt. auth.

Stinson LW, see Bluestein LS, it. auth.

Stoltzfus DP, see Krasner LJ, jt. auth.

Stone DJ, see Spiekermann BF, jt. auth.

Stone JG, see Schwartz AE, jt. auth.

Storella RJ. Why all muscles are not alike / Pourquoi tous les muscles ne se ressemblent pas (editorial), 549

- Ackerman TS. Atropine and neuromuscular fade in the mouse phrenic nerve-diaphragm (laboratory investigation), 169
- Stout RG, Brull SJ, Kelly D, Silverman DG. Early neuromuscular recovery characteristics following administration of mivacurium plus vecuronium, 358

Strachan AN, Raithatha HH. Propofol myoclonus (correspondence), 536

Striebel HW, Römer M, Kopf A, Schwagmeier R. Patient controlled oral analgesia with morphine (anaesthesia equipment), 749

Stuart JC, see Conway F, jt. auth.

Su J, see Chung F, jt. auth.

- see Fortier J, jt. auth.

Sudoh M, see Ishizaki K, jt. auth.

Sugaya T, see Morita T, jt. auth.

Sugiyama K, Yokoyama K, Satoh Y. Long-neck slip joint for preventing compression of RAE tube (correspondence), 1276

Sullivan LJ, see Soriano SG, jt. auth.

Sullivan P, see Badner NH, jt. auth.

Sumi M, Sakura S, Sakaguchi Y, Saito Y, Kosaka Y. Comparison of glucose 7.5% and 0.75% with or without phenylephrine for tetracaine spinal anaesthesia, 1138

Sumita S, see Kawamata M, jt. auth.

Sundar S, see Duffy CM, jt. auth.

Sutton I, see Ong BY, jt. auth.

Suzuki K, see Morisaki H, jt. auth.

Symington MJJ, Mirakhur RK, Kumar N. Neostigmine but not edrophonium prolongs the action of mivacurium, 1220

Szalai J-P, see Devitt JH, jt. auth.

Szmuk P, see Ezri T, jt. auth.

Takasaki M, see Kasaba T, jt. auth.

Takeuchi M, see Kinouchi K, jt. auth.

Takenaka I, see Aoyama K, jt. auth.

Takeyama E, see Kawaguchi T, jt. auth.

Tanaka H, see Fuji Y, jt. auth.

- see Saitoh Y, jt. auth.

Taniguchi K, see Iwasaka H, jt. auth.

Taniguchi T, Yamamoto K, Kobayashi T. The precipitate formed by thiopentone and vecuronium (technical report), 511

Tardif J-C, Juneau M. Predicting ischaemic events in the perioperative period: in search of the perfect tool / Prédiction des événements ischémiques périopératoires: à la recherche de l'instrument parfait (editorial), 989

Targhetta R, see LeMerre C, jt. auth.

Tarkkila P, Tuominen M, Rosenberg PH. Intravenous ketorolac vs diclofenac for analgesia after maxillofacial surgery, 216

Tays R, Brock-Utne JG. Chewing gum prior to anaesthesia – is not age restricted (correspondence), 1080

Tekkök IH, Carter DA, Brinker R. Spinal subdural haematoma as a complication of immediate epidural blood patch (clinical report), 306

Tessler MJ, Kardash K, Trihas T, Kleiman SJ, Rossignol M, Wahba RM. Does patient age influence the ease of accomplishing spinal anaesthesia? A57-A

- see Corvo A, it. auth.
- see Kardash K, jt. auth.
- see Lannes M, jt. auth.
- see Melnik H, jt. auth.
- see Truong A, jt. auth.
- see Wahba RWM, jt. auth.

Tétrault JP, see Dagenais C, it. auth.

- see Martin G, jt. auth.
- see Martin R, jt. auth.

Thériault S, see Martin R, jt. auth.

Thiesson DB, see Graham MR, jt. auth.

Thomas D, see Dhoste K, jt. auth.

Thomson D, see Johnson D, jt. auth.

- see Peterson MD, jt. auth.

Thomson IR. New volatile anaesthetics in cardiovascular anaesthesia: one step forward, two steps back? / Les nouveaux anesthésiques volatils en anesthésie cardiovasculaire: un pas en avant, deux en arrière (editorial), 883

- Sareen J, Hudson RJ, Rosenbloom M. Does sufentanil dose influence haemodynamics during induction of anaesthesia for coronary artery bypass grafting? A28-B
- see Moon M, jt. auth.
- see Pascoe EA, jt. auth.

Thys D, see Vloka JD, it. auth.

Timour Q, see Freysz M, jt. auth.

Tobias JD. Continuous infusion of rocuronium in a paediatric intensive care unit, 353

- Rocuronium in paediatric ICU (correspondence reply),
- Rasmussen GE, Holcomb GW III, Brock JW III, Morgan WM III. Continuous caudal anaesthesia with chloroprocaine as an adjunct to general anaesthesia in neonates (clinical report), 69

Tong D, see Ritchie ED, jt. auth.

Torjman M, Mora CT, White PF. Calculation of dead space volume (correspondence – reply), 319

Tougui S, see N'Guyen NQ, jt. auth.

Tournadre JP, see Chassard D, it. auth.

Toyooka H, see Fuji Y, it. auth.

- see Saitoh Y, jt. auth.

Trau H, see Yaniv R, jt. auth.

Trépanier CA, see Lacroix G, jt. auth.

Trihas T, see Tessler MJ, jt. auth.

Tripathi A, Somwanshi M, Singh B. Omeprazole before emergency Caesarean section (correspondence – reply), 878

Tritapepe L, Voci P, Pinto G, Brauneis S, Menichetti A. Anaesthesia for Caesarean section in a Marfan patient with recurrent aortic dissection (clinical report), 1153

Troncy E, Francoeur M, Salazkin I, Charbonneau M, Vinay P, Blaise G. Extrapulmonary effects of inhaled nitric oxide, A24-A

- see Yang F, jt. auth.

Trosky S, see Mathieson AL, jt. auth.

Truong A, Tessler MJ, Kleiman SJ, Bensimon M. Late operating room starts: experience with an education trial (occasional review), 1233

Tsang JYC, Brush BA. Patient controlled analgesia (PCA) in post-operative cardiac surgery, A55-A

Tsang S, see Oxorn D, jt. auth.

Tsukagoshi H, see Morita T, jt. auth.

Tsushima K, see Inada T, jt. auth.

Tu JV, Mazer CD. Can clinicians predict ICU length of stay following cardiac surgery? 789

Tuöminen M, see Tarkkila P, jt. auth.

Tyler DC, see Karl HW, jt. auth.

Uchida M, see Inada T, jt. auth.

Ueda I, see Jones R, jt. auth.

Un V, see Chung F, jt. auth.

Unruh H, see Lieberman D, jt. auth.

Ussery TW, see Javery KB, jt. auth.

Utne, see Brock-Utne

Vaghadia H, Alahdal OA. Randomised controlled trials of EMLA<sup>R</sup> patch for reduction of pain associated with intravenous cannulation in adult surgical outpatients, A53-A

- see Schelew BL, jt. auth.
- see Zabani I, jt. auth.

Vaillancourt S, see Belo S, it. auth.

Vairavanthan SD, see Ritchie ED, jt. auth.

Valet P, see Martin G, jt. auth.

Vallés J, see Samso, E, jt. auth.

van den Berg AA. A comparison of ondansetron and prochlorperazine for the prevention of nausea and vomiting after tympanoplasty, 939

Van der Linden P, see Bélisle S, jt. auth.

Vander Stappen M, see Hantson Ph, jt. auth.

Van der Vegt, see Bucx MJL, jt. auth.

Vanelli AN, see Badner NH, jt. auth.

Varon AJ, see Desjardins G, jt. auth.

Varvel J, see Hung OR, jt. auth.

Veall G, see Bevan JC, it. auth.

Veillette Y, see Jankowska A, jt. auth.

Viard L, see Plaut O, it. auth.

Vicari FA, see Przybylo HJ, jt. auth.

Villeneuve E, see Lavoie J, jt. auth.

Vinay P, see Troncy E, jt. auth.

- see Yang F, jt. auth.

Vincent J-L. Monitoring tissue perfusion (refresher course outline), R55

- Monitorage de la perfusion tissulaire, R58

Vivien B, Mazoit X, Peynet J, Kim S, Lambert T, Samii K. Is lidocaine-prilocaine cream (EMLA<sup>R</sup>) always useful for venous puncture in preoperative autologous blood donation?,

Vloka JD, Hadzic A, Koorn R, Thys D. Supine approach to the sciatic nerve in the popliteal fossa (clinical report), 964

Voci P, see Tritapepe L, jt. auth.

Voth BR, see Arndt GA, jt. auth.

Volgyesi GA, Fisher JA, Slutsky A. A low resistance, reusable heat and moisture exchanger for respiratory studies, A23-B

- see Fisher JA, jt. auth.

Wadsworth L, see Grange CS, it. auth.

Wahba RWM. Airway closure and intraoperative hypoxaemia: twenty-five years later (review article), 1144

- Béique F, Kleiman SJ. Cardiopulmonary function with PEEP at sternotomy, A5-A
- Tessler MJ. Misleading end-tidal CO<sub>2</sub> tensions (brief review), 862
- Tessler, Béïque F, Kleiman SJ. Changes in PCO<sub>2</sub> with acute changes in cardiac index, 243
- Tessler MJ, Kleiman SJ. Acute ventilatory complications during laparoscopic upper abdominal surgery (continuing medical education), 77
- see Corvo A, jt. auth.
- see Tessler MJ, jt. auth.

Wakusawa R, see Kawarmura T, jt. auth.

Walker SE, see McLean RF, it. auth.

Wall C, see Cregg N, jt. auth.

Walley KR, see Giffin DM, jt. auth.

Walsh F, Kelly D. Anaesthetic management of a patient with familial normokalaemic periodic paralysis (clinical report), 684 Wantanabe K, see Iwama H, jt. auth

Ward ME, see Fisman DN, jt. auth.

Warriner CB, see Giffin DM, jt. auth.

Watanabe H, see Nakayama M, jt. auth.

Watkins J, see Maslow AD, jt. auth.

Weeks S, see Scull T, jt. auth.

Wesselink PR, see Bucx MJL, jt. auth.

Weyland W, Fritz U, Landmann H, Schumacher I, English M, Kettler D. Effectivity of intraoperative warming techniques, A21-A

White PF, see Torjman M, it. auth.

Wigglesworth DF, see Karkouti K, jt. auth.

Wilhelm S, see Standl T, jt. auth.

Wilkes A, see Stacey MRW, jt. auth.

Williamson R. Predicting difficult laryngoscopy (correspondence), 1082

Williot P, see Lavoie J, jt. auth.

Wilson RM, see Bluestein LS, jt. auth.

Wiss K, see Pullerits J, it. auth.

Withington D. Rocuronium in paediatric ICU (correspondence), 1183

Wong AK, Bissonnette B, Braude BA, MacDonald RM, St-Louis PJ, Fear DW. Postoperative pain in children (correspondence – reply), 419

Wong BI, see McLean RF, it. auth.

Wong DHW. "This bair is not her Teddy" (correspondence), 1278

 Merrick PM. Intravenous sedation prior to peribulbar anaesthesia for cataract surgery in elderly patients, 1115

Woo V, see Mathieson AL, jt. auth.

Writer D, see Muir HA, it. auth.

Wu W-C, see Yang C-Y, jt. auth.

Wulf H. Epidural anaesthesia and spinal haematoma (brief review), 1260

Wynands JE, The contribution of Canadian anaesthetists to the evolution of cardiac surgery (History of Canadian Anaesthesia), 518

- see McDonagh P, jt. auth.
- see Mark D, jt. auth.

Yagi M, see Kawaguchi T, jt. auth.

Yamaguchi Y, Naito H. Antinociceptive synergistic interaction between morphine and n<sup>ω</sup> -nitro l-arginine methyl ester on thermal nociceptive tests in the rats (laboratory investigation), 975

Yamamori Y, Saito Y, Kaneko M, Kirihara Y, Sakura S, Kosaka Y. Antinociceptive effects of ONO-9902, an enkephalinase inhibitor, after visceral stress condition in rats (laboratory investigation), 1175

Yamamoto H, see Iwasaka H, jt. auth.

Yamauchi M, see Iwasaka H, jt. auth.

Yang C-Y, Wong C-S, Chang J-Y, HO S-T. Intrathecal ketamine reduces morphine requirements in patients with terminal cancer pain, 379  WU W-C, Huang J-J, Chen S-Y, Luk H-N, Chai C-Y. Effects of propofol on medullary vasomotor centers in cats, A44-B

Yang F, Troncy E, Francoeur M, Charbonneau M, Vinay P, Blaise G. Measurements of nitrogen oxides (No<sub>x</sub>) by chemiluminescence, A9-A

Yang H. Intraoperative automated ST segment analysis: a reliable 'Black Box'? (review article), 1041

Yang JCS, see Irwin MG, it. auth.

Yaniv R, Auslender S, Trau H. General anaesthesia of a bullous pemphigoid patient (correspondence), 1181

Yee DA, see Chen RJB, it. auth.

Yee I, see Ganapathy S, jt. auth.

Yel M, see Durak I, it. auth.

Yemen TA, see Spiekermann BF, jt. auth.

Yip RW, see Comfort VK, jt. auth.

Yokoyama K, see Sugiyama K, jt. auth.

Yonemura E, see Miwa Y, jt. auth.

Yoon DM, see Ishizaki K, jt. auth.

Yoon M-H, see Ishizaki K, jt. auth.

Yoshikawa G, see Kasaba T, jt. auth.

Yoshiya I, see Kawaguchi T, jt. auth.

Young E, see Napat P, jt. auth.

Young R, see Gurmarnik S, jt. auth.

Young WL, see Schwartz AE, jt. auth.

- Zabani I, Chilvers CR, Vaghadia H, Merrick PM. The usefulness of electrocardiographic monitoring in healthy young adults having minor surgery, A17-B
- Vaghadia H. Refractory dystonia during propofol anaesthesia in a patient with torticollis-dystonia disorder (clinical report), 1062
- Zamora JE, Rosaeg OP, Lindsay MP, Crossan ML. Haemodynamic consequences and uterine contractions following 0.5 or 1.0 litre crystalloid infusion before obstetric epidural analgesia, 347

Zsigmond EK, see Sato T, it. auth.

# Canadian Journal of Anaesthesia

# Index of Subjects

Volume 43, 1996

Abstracts, structured: editorial (Johnson and Bevan), 1 Acetaminophen, see under Pharmacology Acetylcysteine, see under Lungs, mucus Acute respiratory distress syndrome, see under Lung Age factor

- chewing gum prior to anaesthesia is not age restricted: correspondence (Tays and Brock-Utne), 1080
- does patient age influence the ease of spinal anaesthesia?
   (Tessler et al), A57-A
- elderly ASA III patients, haemodynamic and ventilatory changes during laparoscopic cholecystectomy in (Dhoste et al), 783
- patient controlled analgesia in the elderly surgical population (Corvo et al), A54-B
- patient controlled propofol sedation for elderly patients: safety and patient attitude toward control, 1014

### Airway

- assessment
  - inter-observer reliability of ten tests used for predicting difficult tracheal intubation (Karkouti et al), 554
  - what's the best test? editorial (Bainton), 541
- closure and intraoperative hypoxaemia: twenty-five years later: review article (Wahba), 1144
- difficult, anaesthetic management of a parturient with severe muscular dystrophy, lumbar lordosis and: clinical anaesthesia file (Pash), 959
- difficult, central anticholinergic syndrome complicating management of: correspondence (Ezri et al), 1079
- extubation, difficult, use of an endotracheal tracheal ventilation catheter in management: technical report (Cooper), 90
- laryngeal mask
  - acute transient unilateral macroglossia following use: correspondence (Maltby et al), 94
  - cricoid pressure impedes positioning and ventilation through the laryngeal mask airway (Aoyama et al), 1035
  - for awake intubation for Caesarean section: clinical report (Godley and Reddy), 299
  - insertion
    - comparison of propofol versus thiopentone with midazolam or lidocaine to facilitate (Bapat et al), 564
    - with a laryngoscope in paediatric patients (Elwood and Cox), 435
  - leak reduction with LMA: correspondence (Brimacombe and Berry), 537
- lower injuries and anaesthesia: review article (Devitt and Boulanger), 148; correspondence (Desjardines and Varon), 1181; reply (Devitt and Boulanger), 1182

- management in a patient with penetrating injury of the floor of the mouth: clinical report (Ng and Lo), 1156
- management in neuroanaesthesia: review article (Spiekermann et al), 820
- management during positive pressure ventilation, face mask and larvngeal mask airway compared (Ho-Tai et al). A26-B
- management in neuroanaesthesia: refresher course outline (Cottrell), R61; R69
- monitoring, with ultrathin fibreoptic broncoscope during anaesthesia to remove bronchogenic cysts in children (Monrigal and Granry), 694
- obstruction
  - caused by preoperative marijuana inhalation: an airway concern (Mallat et al), 691
  - insertion of laryngeal mask airway with a laryngoscope in paediatric patients to avoid (Elwood and Cox), 435
  - paradoxical vocal cord motion in the recovery room; a masquerader of pulmonary dysfunction: clinical report (Arndt and Voth), 1249
  - reversible, physiological perspectives of therapy: review article (Pinto Pereria et al), 700
  - tracheal stenosis and myasthenia gravis, anaesthetic management of a patient with: clinical anaesthesia file,
     (Froelich, discussion Eagle), 84
- oropharyngeal and nasopharyngeal: I (1880-1995): History of Anaesthesia (McIntyre), 629
- preoperative assessment: do we measure up? (Karkouti et al), A64-A
- problems, incidence of, depends on the definition used (Rose and Cohen), 30
- reactive diseases, bronchospasm, perioperative management of patients with: review article (Pinto Pereira et al), 700

Alfentanil, see under Anaesthetics, intravenous; Analgesics Alopecia, see under Complications

Ambulatory anaesthesia, see under Anaesthesia, outpatient

Ambulatory surgery, see under Surgery Amlodipine, see under Pharmacology

Anaemia, see under Complications

# Anaesthesia

- analgesia for removal of retained placentas (Paetkau et al), A61-A
- and the transplanted patient: refresher course outline (Sharpe), R89; R94
- care and audit: 150 years on: editorial (Davies), 323
- chewing gum prior to anaesthesia is not age restricted: correspondence (Taye and Brock-Utne), 1080

- for major vascular surgery: refresher course outline (Beattie),
   R3: R8
- cardiac/cardiovascular
  - aortic surgery, perioperative ischaemia in: combined epidural/general anaesthesia and epidural analgesia vs general anaesthesia and iv analgesia (Garnett et al), 769
  - cardiopulmonary bypass, ulinastatin reduces elevation of cytokines and soluble adhesion molecules during cardiac surgery (Kawamura et al), 456
  - contribution of Canadian anaesthetists to the evolution of cardiac surgery: history of cardiac anaesthesia (Wynands),
     518
  - coronary artery bypass, elective, comparison of sevoflurane/fentanyl and isoflurane/fentanyl during (Searle et al), 890
  - echocardiography, transoesophageal: equipment in anaesthesia (Béïque et al), 252; clinical applications (Oxorn et al), 278
  - intensive care unit length of stay following, can clinicians predict (Tu and Mazer), 789
- new volatile anaesthetics in cardiovascular anaesthesia: editorial (Thomson), 883

see also, Surgery, cardiac; cardiovascular

- depth
  - awareness
    - during anaesthesia: editorial (Aikenhead), 206
    - unintentional intraoperative, during sufentanil anaesthesia for cardiac surgery: clinical report (Gilron et al), 295
    - with recall, midazolam and, during total intravenous anaesthesia (Miller et al), 947
- drug errors in a survey of 650 practitioners (Chen et al), A13-A
- electroconvulsive therapy, divided doses of methohexitone improves outcome: correspondence (Gurmarnik et al), 535
- general, of a bullous pemphigoid patient: correspondence (Yaniv et al), 1181
- haemoglobin determination during, photometer based, is it as accurate as laboratory values? (Jaeger et al), 795
- in patients with asthma: correspondence (Mercier and Benhamou), 195; reply (Kuwahara and Goresky), 196
- in the media (Rabuka and Moote), A12-B
- induction, optimal dose of thiamylal in combination with midazolam for induction of anaesthesia (Nishiyama and Hanaoka), 1134
- laparoscopic cholecystectomy in elderly patients, ASA III, haemodynamics (Dhoste et al), 783
- lower airway injuries and: review article (Devitt and Boulanger), 148
- MAOIs and (monoamine oxidase inhibitors): correspondence (Clark), 641
- monitoring, cardiac output (index), changes in arterial PCO<sub>2</sub> and end-tidal PCO<sub>2</sub> (Wahba et al), 243
- muscle sounds in anaesthetized patients (McKay et al), A10-A

- neuroanaesthesia, airway management in: review article (Spiekermann et al), 820
- neurological, trends in: refresher course outline (Cottrell), R61; R69
- obstetric/gynaecological
  - acute pruritus: development of a scale for measurement of (Halpern), A58-B
  - analgesia/anaesthesia for removal of retained placentas (Paetkau et al), A61-A
  - buprenorphine, epidural administered, in the perioperative period (Miwa et al), 907
  - Caesarean section
  - emergency, omperazole before: correspondence (Franzca), 878
  - epidural morphine vs hydromorphone in post-Caesarean section patients (Halpern et al), 595
  - for hysterectomy in a patient with a preoperative diagnosis of placenta percreta with invasion of the urinary bladder: obstetric forum (Hunter and Kleiman), 246
  - for labour and delivery in a parturient with mitochondrial myopathy: clinical report (Rosaeg et al), 403
  - haemodilution for (Grange et al), A59-B
  - in a Marfan patient with recurrent aortic dissection: clinical report (Tritapepe et al), 1153
  - maternal death following: correspondence (Bourne and Mushambi), 318
  - morphine vs hydromorphone in post-Caesarean section patients (Halpern et al), 621
  - spinal anaesthesia for, in a patient with a cervical arteriovenous malformation: obstetrical forum (Ong et al), 1052
  - use of LMA for awake intubation for: clinical report (Godley and Reddy), 299
  - with a subdural catheter (Gershon), 1068
- coagulation abnormalities associated with intrauterine fetal death, prevalence of (Maslow et al), 1229
- difficult intubation in: correspondence (Pogulanik et al), 879
- EMLA for analgesia prior to epidural needle insertion, a randomized, double-blind placebo-controlled trial (Muir et al), A60-A
- epidural
- analgesia, haemodynamic consequences and uterine contractions following 0.5 or 1.0 litre crystalloid infusion before (Zamora et al), 347
- analgesia for labour in a patient with Charcot-Marie-Tooth disease: clinical report (Scull and Weeks), 1150
- for labour and delivery: fentanyl or sufentanil? (Cohen et al), 341
- for pain relief in labour, trigeminal nerve blockade following inadvertent dural puncture was there a connection?
   correspondence (O'Hanlon et al), 31
- hysterectomy, a comparison of ranitidine, droperidol or placebo in the prevention of nausea and vomiting after (Cozanaitis et al), 106

- hysteroscopy and: review article (Ananthanarayan et al),
   56
- intrauterine fetal death, prevalence of coagulation abnormalities associated with (Maslow et al), 1237
- labor analgesia: a pilot study to compare patient-controlled intravenous analgesia with patient-controlled epidural analgesia to determine if analgesic methods affect delivery outcome (Muir et al), A60-B
- management of a parturient with severe muscular dystrophy, lumbar lordosis and a difficult airway: clinical anaesthesia file (Pash), 959
- post-delivery perineal pain: comparison of ibuprofen versus acetaminophen with codeine for (Peter et al), A59-A
- regional, combined spinal-epidural in a labouring parturient, meningitis following: clinical report (Cascio and Heath), 399; correspondence (Eldor), 1183; reply (Cascio), 1184
- outpatient, postoperative symptons 24 hours after ambulatory anaesthesia (Chung et al), 1121
- paediatric
  - atropine, should it be routine in? correspondence (Guyton and Scharf), 754; reply (McAuliffe), 754
  - balloon dilation for congenital tracheal stenosis in an infant: correspondence (Kinouchi et al), 1081
  - bleeding after tonsillectomy, increased by preoperative ketorolac (Splinter et al), 560
  - bronchogenic cysts in children, excision using an ultrathin fibreoptic bronchoscope (Monrigal and Granry), 694
  - cerebral blood flow velocity after mannitol infusion in children (Soriano et al), 461
  - congenital diaphragmatic hernia past the neonatal period:
     a life threatening emergency: optimal care: clinical report
     (Paut et al), 621
  - continuous caudal, with chloroprocaine as an adjunct to general anaesthesia in neonates: clinical report (Tobias et al), 69
  - cuff bulk of tracheal tubes in adolescence: anaesthesia equipment (Jones and Ueda), 514
  - day surgery, withholding oral fluids from, reduces vomiting (Kearney et al), A42-B
  - dorsal penile nerve block in children undergoing circumcision in a day-care surgery (Serour et al), 954
  - epidural and intravenous bolus morphine for postoperative analgesia in infants (Habaerkern et al), 1203
  - familial normokalaemic paralysis, anaesthetic management of five-year-old boy: clinical report (Walsh and Kelly), 684
  - for restorative dental surgery in children, comparative effects of three doses of intravenous ketorolac or morphine on emesis and analgesia for (Purday et al), 221
  - humidification reduces coughing and breath-holding during inhalation induction with isoflurane in children (Cregg et al), 1090

- inhalation induction: editorial (Goresky and Muir), 1085
- in remote locations: necessary expeditions or anaesthetic misadventures? (Roy), 764
- inhalation endotracheal anaesthesia, repetitive, for cobalt radiotherapy in a child: clinical report (LeDez et al), 835
- intensive care unit, continuous infusion of rocuronium in (Tobias), 353; correspondence (Withington), 1183; reply (Tobias), 1183
- ketorolac, preoperative increases bleeding after tonsillectomy in children (Splinter et al), 560
- laryngeal mask insertion with a laryngoscope in (Elwood and Cox), 435
- laser ablation of facial port-wine stains, ketamine sedation obviates the need for general anaesthesia in children: correspondence (Pullerits et al), 755
- malignant hyperthermia involving the administration of desflurane in a ten-year-old boy (Fu et al), 687
- management of a patient with glycogen storage disease type 1b: clinical report (Shenkman et al), 467
- midazolam for caudal analgesia in children: correspondence (Naguib and Seraj), 535; reply (Goresky), 536
- oncology procedures, sedation for, propofol vs midazolam (Splinter et al), A44-A
- otoplasty, analgesia after: regional nerve blockade vs local anaesthetic infiltration of the ear (Cregg et al), 141
- outpatient, ketamine sedation obviates the need for general anaesthesia in children having laser ablation of facial port-wine stains: correspondence (Pullerits et al), 755
- pain management in children: refresher course outline (Rice), R155; R159
- pain reduction after inguinal hernia repair: caudal anaesthesia vs ketorolac (Splinter et al), A42-A
- postoperative vomiting
  - after strabismus surgery, prevention: propofol vs ondansetron (Splinter et al), A41-A
  - after strabismus surgery and tonsillectomy, reduced by granisetron (Fujii et al), 35
  - after tonsillectomy, dexamethasone decreases (Splinter et al), A41-B
  - antiemetic efficacy of granisetron and metoclopramide in children undergoing ophthalmic or ENT surgery (Fujii et al), 1095
  - granisetron and dexamethasone provide more improved prevention of postoperative emesis than granisetron alone (Yoshitaka et al), 1229
  - increased by prolonged exposure to nitrous oxide (Splinter et al), A9-B
  - prophylactic therapy after adenotonsillectomy: a comparison of dimenhydrinate, ondansetron or placebo (Hamid et al), A43-B
  - remote locations (from the operating room), repetitive inhalation endotracheal anaesthesia for cobalt radiotherapy in a child: clinical report, (LeDez et al), 835

- residual neuromuscular blockade in children, acceleromyography improved detection (Ansermino et al), 589
- rocuronium in the paediatric ICU unit (Tobias), 353;
   correspondence (Withington), 1183; reply (Tobias),
   1183
- tracheal intubation, rapid method for determination of end-tidal sevoflurane concentration for (Inomata and Nishikawa), 806
- twins, conjoined, with complex cardiac anomalies, anaesthetic management: clinical report (Chen et al), 1161
- ventilation during halothane anaesthesia in infants less than two months of age (Brown), 121
- ventilatory parameters during propofol anaesthesia: a comparison with halothane (Brown and Kulkarni), A24-B; (Kulkarni and Brown), 653
- PGY-1 selection: CaRMS objective dossier scores are not predictive of success in structured interviews (Spadafora and Fuller), A30-B
- preemptive analgesia in urologic patients (Lavoie et al), A10-B
- propofol-induced movements modified by oral midazolam premedication (Macnab et al), A43-A
- postoperative care: editorial (Ralley), 759
- preoperative anaesthetic out-patient clinics in Switzerland: correspondence (Klopfenstein and Foster), 317
- quality in, an integrated and constructive model: refresher course outline (Hardy and Pelletier), R75; R83
- respiratory depression after low-dose caudal morphine: clinical report (Karl et al), 1065

# Anaesthesiologists

- importance of traits of, as ranked by operating room nurses (Doyle and Kim), A31-A
- training
  - simulation-based Anaesthesia Crisis Resource Management, an intimidating concept, a rewarding experience (Kurrek and Fish), 430
  - simulation: it's a start: editorial (Davies and Helmreich),
     425
- turn-over time between patients (Melnik and Tessler), A11-B
   Anaesthetic techniques
- bronchoscopy, placement of left double-lumen tubes with or without a stylet (Lieberman et al), 238
- cricoid pressure impedes positioning and ventilation through the laryngeal mask airway (Aoyama et al), 1035
- epidural
  - analgesia for labour and delivery: fentanyl or sufentanil?
     (Cohen et al), 341
  - and intravenous ketamine, antinociceptive effects of, to somatic and visceral stimuli in rats: laboratory investigation (Alam et al), 408
  - and spinal haematoma: brief review (Wulf), 1260

- blood patch, spinal subdural haematoma as a complication of immediate: clinical report (Tekkök et al), 306
- buprenorphine in the perioperative period (Miwa et al), 907
- continuous infusion of ropivacaine for prevention of postoperative pain after major orthopaedic surgery (Badner et al), 17
- depo-medrol, chronic, effect on the hypothalmic-pituitaryadrenal axis (Mathierson et al), A17-A
- double-blind comparison of ropivacaine 0.5%, 0.75%,
   1.0% and bupivacaine 0.5%, injected epidurally, in patients undergoing abdominal hysterectomy (Finucane et al). 442
- fentanyl improves the onset and spread of epidural mepivacaine analgesia (Kasaba et al), 1211
- general combined and epidural analgesia vs general anaesthesia and iv analgesia: perioperative ischaemia in aortic surgery (Garnett et al), 769
- in cases of ankylosing spondylitis: clinical report (Schelew et al), 65
- steroid injections, bacterial meningitis and cauda equina syndrome after: clinical report (Cooper and Sharpe), 471
- test dose use in anesthetic literature: how standard is this practice? (Lunt and Coombs), A58-A
- extubation, tracheal, prostaglandin E<sub>1</sub> attenuates the hypertensive response to (Nishina et al), 678
- in patients with coronary artery disease undergoing non-cardiac surgery: refresher course outline (Ramsay), R99; R104
- induction by inhalation
  - editorial (Goresky and Muir), 1085
  - humidification reduces coughing and breath-holding during inhalation induction with isoflurane in children (Cregg et al), 1090
- intrathecal, intravenous morphine in rats, L-NAME has a synergistic, antinociceptive synergistic interaction with: laboratory investigation (Yamaguchi and Naito), 975
- intravenous, new drugs, new concepts, and clinical applications: refresher course outline (Miller), R142; R149
- peribulbar, intravenous sedation prior to, for cataract surgery in elderly patients (Wong and Merrick), 1115
- regional
  - block
  - axillary, effects of CO<sub>2</sub> and epinephrine on lidocaine 1% (Martin et al), A15-B
  - brachial plexus, does clonidine increase the duration of analgesia in (N'Guyen et al), A55-B
  - caudal epidural block, continuous with chloroprocaine as an adjunct to general anaesthesia in neonates; clinical report (Tobias et al), 69
  - caudal morphine, respiratory depression after low-dose: clinical report (Karl et al), 1065
  - combined spinal epidural technique, in a labouring term parturient aseptic meningitis using needle-through-

- needle technique: clinical report (Cascio and Heath), 399; correspondence (Eldor), 1183; reply (Cascio), 1184
- dorsal penile nerve block in children undergoing circumcision in a day-care surgery (Serour et al), 954
- during spinal anaesthesia, a comparison using 2% isobaric vs hyperbaric lidocaine (Jankowska and Veillette), A16-B
- infiltration of ear vs nerve blockade for analgesia after otoplasty (Cregg et al), 141
- interscalene brachial plexus, delayed bilateral spinal anaesthesia following: clinical report (Norris et al), 303
- neuromuscular, profound mivacurium-induced, reversal of (Kao and Le), 1128
- paravertebral block for breast cancer surgery: anaesthetic technique (Greengrass et al), 858
- sciatic nerve block, supine approach to, in the popliteal fossa; clinical report (Vloka et al), 964
- subarachnoid block, anterior epidural haematoma following: correspondence (Bartoli et al), 94
- suprascapular nerve, for pain relief after arthroscopic shoulder surgery (Ritchie et al), A56-A
- combined spinal-epidural technique in a labouring term parturiet, meningitis following: clinical report (Cascio and Heath), 399
- impaired haemostasis and: refresher course outline (Stafford-Smith), R129; R136
- peripheral, three techniques compared for outpatient knee arthroscopy (Goranson et al), A15-A
- saphenous nerve anaesthesia a nerve stimulator technique; anaesthetic techniques (Comfort et al), 853
- sleep apnoea syndrome, anaesthetic management of patients with: review article (Boushra), 599
- spinal
  - age factor, influence of, on ease of accomplishing (Tessler et al). A57-A
  - and general combined for laparoscopic cholecystectomy: correspondence (Gurmarnik et al), 95
  - comparison of differential blockade during, using 2% isobaric vs hyperbaric lidocaine (Jankowska and Veillette), A16-B
  - comparison of glucose 7.5% and 0.75% with or without phenylephrine for tetracaine spinal anaesthesia, (Sumi et al), 1138
  - comparison of haemodynamic effects of intrathecal meperidine, meperidine-bupivacaine mixture and hyperbaric bupivacaine (Conway et al), A23
  - delayed bilateral, following interscalene brachial plexus block: clinical report (Norris et al), 303
  - effects of ketamine on analgesic morphine requirements, in patients with terminal cancer pain (Yang et al), 379
  - failed, cause identified by MRI: clinical report (Hirabayashi et al), 1072

- for Caesarean section in a patient with a cervical arteriovenous malformation: obstetric forum (Ong et al), 1052
- for prostatectomy, mechanics of expiratory muscles in (Bellemare et al), A25-B
- graduated compression stocking prevents hypotension during: correspondence (Iwama), 984
- haemorrhoidectomy with, wound infiltration with lidocaine prolongs postoperative analgesia after (Morisaki et al), 914
- in a patient with Emery-Dreifuss muscular dystrophy: clinical report (Jensen), 968
- in case of ankylosing spondylitis: clinical report (Schelew and Vaghadia), 65
- ketamine, spinal, for hemithyroidectomy: correspondence (Sekaran et al), 537
- with glucose-free 2% lidocaine, three needles compared (Bédard et al), A57-B
- subdural, surgical anaesthesia for Caesarean section with a subdural catheter: clinical report (Gershon), 1068

#### Anaesthetics

 drug costs and utilization: editorial (Miller), 4; (Kantor and Chung), 9

### Anaesthetics, gases

- ethanol, effects of, on complications and outcome from blunt trauma: an intensive care unit study (Rabuka and Moote),
   A12-B
- nitric oxide
  - inhaled
    - does it regulate coronary metabolic rate? (Koutsoukos and Belo), A49-B
    - does not decrease pulmonary artery(PA) systolic pressure in patients with left ventricular(LV) systolic dysfunction (Johnson et al), A25-A
  - extrapulmonary effects of (Troncy et al), A25-A
- nitrogen oxide (NO)
  - exposure, prolonged, increases postoperative vomiting in children (Splinter et al), A9-B
  - measurements by chemoluminescence (Yang et al), A9-A
- nitrous oxide
  - and propofol, opioid supplementation: effects of different opioids on recovery (Cohen and Hudson), A14-A
  - xenon is another laughing gas: correspondence (Kawaguchi et al), 641

#### Anaesthetics, intravenous

- alfentanil/propofol (total anaesthesia), midazolam and awareness with recall during (Miller et al), 946
- droperido
- compared with proprofol and metoclopramide for treatment of postoperative nausea and vomiting (Lacroix et al),
   115
- compared with ranitidine or placebo in prevention of nausea and vomiting after hysterectomy (Cozanitis et al.), 106
- inhibits tracheal contraction induced by serotonin, hista-

- mine or carbachol in guinea pigs: laboratory investigation (Sato et al), 172
- metoclopramide combination, for antiemetic prophylaxis (Belo and Vaillancourt), A63-B
- morphine combination for reduction of post-operative nausea and vomiting in patient controlled analgesia (Klashen), A14-B

#### - fentanyl

- during cardiopulmonary bypass, multicompartment pharmacokinetic model for (Botero et al), A3-B
- induced coughing supressed by terbutaline inhalation (Lui et al), 1216
- induction in coronary artery disease, rocuronium vs vecuronium during (Botero et al), A3-A
- propofol and ketamine versus fentanyl for open heart surgery (Botero et al), A4-A
- sevoflurane and isoflurane/fentanyl, a comparison during elective coronary artery bypass surgery (Searle et al), 890

#### ketamine

- and propofol versus fentanyl for open heart surgery (Botero et al), A4-A
- combined with morphine compared with morphine alone for postoperative analgesia (Javery et al), 212
- concentrations during cardiopulmonary bypass (McLean et al), 580
- effects on cricothyroid and posterior cricoarytenoid muscles of the canine larynx compared with propofol and thiamylal: laboratory investigation (Iwasaki et al), 39
- sedation obviates the need for general anaesthesia in children having laser ablation of facial port-wine stains: correspondence (Pullerits et al), 755
- sedative infusions during surgery, propofol vs propofolketamine (Botero), A11-A
- spinal, for hemithyroidectomy (Sekaran et al), 537
- methohexitone, divided doses of improves ECT outcome: correspondence (Gurmarik et al), 535; reply (Janis), 353
- midazolam in combination with thiamylal, optimal dose for induction of anaesthesia, Nishiyama and Hanaoka), 1134
- new drugs, new concepts and clinical applications: refresher course outline (Miller), R142; R149

# - propofol

- alfentanil/O<sub>2</sub> total anaesthesia, influence of midzaolam on infusion requirements and recovery characteristics of (Miller et al), 946
- and ketamine versus fentanyl for open heart surgery (Botero et al), A4-A
- changes in autonomic cardiovascular control with increasing levels of propofol sedation (Lafreniere et al), A45-A
- compared with droperidol and metoclopramide in treatment of postoperative nausea and vomiting (Lacroix et al),
   115

- delirium, prolonged after: correspondence (Gadalla and Spencer), 877
- effects on cricothyroid and posterior cricoarytenoid muscles of the canine larynx compared with ketamine and thiamylal: laboratory investigation (Iwasaki et al), 39
- efficacy of, in reducing sodium nitroprusside requirements to control mean arterial pressure and systemic vascular resistance during cardiopulmonary bypass (Greenhow et al), A27-A
- for rapid sequence intubation, prevention of hypotension after: correspondence (Gin), 877
- for repair of congenital heart defects (Parker et al), A5-B
- induced movements in children, modification by oral midazolam premedication (Bevan et al), A43-A
- in children, ventilatory parameters compared with halothane (Brown and Kulkarni), A24-B; Kulkarni and Brown), 653
- midazolam increases the affinity of the GABA<sub>A</sub> receptor for (McAdam et al), A49-A
- myoclonus: correspondence (Strachan and Raithatha), 536
- no lipid droplets in blood during: correspondence (Iwama et al), 1081
- patient-controlled sedation for elderly patients: safety and patient attitude toward control (Herrick et al), 1014
- refractory dystonia during, in a patient with torticollisdystonia disorder: clinical report (Zabani and Vaghadia), 1062
- to facilitate laryngeal mask airway, comparison versus thiopentone with midazolam or lidocaine (Bapat et al), 564
- vs ondansetron for prevention of vomiting after strabismus surgery (Splinter et al), A41-A
- vs propofol-ketamine, sedative infusions during surgery (Botero et al), A11-A
- vs thiopental/lidocaine combinations for laryngeal mask airway(LMA) insertion – a dose finding study (Kashkari et al), A18-A

# - sufentanil

- does dose influence haemodynamics during induction of anaesthesia for coronary artery bypass grafting? (Thomson et al), A28-B
- does dose influence isoflurane requirements during coronary artery surgery? (Moon et al), A28-A
- for cardiac surgery, unintentional intraoperative awareness during: clinical report (Gilron et al), 295

# - thiamylal

- combined with midazolam, optimal dose of, for induction of anaesthesia (Nishiyama and Hanaoka), 1134
- effect on cricothyroid and posterior cricoarytenoid muscles of the canine larynx, compared with propofol and ketamine: laboratory investigation (Iwasaki et al), 39
- thiopental
- lidocaine combinations vs propofol for laryngeal mask air-

way(LMA) insertion – a dose finding study (Kashkari et al), A18-A

#### - thiopentone

- high-dose, for open-chamber cardiac surgery (Pascoe et al), 575
- induced enhancement of somatic motor responses to noxious stimulation: influence of GAGA<sub>A</sub> receptor modulation: laboratory investigation (Archer et al), 503
- precipitate formed by thiopentone and vecuronium: technical report (Taniguchi et al), 511

#### Anaesthetics, local

# - bupivacaine

- comparison of haemodynamic effects of intrathecal meperidine, meperidine-bupivacaine mixture and hyperbaric bupivacaine (Conway et al), 23
- double-blind comparison with ropivacaine injected epidurally, in patients undergoing abdominal hysterectomy (Finucane et al), 442
- etidocaine and lidocaine, clinical effects of routine alkalinization of: review article (Chassard et al), 384
- intra-articular, addition of morphine to, does not improve outcome following knee replacement surgery (Badner et al). A54-A
- potassium channel agonists modify the local anaesthetic activity of, in mice: laboratory investigation (Gantenbein et al), 871
- chloroprocaine, continuous caudal anaesthesia with, as an adjunct to general anaesthesia in neonates (Tobias et al), 69

# - EMLA® (Eutectic mixture of local anaesthetics)

- for analgesia prior to epidural needle insertion, a randomized, double-blind placebo-controlled trial (Muir et al), A60-A
- is not effective for extracorporeal shock wave lithotripsy (Ganapathy et al), 1030
- lidocaine-prilocaine cream, is it useful for venous puncture in preoperative autologous blood donation? (Vivien et al), 232
- patch, controlled trials of, for reduction of pain associated with intravenous cannulation in adult surgical outpatients (Vaghadia and Alahdal), A53-A

### - lidocaine

- isobaric vs hyperbaric 2%, comparison of differential blockade during spinal anesthesia (Jankowska and Veillette), A16-B
- 1%, effects of CO<sub>2</sub> and epinephrine on, in axillary block (Martin et al), A15-B
- spinal anaesthesia with glucose-free 2%, a comparison of three spinal needles in (Bédard et al), A57-B
- thiopental combinations, vs propofol for laryngeal mask airway(LMA) insertion – a dose finding study (Kashkari et al), A18-A
- with thiopentone to facilitate laryngeal mask insertion, compared with propofol (Bapat et al), 564

- wound infiltration with, prolongs postoperative analgesia after haemorrhoidectomy with spinal anaesthesia (Morisaki et al), 914
- mepivacaine, epidural analgesia, epidural fentanyl improves onset and spread of (Kasaba et al), 1211

#### - ropivacaine

- continuous epidural infusion of, for the prevention of postoperative pain after major orthopaedic surgery (Badner et al) 12
- double-blind comparison with bupivacaine injected epidurally in patients undergoing abdominal hysterectomy (Finucane et al), 442
- tetracaine spinal anaesthesia, comparison of glucose 7.5% and 0.75% with or without phenylephrine for (Sumi et al), 1138

### Anaesthetics, Volatile

#### - desflurane

- isoflurane, sevoflurane (new volatile anaesthetics) in cardiovascular anaesthesia: editorial (Thomson), 883
- malignant hyperthermia involving administration of (Fu et al), 687

### - halothane

- hepatotoxicity and hepatic free radical metabolism in guinea pigs; the effects of vitamin E (Durak et al), 741
- impairs both systolic and diastolic function in the newborn pig (Graham et al), 495
- in children, ventilatory paramaters compared with propofol (Brown and Kulkarni), A24-B; (Kulkarni and Brown), 653
- in infants less than two months of age, pattern of ventilation during (Brown), 121

# - isoflurane

- and fentanyl compared with sevoflurane/fentanyl during elective coronary artery bypass surgery (Searle et al), 890
- and sevoflurane for elective coronary artery bypass surgery, a multicenter study comparing cardiovascular effects (Searle et al), A35-B
- and sevoflurane impair edrophonium reversal of vecuronium-induced neuromuscular block (Morita et al), 799
- changes in cerebral arteriovenous oxygen content difference by surgical incision are similar during sevoflurane and isoflurane (Inada et al), 1019
- chronic coronary obstruction and acute ischaemia during isoflurane anaesthesia, comparison of nifedipine and metoprolol on collateral coronary blood flow in a swine model: laboratory investigation (Cheng et al), 160
- comparative assessment of the effects of intramuscular and epidural clonidine on requirements (Samsó et al), 1195
- haemodynamics during induction of anaesthesia for coronary artery bypass grafting, does sufentanil dose influence? (Thomson et al.), A28-B

- high cerebral concentrations of, movement associated with: laboratory investigation (Antognini), 310
- humifidication reduces coughing and breath-holding during inhalation induction with isoflurane in children (Cregg et al), 1090
- impairs both systolic and diastolic function in the newborn pig: laboratory investigation (Graham et al), 495
- left ventricular filling during isoflurane anaesthesia, echocardiographic assessment of (Oxorn et al), 569
- MAC, intrathecally admnistered NMDA receptor antagonists reduce the MAC of isoflurane in rats (Ishizaki et al), 724
- requirements during coronary artery surgery, does sufentanil dose influence? (Moon et al), A28-A

### - sevoflurane

- and fentanyl and isoflurane/fentanyl, comparison of, during elective coronary artery bypass surgery (Searle et al), 890
- and isoflurane for elective coronary artery bypass surgery, a multicenter study comparing cardiovascular effects (Searle et al), A35-B
- and isoflurane impair edrophonium reversal of vecuronium-induced neuromuscular block (Morita et al),799
- distribution of diaphragm blood flow during, in dogs (Ide et al), 44
- for a patient with adult polyglucosan body disease: clinical report (Inoue et al), 1257
- for tracheal intubation in children, determination of endtidal concentration of using rapid method (Inomata and Nishikawa), 806
- glucose tolerance during prolonged: brief report (Iwasaka et al), 1059

# Analgesia

- caudal, in children, midazolam for: correspondence (Naguib and Khalid), 535
- EMLA for, prior to epidural needle insertion, a randomized, double blind placebo-controlled trial (Muir et al), A60-A
- hyperalgesia associated with thiopentone is not mediated primarily by GABA<sub>A</sub> receptors: laboratory investigation (Archer et al), 503
- patient-controlled (PCA); see also Analgesia, postoperative
  - alfentanil given by a pharmacokinetic-based target controlled infusion, during extracorporeal shock wave lithotripsy (Irwin et al), 919
  - costs, patient attitudes toward (Badner et al), A53-B
  - eutectic mixture of local anaesthetics is not effective for extracorporeal shock wave lithotripsy (Ganapathy et al), 1030
  - in labor, patient-controlled intravenous, compared with patient-controlled epidural analgesia to determine if analgesic method affects delivery (Muir et al), A60-B
  - in the elderly surgical population (Corvo et al), A54-B

- in post-operative cardiac surgery (Tsang and Brush).
   A55-A
- postoperative morphine requirements reduced by oral clonidine (Park et al), 900
- propofol sedation for elderly patients: safety and patient attitude toward control (Herrick et al), 1014
- reduction of post-operative nausea and vomiting with combination of morphine and droperidol in (Klashen et al), A14-B: 1100
- postoperative; see also Analgesia, patient controlled
  - after haemorrhoidectomy with spinal anaesthesia, wound infiltration with lidocaine prolongs (Morisaki et al), 914
  - after maxillofacial surgery, intravenous ketorolac vs diclofenac (Tarkkila et al), 216
  - after otoplasty: regional nerve blockade vs local anaesthetic infiltration of the ear (Cregg et al), 141
  - clonidine and alpha<sub>2</sub>-agonists for: editorial (Sandler),
  - comparative assessment of the anaesthetic and analgesic effects of intramuscular and epidural clonidine in humans (Samsó et al), 1195
  - comparison of morphine and morphine with ketamine for (Javery et al), 212
  - epidural administered buprenorphine in the perioperative period (Miwa et al), 907
  - in infants, epidural and intravenous bolus morphine for (Haberkern et al), 1203
- improvement with preoperative piroxicam (O'Hanlon et al), 102; editorial (Penning), 97
- patient controlled oral analgesia (PCORA) with morphine:
   anaesthesia equipment (Striebel et al), 749
- preemptive, in paediatric urologic patients (Lavoie et al), A10-B
- sedation, intravenous, prior to peribulbar anaesthesia for cataract surgery in elderly patients (Wong and Merrick), 1115
- sedative infusions during surgery: propofol vs ketamine (Botero et al), A11-A
- technique, spinal: intrathecal ketorolac tromethamine produces analgesia after chronic constriction injury of sciatic nerve in rats: laboratory investigation (Parris et al), 867

# see also Anaesthesia, obstetric

# Analgesics

- alfentanil, patient maintained, target-controlled infusion for analgesia during extracorporeal shock wave lithotripsy (Irwin et al), 919
- buprenorphine in the perioperative period, epidural administered (Miwa et al), 907
- cholinergic, clonidine for brachial plexus block does it increases the duration of analgesia? (N'Guyen et al), A55-B
- enkephalinase inhibitor, ONO-9902, antinociceptive effects of, after visceral stress conditions in rats (Yamamori et al), 1175

#### - fentanyl

- epidural, improves the onset and spread of epidural mepivacaine analgesia (Kasaba et al), 1211
- or sufentanil for epidural analgesia for labour and delivery? (Cohen et al), 341

# - ketamine

- epidural intravenous, antinoceptive effects of, to somatic and visceral stimuli in rats: laboratory investigation (Alam et al), 408
- intrathecal, reduces morphine requirements in patients with terminal cancer pain (Yang et al), 379

# meperidine

comparison of haemodynamic effects of intrathecal meperidine, meperidine-bupivacaine mixture and hyperbaric bupivacaine (Conway et al), 23

#### - morphine

- added to intra-articular bupivacaine does not improve outcome following knee joint replacement (Badner et al), A54-A
- antinociceptive synergistic interaction between morphine and n<sup>∞</sup>-nitro l-arginine methyl ester on thermal nociceptive tests in rats: laboratory investigation (Yamaguchi and Naito), 975
- caudal, low dose, respiratory depression after: clinical report (Karl et al), 1065
- combined with droperidol to reduce post-operative nausea and vomiting in patient controlled analgesia (Cohen et al), A14-A
- comparison of morphine and morphine with ketamine for postoperative analgesia (Javery et al), 212
- epidural and intravenous bolus morphine for postoperative analgesia in infants (Haberkern et al), 1203
- epidural, vs hydromorphone in post-Caesarean section patients (Halpern et al), 595
- intrathecal: influence on recovery of cardiac surgical patients (FitzPatrick and Stafford-Smith), A56-B
- intravenous versus ketorolac, comparative effects of three doses of, on emesis and analgesia for restorative dental surgery in children (Purday et al), 221
- patient controlled oral analgesia with (PCORA), (Striebel et al), 749

# - narcotic

 for aortocoronary bypass surgery, respiratory outcomes in patients anaesthetized with high dose or low dose (Johnson et al), A4-B

# - NSAID's

- diclofenac vs ketorolac for analgesia after maxillofacial surgery (Tarkkila et al), 216
- ketorolac
  - does not decrease postoperative pain in elderly men after transvesical prostatectomy (Fredman et al), 438
  - intravenous, three doses of, compared with morphine,

- effects on emesis and analgesia for restorative dental surgery in children (Purday et al), 221
- preoperative, increases bleeding after tonsillectomy in children (Splinter et al), 560
- tonsillectomies and: the march of progress: editorial (Hall), 544
- tromethamine/ketorolac, intrathecal, produces analgesia after chronic constriction injury of sciatic nerve in rats: laboratory investigation (Parris et al), 867
- vs diclofenac for analgesia after maxillofacial surgery (Tarkkila et al), 216
- piroxicam, preoperative administration improves postoperative analgesia (O'Hanlon et al), 102; editorial (Penning), 97

# - opioid

- for intravenous anaesthesia, new drugs, new concepts and clinical applications, refresher course outline (Miller), R142; R149
- remifentanil, an opioid analgesic for intravenous anaesthesia; refresher course outline (Miller), R142; R149
- supplementation of nitrous-oxide-propofol with, effects on recovery (Cohen and Hudson), A14-A

# - postoperative

 epidural, combined with general and epidural anaesthesia, compared with general anaesthesia and postoperative intravenous analgesia reduces the incidence of perioperative myocardial ischaemia in patients undergoing elective aortic surgery (Garnett et al), 769

# see also under, Pain

# Animals

#### - cats

- denervated heart, effect of edrophonium on heart rate in (Backman et al), A29-B
- different properties of the bradycardia produced by neostigmine and edrophonium in: laboratory investigation (Backman et al), 731
- effects of propofol on medullary vasomotor centres in (Yang et al), A44-B

# - dogs

- canine larynx, differential effects of propofol, thiamylal and ketamine on the cricothyroid and posterior muscles of: laboratory investigation (Iwasaki et al), 39
- distribution of diaphragm blood flow during sevoflurane anaesthesia in: laboratory investigation (Ide et al), 44
- profound isovolaemic haemodilution in, bovine haemoglobin is more potent than autologous red blood cells in restoring muscular tissue oxygenation after: laboratory investigation (Standl et al), 714

# - goats

 duration of succinylcholine and vecuronium blockade but not potency correlates with the ratio of endplate size to fibre size in seven muscles in the goat: laboratory investigation (Ibebunjo et al), 485

- properties of fibres, endplates and acetylcholine receptors in the diaphragm, masseter, laryngeal, abdominal and limb muscles in the goat: laboratory investigation (Ibebunjo et al). 475
- guinea pigs
  - droperidol inhibits tracheal contraction induced by serotonin, histamine or carbachol in (Sato et al), 172
  - halothane hepatotoxicity and hepatic free radical metabolism in: the effects of vitamin E (Durak et al), 741
- mice, potassium channel agonists modify the local anaesthetic activity of bupivacaine in: laboratory investigation (Gantenbein et al). 871
- pigs
  - anaesthetized, cricoid pressure decreases lower oesophageal sphincter tone in: laboratory investigation (Chassard et al), 414
  - newborn, isoflurane and halothane impair both systolic and diastolic function: laboratory investigation (Graham et al) 495
- rats
  - antinociceptive effects of epidural and intravenous ketamine to somatic and viscereal stimuli in: laboratory investigation (Alam et al), 408
  - antinociceptive effects of ONO-9902, an enkephalinase inhibitor, after visceral stress condition in: laboratory investigation (Yamamori et al), 1175
  - antinociceptive synergistic interaction between morphine and n<sup>ω</sup>-nitro l-arginine methyl ester on thermal nociceptive tests in: laboratory investigation (Yamaguchi and Naito), 975
  - intrathecal ketorolac tromethamine produces analgesia after chronic constriction injury of sciatic nerve in: laboratory investigation (Parris et al), 867
  - Mac of isoflurane in rats reduced by intrathecal administration of NMDA receptor antagonists: laboratory investigation (Ishizaki et al), 724

Anoxia, see under Brain

# Antagonists

- benzodiazepines
  - new drugs, new concepts, and clinical applications: refresher course outline (Miller), R142; R149
- neuromuscular relaxants
  - edrophonium
    - antagonism of mivacuronium-induced block during N<sub>2</sub>O, propofol and alfentanil anaesthesia (Ripart *et al*), 368
    - bradycardia in the cat produced by neostigmine and, different properties of: laboratory investigation (Backman et al), 731
    - does not prolong the action of mivacurium (Symington et al), 1220
    - effect on heart rate in cardiac transplant patients in the denervated cat heart (Backman et al), A29-B

- reversal of vecuronium-induced neuromuscular block, sevoflurane and isoflurane impair (Morita et al), 799
- neostigmine
  - bradycardia in the cat produced by neostigmine and edrophonium, different properties of: laboratory investigation (Backman et al), 731
  - decreases heart rate in heart transplant patients (Backman et al), 373
  - prolongs the action of mivacurium (Symington et al), 1220
  - reversal of atracurium-induced neuromuscular blockade, optimum time for (Kirkegaard-Nielsen et al), 932

#### **Antibiotics**

- neomycin, oral, failure of neuromuscular blockade reversal after rocuronium in a patient who received: clinical report (Hasfurther and Bailey), 617
- Anticholinesterase, edrophonium, neostigmine reveral of profound mivacurium-induced neuromuscular blockade (Kao and Le), 1128

Aorta, see Arteries

Aortocoronary bypass surgery, see under Surgery

Apnoea, see under Ventilation

Aprotinin, see under Blood

#### Arteries

- gorta
  - aortic cannulation for cardiac surgery, influence of epiaortic scanning (St Amand et al), A6-A

Arthroscopy, see under Surgery, orthopaedic

### Ataractic agents

- MAOIs and anaesthesia: correspondence (Clark), 641
- marijuana, preoperative inhalation, an airway concern (Mallat et al), 691
- Atropine, see under Parasympathetic nervous system; Premedication

Awareness, see under Anaesthesia, depth

Benzodiazepines, see under Antagonists

Bethune, Norman, contributions in the Spanish Civil War to the development of blood transfusion: History of Anaesthesia (Cortes and Diz), 1076

#### Blood

- allogeneic blood products, compared efficacy of aprotinin and e-aminocaprioc acid in cardiac surgical patients at risk of receiving (Hardy et al), A36-A
- aprotinin and e-aminocaproic acid, efficacy compared in cardiac surgical patients at risk of receiving allogeneic blood products (Hardy et al), A36-A
- arterial blood gases and respiratory mechanics during and after laparoscopic cholecystectomy (Iwasaka et al), 129
- autologous blood and cardiac surgery: correspondence (Pinkerton et al), 1180
- bleeding and coagulopathy associated with major spinal surgery (Lin et al), A46-B

- coagulation
  - abnormalities associated with intrauterine fetal death (Maslow et al), 1237
  - assessment, the way of the future during orthotopic liver transplantation (Frenette et al), A38-A
- donation, preoperative autologous, is lidocaine-prilocaine cream (EMLA®) always useful for venous puncture in (Vivien et al), 232
- flow
- cerebral velocity after mannitol infusion in children (Soriano et al), 461
- diaphragm, distribution of during sevoflurane anaesthesia in dogs: laboratory investigation, 44
- haemodilution
  - correction of anaemia: the time has come to evaluate tolerance for red cell depletion: editorial (Bélisle et al), 649
  - for caesarean section (Grange et al), A59-B
  - profound isovolaemic, in dogs, bovine haemoglobin is more potent than autologous red blood cells in restoring muscular tissue oxygenation after: laboratory investigation (Standl et al), 714
- leukocyte superoxide generation in vitro, comparative effect of anti-inflammatory drugs on, in humans (Noudgil et al), A39-A
- loss and blood product requirements after cardiac surgery, cost effectiveness of high vs low dose tranexamic acid, Ralley et al), A35-A
- loss in patients undergoing reoperative valve replacement surgery, effect of tranexamic acid on (Dryden et al), A37-A
- patch, see under Anaesthetic techniques, epidural
- propofol does not induce lipid droplets in: correspondence (Iwama et al), 1081
- tranexamic acid
- cost effectiveness of high vs low dose, on blood loss and blood product requirements after cardiac surgery (Ralley et al), A35-A
- effect on blood loss in patients undergoing reoperative valve replacement surgery (Dryden et al), A37-A
- velocity, effect on transcranial doppler-detected microemboli during cardiopulmonary bypass (Benaroia et al), A37-B

# **Book Reviews**

- ABC of resuscitation, 3rd ed. by MC Colquhoun, AJ Handley, TR Evans (Enns), 321
- Anaesthesia, 4th ed. (CD Rom) edited by RD Miller (Mills), 644
- Anaesthesia databook, 2nd ed. by RA Mason (Graham), 881
- Anaesthesia for medical students, ed. by P. Sullivan (Wong), 199
- Anesthesiology, 9th ed., by TJ DeKornfeld, TJ Sanford, Jr. (Brodkin), 539
- Back pain in the workplace, edited by WE Fordyce (Catchlove), 200

- Basics of transesophageal echocardiography, by TD Rafferty (Thompson), 321
- Blood conservation in the surgical patient, edited by MR Salem (Hardy), 988
- Blood: Hemostasis, transfusion and alternatives in the perioperative period, edited by CL Lake, RA Moore (Craig), 199
- Brain injury and pediatric cardiac surgery, edited by RA Jonas, JW Newburger, JJ Volpe (Enns), 987
- Cardiovascular physiology, edited by H-J Priebe, K Skarvan (Mazer), 539
- États infectieux graves, Perspectives thérapeutiques,
   J Carlet, CL Martin, G. Offenstadt (Bélisle), 200
- Clinical cases in anesthesia, 2nd ed, edited by AP Reed (Moore), 881
- Clinical management of the airway, ed. by JT Roberts (Hung), 422
- Clinical orthopedic anesthesia, by JE Tetzlaff (Fox), 757
- Core curriculum for professional education in pain, 2nd ed. edited by HL Fields (Forrest), 1084
- Clinical transesophageal echocardiography edited by Y Oka, SN Konstadt (Oxorn), 1186
- Fibromyalgia, chronic fatigue syndrome, and repetitive strain injury, edited by A Chambers, GO Littlejohn, I Salit, F Wolfe (Kliffer), 758
- Genetics in anesthesiology. Syndromes and science, by GL Weinberg (Bevan), 1186
- Handbook of neonatal anaesthesia, edited by DG Hughes, SF Mather, AR Wolf (Goresky), 539
- Intensive care, a concise textbook, 2nd ed, by CJ Hinds, D Watson (Kowalaski), 882
- Interactive anesthesia library on CD-Rom (Warriner), 987
- International anesthesiology clinics: Anesthesia for the patient with a transplanted organ, volume 23/Number 2, edited by D Royston, TW Feeley (Dobkowski), 320
- Intraoperative neuroprotection, edited by RJ Andrews (Archer), 882
- Introduction to Anaesthesiology, 2nd ed., edited by A Coetzee, W Van der Merwe (Clark), 1083
- John Snow: Anaesthetist to a Queen and epidemiologist to a nation, by DAE Shephard (Maltby), 96
- Lost voices women, chronic pain and abuse, by NA Radomsky (Moore), 320
- Management of migraine, by ELH Spierings (Moote), 988
- MCQs in anaesthesiology, by A Black, A Kelleher (Crutchley), 645
- Modulation of the inflammatory response in severe sepsis, edited by JM Tellado, RA Forse, JS Solomkin (Darrah), 422
- Mosby's anaesthesia (CD Rom) (Doyle), 644
- Neuroanaesthesia handbook, edited by DJ Stone, RJ Sperry, JO Johnson, PF Spiekerman, YA Yemen (Manninen), 1279
- Neuroanaesthetic practice, edited by H Van Aken (Manninen), 645
- Neuromuscular block, by S Feldman (Donati), 1186

- Ophthalmic anaesthesia. A practical handbook, 2nd ed. by GB Smith, RC Hamilton, CA Carr (Wong), 1185
- Oxygénation tissulaire, by C Richard, J-T Teboul (Couture), 200
- Patient controlled analgesia, by E Welchew (Lang), 423
- Pneumopathic nosocomiale et ventilation artificielle, edited by J Chastre, J-Y Fagon (Drolet), 646
- Postoperative care of the critically ill patient, edited by TJ Gallagher (Byrick), 1093
- Practical pain management, by SW Coniam, AW Diamond (Katz), 320
- Practice of thoracic anesthesia, edited by E Cohen (Grant), 1083
- Principles and practice of mechanical ventilation edited by MJ Tobin (Tousignant), 1187
- Principles and practice of obstetric analgesia and anesthesia,
   2nd ed, edited by JJ Bonica, JS McDonald (Douglas),
   1279
- Principles of transfusion medicine, 2nd ed., edited by EC Rossi, TL Simon, GS Moss, SA Gould (Muirhead), 988
- Quality in health care: theory, application, and evolution, ed. by NO Graham (Eagle), 199
- Radiology for anaesthetists, by C Wittram, G Whitehouse (King), 1279
- Réanimation des intoxications aiguës, by F Baud (Drolet), 422
- Réanimation préhospitalière, by J-P Contineau, Y Lambert, P Merckx (Desjardins), 757
- Reflex sympathetic dystrophy: a reappraisal, edited by W Jänig, M Stanton-Hicks (Forrest), 1084
- Regional anesthesia in infants, children and adolescents, edited by B Dalens (Desparmet), 1280
- Serotonin and the scientific basis of anti-emetic therapy, edited by DJM Reynolds, PLR Andrews, CJ Davis (Martin), 1280
- Respiratory support, by K Sykes (Wahba), 96
- Synopsis of intensive care medicine, by LIG Worthley (Tweeddale), 757
- Textbook of critical care, 3d ed. by WC Shoemaker, SM Ayres, A Grevnik, PR Holbrook (Tweeddale), 1185
- Understanding anesthesia equipment, construction, care and complications, 3rd ed, by JA Dorsch, SE Dorsch (Malm), 881
- Version 4 (Health and Sickness) of essentials of statistical methods, by TP Hutchinson (Tétrault), 757

Bradycardia, see under Heart, arrhythmias

#### Brain

- anoxia, pretreatment with phenytoin ensures recovery of synaptic transmission in hippocampal after (Ouanounou et al), A45-B
- cerebral
  - arteriovenous oxygen content difference, changes caused

by surgical incision are similar during sevoflurane and isoflurane anaesthesia (Inada et al), 1019

- blood flow
  - in the presence of a single, two-stage venous cannula during cardiopulmonary bypass, effect of surgical dislocation of the heart on (Avraamides and Murkin), A36-B
  - increased with phenylephrine during low-flow cardiopulmonary bypass (Schwartz et al), A50-B
  - velocity after mannitol infusion in children (Soriano et al), 461
- electroencephalography, effect of high cerebral concentrations of isoflurane on: laboratory investigation (Antognini), 310
- hippocampal slices, pretreatment with phenytoin ensures recovery of synaptic transmission in, after anoxic insults (Ouanounou et al). A45-B
- hypothalmic-pituitary-adrenal axis, effect of chronic epidural depo-medrol on (Mathieson et al), A17-A
- synaptic transmission in hippocampal slices after anoxic insults, pretreatment with phenytoin ensures recovery (El-Beheiry et al), A45-B

Breathing patterns, see under Lungs

Brevibloc, see under Sympathetic nervous system, pharmacology, esmolol

Bronchoscopy, see under Surgery Bronchospasm, see under Complications Bupivacaine, see under Anaesthetics, local

Buprenorphine, see under Analgesics

Cannulation, see under Veins

Capnography, see under Measurement techniques, carbon dioxide

Carbachol, see under Pharmacology

Carbon dioxide

- and epinephrine, effects on lidocaine 1% in axillary block (Martin et al), A15-B
- arterial to end-tidal, differences during neurosurgical procedures: correspondence (Isert), 196; reply (McGuire and Cruise), 197
- hypocapnia and hypoxia in conscious humans, somatosensory evoked potentials during (Ledsome et al), 1025
- sampling error due to leaking O-ring; correspondence (Fletcher et al), 880
- tension measurement, misleading end-tidal values: brief review (Wahba and Tessler), 862

Cardiac, see Heart

Cardiac arrest, see under Complications

Cardiac surgery, see under Surgery, cardiac

Cardiopulmonary, see under Heart

Cardiopulmonary bypass, see under Surgery, cardiac

Cats, see under Animals

Cauda equina syndrome, see under Complications, bacterial meningitis

Cerebral, see under Brain

Cerebrospinal fluid pressure

 intracranial pressure and monitoring in neuroanaesthesia: refresher course outline (Cottrell), R61; R69

Chemoluminescence, see Measurement techniques

Chewing gum prior to anaesthesia – is not age restricted: correspondence (Tays and Brock-Utne), 1080

Cholecystectomy, see under Surgery, laparoscopic

Circumcision, see under Surgery, ambulatory

Clonidine, see under Analgesics, cholinergic

Coagulation, see under Blood

# Complications

- airway, lower injuries and anaesthesia: review article (Devitt and Boulanger), 148; correspondence (Desjardins and Varon), 1181; reply (Devitt and Boulanger), 1182
- anaemia, correction of, the time has come to evaluate tolerance for red cell depletion: editorial (Bélisle et al), 649
- alopecia, occipital, after cardiac surgery: correspondence (Calla et al), 1180
- ankylosing spondylitis and neuraxial anaesthesia: clinical report (Schelew and Vaghadia), 65
- aspiration, pulmonary: effect of decrease of cricoid pressure on appearance of: laboratory report (Chassard et al), 414
- asthma, anaesthetic management of patients with: correspondence (Mercier and Benhamou), 194; reply (Kuwahara and Goresky), 196
- bacterial meningitis and cauda equina syndrome after epidural steroid injections: clinical report (Cooper and Sharpe),
- bronchospasm, severe during cardiopulmonary bypass: clinical report (Ecoff et al), 1244
- bullous pemphigoid patient, general anaesthesia: correspondence (Yaniv et al), 1181
- cardiac arrest during removal of a pulmonary artery catheter: clinical report (Nakayama et al), 972
- central anticholinergic syndrome complicating management of a difficult airway: correspondence (Ezri et al), 1079
- cervical arteriovenous malformation, spinal anaesthesia for Caesarean section in a patient with: obstetric forum (Ong et al) 1052
- Charcot-Marie-Tooth disease, epidural analgesia for labour in a patient with: clinical report (Scull and Weeks), 1150
- ciguatera and the anaesthesiologists: correspondence (Ortega et al), 1080
- contamination of syringes: correspondence (Selby and Kavanagh), 756
- coughing, breath holding in children during inhalation induction with isoflurane, humidification reduces (Cregg et al), 1090
- coughing, fentanyl-induced, terbutaline inhalation supresses (Lui et al), 1216
- delirium, prolonged after propofol; correspondence (Gadalla and Spencer), 877

- diabetes, a challenge for the anaesthetist or just routine?
   refresher course outline (Ralley), R14; R19
- diaphragmatic hernia, congenital, past the neonatal period: a life threatening emergency: clinical report (Paut et al), 621
- dural puncture in labour inadvertent; trigeminal nerve blockade following: correspondence (O'Hanlon et al), 316
- Emery-Dreifuss muscular dystrophy, anaesthetic management of a patient with: clinical report (Jensen), 968
- familial normokalaemic periodic paralysis, anaesthetic management of a patient with: clinical report (Walsh and Kelly), 684
- fistula, bronchopleural, lung ventilation and: correspondence (McGuire), 1275
- foreign body (aluminum ring): correspondence (Hall et al),
   420
- haematoma
- anterior epidural, following subarachnoid block: correspondence (Bartoli et al), 94
- spinal, epidural anaesthesia and: brief review (Wulf), 1260
- spinal subdural as a complication of immediate epidural blood patch: clinical report (Tekkök et al), 306
- hepatic caused by halothane in guinea pigs; the effects of vitamin E: laboratory investigation (Durak et al), 741
- hypertension
  - esmolol blunts the haemodynamic responses to tracheal intubation in treated hypertensive patients (Sharma et al), 778
  - tachycardia, prostaglandin E<sub>1</sub> attenuates hypertensive response to tracheal extubation (Nishina et al), 678
- hypotension
- during spinal anaesthesia, graduated compression stocking prevents: correspondence (Iwama), 984
- prevention of, after propofol for rapid sequence intubation: correspondence (Gin et al), 877
- hypoxemia, effect of peritoneal ventilation on mixed venous
   O<sub>2</sub> in a porcine model of (Giffin et al), A13-B
- intubation, tracheal, effect of definition on incidence of airway problems (Rose and Cohen), 30
- lung injury, acute
  - after tracheal instillation of acidified soya milk, infant formula or human breast milk (Chin et al), A51-A
  - caused by tracheal instillation of acidified human breast milk, effects of PEEP of surfacant on (Chin et al), A50-A
- macroglossia, acute transient, following laryngological mask airway: correspondence (Maltby et al), 94
- meningitis following a combined spinal-epidural technique in a labouring term parturient: clinical report 399; correspondence (Eldor), 1183; reply (Cascio), 1184
- Marfan syndrome with recurrent aortic dissection, anaesthesia for Caesarean section in a patient with: clinical report (Tritapepe et al), 1153
- microemboli, transcranial doppler-detected during cardiopul-

monary bypass, effect of cannula characteristics and blood velocity on (Benaroia et al), A37-B

#### - mortality

- associated with orthognathic surgery (Beed and Devitt),
   A40-B
- maternal death following epidural anaesthesia: correspondence (Bourne and Mushambi), 318; reply Morgan, 318
- resulting from lower airway injuries, 150
- motion sickness, antiemetic effects of granisetron on postoperative nausea and vomiting in patients with and without (Fujii et al), 110
- muscular dystrophy
  - Emery-Dreifuss MD, anaesthetic management of a patient with: clinical report (Jensen), 968
  - lumbar lordosis and difficult airway, anaesthetic management of a parturient with: clinical anaesthesia file (Pash), 959
- myasthenia gravis
  - and tracheal stenosis, anaesthetic management of patient with: clinical anaesthesia file (Froelich and Eagle), 84
  - multivariate determinants of the need for postoperative ventilation in (Naguib et al), 1006
- myocardial ischaemia
  - and infarction, in patients undergoing elective aortic surgery (Garnett et al), 769
  - intraoperative automated ST segment analysis in operating room to assess: review article (Yang), 1041
- myoclonus following propofol: correspondence (Strachan and Raithatha), 536
- obstruction of a breathing system filter: correspondence (Stacey et al), 1276
- oesophageal perforation by a polyvinylchloride nasogastric tube, a complication of nasotracheal intubation: clinical report (Fishman and Ward), 1252
- paradoxical vocal cord motion in the recovery room: a masquerade of pulmonary dysfunction: clinical report (Arndt and Voth), 1249
- placenta percreta with invasion of the urinary bladder, preoperative diagnosis, anaesthesia for Caesarean hysterectomy in a patient with: obstetric forum (Hunter and Kleiman), 246
- pneumothorax complicating hypertrophic cardiomyopathy: correspondence (Singh), 419
- polyglucosan body disease, sevoflurane anaesthesia for a patient with (Inoue et al), 1257
- postoperative
  - admission to critical care for mechanical ventilation, planned and unplanned (Rose et al), 333
  - airway obstruction caused by preoperative marijuana inhalation: clinical report (Mallat et al), 691
  - extubation
  - early protocols, implications for: heavy vs light sedation in the CVICU and myocardial ischemia (Hall and MacLaren), A39-B

- delaying, after heart surgery (Ali et al), A40-A
- tracheal, prostaglandin E<sub>1</sub> attenuates the hypertensive response to (Nishina et al), 678
- nausea and vomiting, see under Vomiting
- pruritis, acute, development of a scale for measurement (Halpern), A58-B
- pulmonary edema
  - obstructive and nonobstructive, in the post-anaesthetic care unit (Rose and Cohen), A32-A
  - post-obstructive, bronchoscopic findings in: clinical report (Koch et al), 73
- respiratory (emphysema, subcutaneous; pneumothorax; pulmonary embolism) during laparoscopic upper abdominal surgery: continuing medical education (Wahba et al), 77
- restricted cervical spine movement, tracheal intubation using a gum elastic bougie for patients with (McNeil and Hung), A 26-A
- sleep apnoea syndrome, anaesthetic management of patients with: review article (Boushra), 599
- sneezing, aetiology of and hazard during regional anaesthesia of head and neck: correspondence (Elwood et al), 192;
   reply (Abramson), 192
- spinal haematoma following neuraxial procedures for anaesthesia with impaired haemostasis: refresher course outline (Stafford-Smith), R129; R136
- superior vena cava syndrome, epidural pressure in a patient with: correspondence (Kawamata et al), 1277
- symptoms 24 hours after ambulatory anaesthesia (Chung et al), 1121
- torticollis-dystonia disorder, refractory dystonia during propofol anaesthesia in a patient with: clinical report (Zabani and Vaghadia), 1062
- trauma, effects of ethanol on complications and outcome from: an intensive care study (Krasner et al), A12-A
- uvular oedema secondary to marijuana inhalation: clinical report (Mallat et al), 691

Congenital heart defects, *see under* Surgery, cardiac Coronary, *see under* Heart; Surgery

#### Costs

- anaesthesia drug costs and utilization: editorial (Miller), 4;
   (Kantor) 9
- increasing operating room efficiency to control costs (Lannes et al), A62-A
- patient controlled analgesia and associated costs, patient attitudes regarding (Badner et al), A53-B
- savings versus patient safety by bypassing the post anaesthetic care unit (Rose and Cohen), A32-B
- time management of anaesthetists for cost reduction (Melnik and Tessler), A11-B

Critical care, see Intensive Care Unit

Dantrolene, see under Pharmacology Dead space, see under Lung Dennis, Rosario, 1922-1996: obituary (Boulanger), 982

Depo-medrol, see under Pharmacology

Dexamethasone, see under Pharmacology

Dextrometorphan, see under Pharmacology

Diabetes, see under Complications

Diaphragm, see under Muscle, skeletal

Dimenhydrinate, see under Pharmacology

Documentation

- of tracheal intubation (Karkouti et al), A31-B

Doxicurium, see under Neuromuscular relaxants

 $Droperidol, {\it see~under}~Anaesthetics, intravenous$ 

Drugs

- errors, Brevibloc: correspondence (Pearce), 419; reply (Raza), 419
- interactions
  - MAOIs and anaesthesia: correspondence (Clark), 641
  - neomycin-rocuronium, failure of neuromuscular blockade reversal after: clinical report (Hasfurther and Bailey), 617
  - precipitate formed by thiopentone and vecuronium: technical report (Taniguchi et al), 511
- labelling of medications: correspondence (Orser), 194
   see also names of specific drugs; Pharmacology

Echocardiography, see under Heart

Economics, costs of late operating room starts: experience with an education trial: occasional review (Truong et al), 1233

Edrophonium, see under Antagonists, neuromuscular relaxants

- anaesthesia fellowships in Canada: correspondence (Ansley), 984
- simulation
  - anaesthesia crisis resource management training using (Kurrek and Fish), 430
  - simulator facilities focusing on anaesthetists' concerns: editorial (Davies and Helmreich), 425
- video feedback in teaching laryngoscopy (Kardash and Tessler), A30-A

Electrocardiogrphy, see under Heart

Electroconvulsive therapy, see under Anaesthesia

Electroencephalography, see under Brain

Eltanolone, see under Hypnotics

Emergency, see Recovery

Emery-Dreifuss, see under Complications, muscular dystrophy

EMLA®, see under Anaesthetics, local

Endotoxin, see under Immune response

Enzymes, cholinesterase, neostigmine-induced bradycardia following recent vs remote cardiac transplantation in the same patient: clinical report (Backman *et al.*), 394

Epidural anaesthesia, see under Anaesthesia, obstetric; Anaesthetic techniques

Epinephrine, see under Sympathetic nervous system, pharmacology

### Equipment

- anaesthetic simulators: editorial (Davies and Helmreich),
   425; in crisis resource management (Kurrek and Fish), 430
- airway management: a comparison of face mask and laryngeal mask airway during positive pressure ventilation (Ho-Tai et al), A26-B
- autocell blood processing system, assessment of a new (Duffy et al), A21-B
- breathing system filter, obstruction of: correspondence (Stacey et al), 1276
- bronchoscope, fibreoptic ultrathin, excision of bronchogenic cysts in children using (Monrigal and Granry), 694
- cannulae, nasal, oxygen flow through: equipment (Henderson et al), 636
- capnometer alarm (Vialert 3200); correspondence (Land et al), 985; reply (Schreiber), 985
- carbon dioxide monitor, sampling error due to leaking
   O-ring: correspondence (Fletcher et al), 880
- cardiac monitoring, on-line (Rice and Doyle) A23-A
- catheter
- endotracheal ventilation, use in management of difficult extubations: technical report (Cooper), 90
- epdiural catheter connector: correspondence (Alam), 642;
   reply (Kuwahara and Klassen), 642
  - pulmonary artery catheterization
    - cardiac arrest during removal of: clinical report (Nakayama et al), 972
    - discovery of left superior vena cava vascular abnormality following: clinical report (Menéndez et al),
       626
- compression stocking, graduated, prevents hypotension during spinal anaesthesia: correspondence (Iwama), 984
- Doppler echocardiography: equipment in anaesthesia (Béïque et al), 252
- full body forced air warming: commercial blanket vs air delivery beneath bed sheets: laboratory investigation (Kempen), 1168
- gum elastic bougie for tracheal intubation in patients with restricted cervical spine movement (McNeil and Hung), A26-A
- heat and moisture exchanger, low resistance, reusable, for respiratory studies (Volgyesi et al), A23-B
- HemoCue<sup>®</sup> haemoglobin meter, accuracy of on-site determination during anaesthesia, (Jaeger et al), 795
- hysteroscope in diagnosis of various gynaecological conditions; review article (Ananthanarayan et al), 56
- laryngeal mask airway
  - blind tracheal intubation through: correspondence (Asai),
     1275; reply (Godley), 1275
  - cricoid pressure impedes positioning and ventilation through the laryngeal mask airway (Aoyama et al), 1035
  - for awake intubation for Caesarean section: clinical report (Godley and Reddy), 299

- insertion: propofol vs thiopental/lidocaine combinations for (Kashkari et al), A18-A
- insertion, with and without a laryngoscope in paediatric patients (Elwood and Cox), 435
- laryngoscopes, transverse forces exerted on the maxillary incisors during laryngoscopy (Bucx et al), 665
- medical, technology assessment of, in Canada, implications for anaesthesia; refresher course outline (Byrick), R108;
   R112
- needles in spinal anaesthesia with glucose-free 2% lidocaine, a comparison of three types (Bédard et al), A57-B
- nerve stimulator to identify saphenous nerve and assess efficacy of anaesthesia: anaesthetic technique (Comfort et al), 852
- oxylator EM-100, mechanical ventilation using (Daloze et al). A22-B
- pacemakers, or related devices, implications for the anaesthetists: refresher course outline (Bourke), R24; R33
- PCORA-device (patient controlled oral analgesics) with morphine: anaesthesia equipment (Striebel et al), 749
- pulse oximeter testing device, evaluation of: equipment (Fisher et al), 179
- syringes in anaesthesia practice, reuse of: correspondence (Skidmore), 418
- thermometers, thermocouples, a comparison of four infrared tympanic thermometers with tympanic membrane temperatures measured by thermocouples (Matsukawa et al), 1224
- tubes
  - endobronchial
    - placement of left double-lumen, with or without a stylet (Lieberman), 238
    - Robertshaw-type, a simple method to decrease malposition: correspondence (Pandero et al), 984
  - tracheal
    - cuff bulk of, in adolescence: anaesthesia equipment (Jones and Ueda), 514
  - RAE preformed, long-neck slip joint for preventing compression of: correspondence (Sugiyama et al), 1276
- "Venlon" intravenous cannula, do side port valves leak: correspondence (Selby and Kavanagh), 756
- warming device in the OR (Bair-Hugger Patient Warming System): correspondence (Wong), 1278
- warming techniques, intraoperative (Weyland et al), A21-A
   Errors, see Predictions

Esmolol, see under Sympathetic nervous system, beta adrenergic agonists

#### Ethics

 cardiopulmonary resuscitation in the operating room: do not resuscitate orders: special report (Craig), 840

Evoked potentials see under Monitoring

Extubation delayed, see under Complications, post-operative

Familial periodic paralysis, see under Complications

Fentanyl, see under Anaesthetics, Intravenous; Analgesics Fistula, see under Complications

Fluid balance, mannitol infusion in children, cerebral blood flow velocity after (Soriano *et al*), 461

Fluid therapy, crystalloid infusion before obstetric epidural analgesia, haemodynamic consequences and uterine contractions following (Zamora et al), 347

#### Gastrointestinal tract

lower oesophageal sphincter tone reduced by cricoid pressure in anaesthetized pigs: laboratory investigation (Chassard et al). 414

Glycogen storage disease, see under Metabolism Granisetron, see under Vomiting, antiemetics

#### Heart

- arrhythmias, bradycardia produced by neostigmine and edrophonium in the cat, different properties of (Backman et al),
   731
- cardiac implications of amlodipine-dantrolene combinations (Freysz et al), 50
- cardiopulmonary function with PEEP at sternotomy (Wahba et al), A5-A
- congenital heart defects
  - congenital anomalies in conjoined twins, anaesthetic management for (Chen et al), 1161
  - left superior vena cava vascular abnormality discovered following pulmonary artery catheterization: clinical report (Menéndez et al), 626
  - use of propofol for repair (Parker et al), A5-B
- cardiovascular control, autonomic, changes in, with increasing levels of propofol sedation (Lafreniere et al), A45-A
- coronary artery disease
  - evaluation of patients with, to predict ischaemic events in the perioperative period: editorial (Tardif and Juneau), 989
  - in patients undergoing noncardiac surgery: refresher course outline (Ramsay), R99; R104
- coronary metabolic dilation, does nitric oxide regulate?
   (Koutsoukos and Belo), A49-B
- diastolic and systolic function in the newborn pig impaird by isoflurane and halothane: laboratory investigation (Graham et al), 495
- echocardiography
  - assessment of left ventricular filling during isoflurane anaesthesia, (Oxorn et al), 569
  - do we all need to become proficient? editorial (Hall), 201
  - electrocardiographic monitoring in healthy young adults having minor surgery (Zabani et al), A17-B
  - transoesophageal: basic principles: equipment in anaesthesia (Béïque et al), 252
- ischaemia
- acute, and chronic coronary obstruction during isoflurane anaesthesia, comparison of nifedipine and metoprolol on

- collateral coronary blood flow in a swine model: laboratory investigation (Cheng et al), 160
- myocardial, heavy vs light sedation in the CVICU and, implications for early extubation protocols (Hall and MacLaren), A39-B
- on line ST-segment analysis for detection of myocardial ischaemia during and after coronary revascularization (Ansley et al), 995
- predicting ischaemic events in the perioperative period: editorial (Tardif and Juneau), 989
- left ventricular dysfunction, single-dose milrinone and discontinuation of cardiopulmonary bypass in patients with (Lobato et al), A29-A
- left ventricular systolic dysfunction, inhaled nitric oxide does not decrease pulmonary artery systolic pressure in patients with (Johnson et al), A25-A
- myocardial function, echocardiographic assessment of left ventricular filling during isoflurane anaesthesia (Oxorn et al), 569
- surgical dislocation of, effect on cerebral blood flow in presence of single, two-stage venous cannula during cardiopulmonary bypass (Avraamides and Murkin), A36-B
- rate, effect of edrophonium on, in cardiac transplant patients and in the denervated cat heart (Backman et al), A29-B
- transplant
  - effect of edrophonium on heart rate in patients (Backman et al), A29-B
  - effect of neostigmine on heart rate in (Backman et al), 373
  - neostigmine-induced bradycardia following recent or remote: clinical report (Backman et al), 394

see also, Surgery, cardiac

Hemithyroidectomy, see under Surgery

Hernia, inguinal repair in children, reducing pain: caudal anaesthesia vs ketorolac (Splinter et al), 42-A

Hersey, Lewis: Canadian Anaesthetists' Society Gold Medal (Sellery), 1273

Hippocampus, see under Brain

### Histamine

- droperidol inhibits tracheal contraction induced by: laboratory investigation (Sato et al), 172
- ranitidine, compared with droperidol or placebo in prevention of nausea and vomiting after hysterectomy (Cozanitis et al), 106

### History

- airways, oropharyngeal and nasopharyngeal: I (1880-1995):
   History of Anaesthesia (McIntyre), 629
- anaesthetic care and audit: 150 years on: editorial (Davies),
   323
- blood transfusion, contribution of Norman Bethune in the Spanish Civil War (1936-1939) to the development of: History of Anaesthesia (Franco et al), 1076
- cardiac surgery, contribution of Canadian anaesthetists to the evolution of: History of Cardiac Surgery (Wynands), 518

- Lemuel Ewart Prowse (b. 1914): History of Canadian Anaesthesia (Shephard), 315
- Hormones, menstrual cycle, effect of, on incidence of retching and vomiting after middle ear surgery (Honkavaara *et al*), 1108

### Hospitals

- admission, unanticipated an area for improvement (Fortier et al), A62-B
- operating room
  - DNR (do not resuscitate) orders in: special report (Craig), 840
  - efficiency (Lannes et al), A62-A
  - intraoperative automated ST segment analysis: a reliable 'black box'?: review article (Yang), 1041
  - late operating room starts: experience with an education trial: occasional review (Truong et al), 1233
- pre-admission unit, does the nurse practitioner have a role in (Hurtado et al), A61-B

see also, Intensive care unit, Post-anaesthetic care unit (PACU) Hyperthermia, malignant, involving the administration of desflurane (Fu et al), 687

Hyperventilation, see under Lung

### Hypnotics

- benzodiazepines
  - diazepam, intramuscular, comparative absorption kinetics compared with midazolam (Hung et al), 450
  - midazolam
    - comparative absorption kinetics of intramuscular midazolam and diazepam (Hung et al), 450
    - increases the affinity of the GABA<sub>A</sub> receptor for propofol (McAdam et al), A49-A
    - oral premedication in children, modification of propofol-induced movements by (Bevan et al), A43-A
    - vs propofol for sedation in paediatric oncology procedures (Splinter et al), A44-A
- eltanolone, a new sedative hypnotic, new concepts and clinical applications in intravenous anaesthesia: refresher course outline (Miller), R142; R149
- triazolam, as a hypnotic agent the night before surgery (Morgan et al), A46-A
- zolpidem, as a hypnotic agent the night before surgery (Morgan et al), A46-A

Hypocapnia, see under Carbon dioxide

Hypoxaemia, see under Oxygen

### Hypoxia

- somatosensory evoked potentials during hypoxia and hypocapnia in conscious humans (Ledsome et al), 1025
- tissue, monitoring in the critically ill patient: refresher course outline (Vincent), R55; R58

Hysterectomy, see under Anaesthesia, obstetric

Ibuprofen, see under Pharmacology

Immune response, endotoxin changes in, plasma titres and neutralizing activity in perioperative period (Imai *et al*), 812 Intensive care unit

- anaesthetic care 150 years on: editorial (Davies), 323
- can clinicians predict ICU length of stay following cardiac surgery? (Tu and Mazer), 789
- cardiovascular, heavy vs light sedation and myocardial ischemia: implications for early extubation protocols (Hall and MacLaren), A39-B
- effects of ethanol on complications and outcome from blunt trauma: an ICU study (Krasner et al), A12-A
- paediatric, continuous infusion of rocuronium in (Tobias),
   353; correspondence (Withington), 1183; reply (Tobias),
   1183
- planned and unplanned admissions to critical care for mechanical ventilation (Rose et al), 333

#### Interaction (drugs)

- antinociceptive synergistic interaction between morphine and  $n^{\omega}$ -nitro l-arginine methyl ester on thermal nociceptive tests in rats: laboratory investigation (Yamaguchi and Naito), 975
- midazolam, propofol, alfentanil total intravenous anaesthesia, influence on awareness and recall (Miller et al.), 946

Internet: electronic publishing: correspondence (Doyle); 640 reply (Duffy and Miller), 640

 $\label{lem:condition} Intracranial\ pressure, see\ under\ Cerebrospinal\ fluid\ pressure} Intubation, tracheal$ 

- awake, use of laryngeal mask airway for, in Caesarean section: clinical report (Godley and Reddy), 299
- blind, through the laryngeal mask: correspondence (Asai), 1275; reply (Godley), 1275
- cisatracurium, a new neuromuscular blocking agent for, evaluation (Bluestein et al), 925
- difficult
- evaluation of the Augustine Guide: correspondence (Meyer), 642
- fibreoptic technique in a patient with penetrating injury of the floor of the mouth: clinical report (Jacobus et al), 1156
- in obstetrics: correspondence (Pogulanik et al), 879
- tests, ten, used for predicting; inter-observer reliability of (Karkouti et al), 554
- what's the best test? editorial (Bainton), 541
- documentation, how should it be done? (Karkouti et al), A31-B
- fibreoptic in the anaesthetized patient: correspondence (Dennehy and Dupuis), 197
- in children, with the rapid method; determination of endtidal sevoflurane concentration for (Inomata and Nishikawa), 806
- in patients with restricted cervical spine movement, use of a gum elastic bougie (McNeil and Hung), A26-A
- laryngoscopy, see also under Larynx
  - and tracheal intubation in treated hypertensive patients,

- esmolol blunts the haemodynamic responses to (Sharma et al) 778
- nasotracheal, intrapleural placement of a nasogastric tube: an unusual complication of: clinical report (Fisman and Ward), 1252
- predicting difficult: correspondence (Williamson), 1082
- technique
  - in cases of lower airway injuries: review article (Devitt and Boulanger), 148; correspondence (Desjardins and Varon), 1181; reply (Devitt and Boulanger), 1182
  - placement of left double-lumen endobronchial tubes with or without a stylet (Lieberman et al), 238
  - rapid sequence intubation with propofol, prevention of hypotension after: correspondence (Gin), 877
  - transverse forces exerted on the maxillary incisors during laryngoscopy (Bucx et al), 665

Ions, potassium channel agonists modify the local anaesthetic activity of bupivacaine in mice (Gantenabein et al), 871 Ischaemia, see under Heart

Isoflurane, see under Anaesthetics, Volatile

Ketamine, *see under* Anaesthetics, intravenous; Analgesics Ketorolac, *see under* Analgesics, NSAIDS Knee arthroscopy, *see under* Surgery, Arthroscopic

Labour, see under Anaesthesia, obstetric L-Name, see under Pharmacology Laparoscopy, see under Surgery Laryngoscopy, see under Intubation, tracheal; Larynx Larynx

- laryngoscopy
- transverse forces exerted on the maxillary incisors during (Bucx et al), 665
- video feedback in teaching (Kardash and Tessler), A30-A
- with tracheal intubation, incidence of airway problems depends on definition (Rose and Cohen), 30
- maxillofacial, intravenous ketorolac vs diclofenac for analgesia after (Takkila et al), 216
- vocal cords, anatomy, differential effects of propofol, thiamylal and ketamine on the cricothyroid and posterior cricoarytenoid muscles of the canine: laboratory investigation (Iwasaki et al), 39
- Lasers, ablation of facial port-wine stains, ketamine sedation obviates the need for general anaesthesia in children: correspondence (Pullerits et al), 755

Leukocytes, see under Blood

Lipids, see under Metabolism

Literature, anesthetic, epidural test dose use in: how standard is this practice (Lunt and Coombs), A58-A

Lithotripsy, see under Surgery, urological

Liver, orthotopic transplantation, target therapy coagulation assessment during (Frenette *et al.*), A36-B

### Lung

- acetylcysteine, nebulisation of, causing obstruction of a breathing system: correspondence (Stacey et al), 1276
- acute lung injury after tracheal instillation of acidified soya milk, infant formula or human breast milk (Chin et al), A51-A
- acute injury caused by tracheal instillation of acidified human breast milk, effects of PEEP of surfacant on (Chin et al). A50-A
- acute respiratory distress syndrome, new concepts in ventilation for: refresher course outline, (Lessard) R42; R50
- breathing pattern during maximal unimpeded hyperventilation in normal subjects (Fisher et al), A52-A
- bronchial hyperactivity, physiological perspectives of therapy in: review article (Pinto Pereira et al), 700
- dead space volume, calculation of: correspondence (Shenkman et al), 319; reply (Toriman et al), 319
- dysfunction, paradoxical vocal cord motion in the recovery room: a masquerader of: clinical report (Arndt and Voth), 1249
- excision of bronchogenic cysts in children using an ultrathin fibreoptic bronchoscopy (Monrigal and Granry), 694
- expiratory muscles, mechanics of, in spinal anaesthesia for prostatectomy (Bellemare et al), A25-B
- extrapulmonary effect of inhaled nitric oxide (Troncy et al), A24-A
- hyperventilation, maximal unimpeded, in normal subjects, breathing pattern during (Fisher et al), A52-A
- pneumothorax complicating hypertrophic cardiomyopathy: correspondence (Singh), 419

### - pulmonary

- artery systolic pressure in patients with left ventricular systolic dysfunction, inhaled nitric oxide does not decrease (Johnson et al), A25-A
- gas exchange capacity is reduced during normovolaemic haemodilution in healthy human subjects (Le Merre et al), 672
- oedema, obstructive and nonobstructive in the post anaesthetic care unit (Rose and Cohen), A32-A

#### - trachea

- contraction induced by serotonin, histamine or carbachol in guinea pigs, droperidol inhibits: laboratory investigation (Sato et al), 172
- stenosis and myasthenia gravis, anaesthetic management of patient with: clinical anaesthesia file (Froelich and Eagle), 84
- stenosis, congenital in an infant, anaesthesia for balloon dilation: correspondence (Kinouchi et al), 1081
- systemic vascular resistance during cardiopulmonary bypass, efficacy of propofol in reducing sodium nitroprusside requirements to control (Greenhow et al), A27-A

Magnetic resonance imaging, see under Measurement technique

Mannitol, see under Fluid balance

#### Manpower

- nurse practitioner, does she have a role in the pre-admission unit? (Hurtado et al), A61-B
- simulation programmes for entire operating room team at the University of Toronto: editorial (Davies and Helmreich), 425
   Marijuana, see under Ataractic agents

### Measurement techniques

- blood flow, diaphragmatic, distribution during sevoflurane anaesthesia in dogs (Ide et al), 44
- blood pressure and cardiac output, a comparison of the haemodynamic effects of intrathecal meperidine, meperidinebupivacaine mixture and hyperbaric bupivacaine (Conway et al), 23
- capnometry
  - misleading end-tidal CO<sub>2</sub> tensions: brief review (Wahba and Tessler), 862
  - Vitalert 3200 capnometer alarm: correspondence (Lang), 985; reply (Schreiber), 985
- changes in PCO<sub>2</sub> with acute changes in cardiac index (Wahba et al), 243
- chemiluminescence for measurements of nitrogen oxides(NO) (Yang et al), A9-A
- Doppler ultrasound, echocardiographic assessment of left ventricular filling during isoflurane anaesthesia (Oxorn et al), 569
- haemoglobin determination, perioperative on-site using HemoCue®, accuracy compared with laboratory values: (Jaeger et al), 795
- intravenous glucose tolerance test during prolonged sevoflurane anaesthesia: brief report (Iwasaka et al), 1059
- magnetic resonance imaging (MRI) to identify cause of failed spinal anaesthesia: clinical report (Hirabayashi et al), 1072
- pulse oximetry, evaluation of a new testing device: equipment (Fisher et al), 179
- scale to measure acute pruritus, development of (Halpern), A58-B
- visual evaluation of TOF amd DBS fade using a rubber band: correspondence (Saitoh and Nishimura), 316

#### Media

- anaesthesia in (Rabuka and Moote), A12-B

#### Membrane

 mitochondrial myopathy, anaesthetic management of labour and delivery in the parturient with: clinical report (Rosaeg et al), 403

Meningitis, see under Complications

Menstrual cycle see Hormones

Meperidine, see under Analgesics, local

Metabolism

- glycogen storage disease type 1b, anaesthetic management of a patient with: clinical report (Shenkman et al), 467
- insulin sensitivity, effect of prolonged sevoflurane on, investigated by two successive intravenous glucose tolerance tests: brief report (Iwasaka et al), 1059

Methohexitone, see under Anaesthetics, intravenous

 $Metoclopramide, {\it see~under}~Vomiting, antiemetics~prophylaxis$ 

Metroprolol, see under Sympathetic nervous system, beta antagonists

Midazolam, see under Hypnotics, benzodiazepines

Milrinone, see Under Pharmacology

Mitrochondria, see under Membrane

Mivacurium, see under Neuromuscular relaxants Monitoring

- cardiac, on-line, importance of phonocardiographic sites in (Rice and Doyle), A23-A
- dynamic lung compliance, peak inspiratory pressure, carbon dioxide tension during and after laparoscopic cholecystectomy (Iwasaka et al), 129
- electrocardiographic in healthy young adults having minor surgery (Zabani et al), A17-B
- electrocardiography, intraoperative automated ST segment analysis: a reliable 'black box'?: review article (Yang), 1041
- end-tidal sevoflurane concentration for tracheal intubation in children with the rapid method (Inomata and Nishikawa),
   806
- evoked potentials, somatosensory, during hypoxia and hypocapnia in conscious humans (Ledsome et al), 1025
- neuromuscular block
  - atracurium-induced, optimum time for neostigmine reversal of (Kirkegaard-Nielsen), 932
  - double burst stimulation ratio to evaluate residual neuromuscular blockade and the relationship between trainof-four and DBS (Saitoh et al), 1001
  - fade, train-of-four in the mouse phrenic nerve diaphragm: laboratory investigation (Storella and Ackerman), 169
  - onset and recovery characteristics following administration of mivacurium plus vecuronium (Stout et al), 358
  - residual in children, acceleromyography improves detection (Ansermino et al), 589
  - vecuronium-induced neuromuscular block, sevoflurane and isoflurane impair edrophonium reversal of (Morita et al), 799
- neuromuscular function
  - acceleromyography improves detection of residual blockade in children (Asermino et al), 589
  - does it make a difference? (Martin et al), 585
- noninvasive electrocardiography, on line ST-segment analysis for detection of myocardial ischaemia during and after coronary revascularization (Ansley et al), 995
- post-tetanic twitch, train-of-four responses at first dorsal interosseous and adductor pollicis muscles in patients receiving vecuronium (Saitoh et al), 362

- tissue perfusion: refresher course outline (Vincent), R55;
   R58
- Monoamine oxidase (MAO), see Ataractic agents, MAO inhibitors

Morphine, see under Analgesics

Mortality, see under Complications

#### Muscle

- adductor pollicis in patients receiving vecuronium, recovery of post-tetanic and train-of-four responses at (Saitoh et al), 362
- are not all alike, why? editorial (Storella), 549
- dorsal interosseous, first, recovery of post-tetanic and trainof-four responses at, in patients receiving vecuronium (Saitoh et al), 362
- expiratory, mechanics of, in spinal anesthesia for prostatectomy (Bellemare et al), A25-B
- skeletal
  - diaphragm
    - distribution of blood flow during sevoflurane anaesthesia in dogs (Ide et al), 44
    - masseter, laryngeal, abdominal and limb) properties of fibres, endplates and acetylcholine receptors in the goat: laboratory investigation (Ibebunjo et al). 475
  - duration of succinylcholine and vecuronium blockade but not potency correlates with the ratio of endplate size to fibre size in seven muscles in the goat: laboratory investigation (Ibebunjo et al), 485
- muscle sounds in anaesthetized patients (McKay et al), A 10-A

Myoclonus, see under Complications

NMDA receptor antagonists, CPP, 7CKA, intrathecally administered reduce the MAC of isoflurane in rats (Ishizaki *et al*). 724

Nausea, see Vomiting

Neomycin, see under Antibiotics

Neostigmine, see under Antagonists, neuromusccular relaxants; Enzymes, cholinesterase

Neuroanaesthesia, *see under* Anaesthesia, neurological Neuromuscular relaxants

- atracurium
  - compared with cisatracurium for tracheal intubation (Bluestein *et al*), 925
  - neostigmine reversal of atracurium-induced neuromuscular blockade (Kirkegaard Nielsen et al), 932
- complications, residual blockade in children, acceleromyography improves detection of (Ansermino et al), 589
- cisatracurium, a new neuromuscular blocking agent for tracheal intubation (Bluestein et al), 925
- doxacurium
  - pharmacodynamics of, during cardiac surgery with hypothermic cardiopulmonary bypass (McDonagh et al), 134
  - measurement response, train-of-four and DBS fade, visual

1323

evaluation of, using a rubber band: correspondence (Saitoh and Nishimura), 316

- mivacurium
  - block
    - in presence of N<sub>2</sub>O, propofol and alfentanil anaesthesia, dose response relationship for edrophonium antagonism (Ripart et al), 368
    - profound, reversal of (Kao and Le), 1128
- neostigmine but not edrophonium prolongs the action of (Symington et al), 1220
- plus vecuronium, early neuromuscular recovery characteristics following administration of (Stout et al), 358
- rocuronium
  - continuous infusion in a paediatric intensive care unit (Tobias), 353
  - in a patient receiving oral neomycin, failure to reverse blockade: clinical report (Hasfurther and Bailey), 617
  - in a paediatric ICU: correspondence (Withington), 1183;
     reply (Tobias), 1183
  - vs vecuronium during fentanyl induction in coronary artery surgery (Botero et al), A3-A
- succinylcholine
  - duration of blockade but not potency correlates with ratio of endplate size to fibre size in seven muscles in the goat: laboratory investigation (Ibebunjo et al), 485
  - influence of neuromuscular monitoring on the level of blockade (Martin et al), 585
- vecuronium
  - blockade
    - duration of, but not potency correlates with the ratio of endplate size to fibre size in seven muscles in the goat: laboratory investigation (Ibebunjo et al), 485
    - induced, sevoflurane and isoflurane impair edrophonium reversal of (Morita et al), 799
    - induced, double burst stimulation: a new stimulating pattern for residual neuromuscular block (Saitoh et al), 1001
    - influence of neuromuscular monitoring on the level of blockade from (Martin et al), 585
  - precipitate formed by thiopentone and: technical report (Taniguchi et al), 511
  - recovery of post-tetanic and train-of-four responses at the first dorsal interosseous and adductor pollicis muscles in a patient receiving (Saitoh et al), 362
  - vs rocuronium during fentanyl induction in coronary artery surgery (Botero et al), A3-A

Neurosurgery, see under Surgery neurological Nitric oxide, see under Anaesthetics, Gases Nitroprusside, see under Pharmacology Nitrous oxide, see under Anaesthetics, Gases Nurse practitioner, see under Manpower

### Obituary

- Rosario Denis, 1922-1960 (Boulanger), 982

Omeprazole, see under Pharmacology

Ondansetron, see under Vomiting, antiemetics

Operating room, see under Hospitals

Opoids, see Analgesics, narcotic

#### Organizations

 Canadian Anaesthetists' Society Gold Medal, Lewis Hersey (Sellery), 1273

Outpatient, see under Anaesthesia

#### Oxygen

- delivery, post-operative critical, in high risk cardiac surgical patients (Mark et al). A38-B
- delivery system, flow rate measurement via nasal prongs:
   equipment (Henderson et al), 636
- free radical induced lipid peroxidation during cardiopulmonary bypass, pentane and ethane: non-invasive markers of (Mazer et al), A52-B
- hypoxaemia, intraoperative, airway closure and: twenty-five years later: review article (Wahba), 1144
- transport, bovine haemoglobin is more potent than autologous red blood cells in restoring muscular tissue oxygenation after profound isovolaemic haemodilution in dogs: laboratory investigation (Standl et al), 714

# Pacemakers, see under Equipment

#### Pain

- after ambulatory surgery (Chung et al), A63-A
- cancer, terminal, intrathecal ketamine reduces morphine requirement in patients with (Yang et al), 379
- EMLA® patch for reduction of pain associated with intravenous cannulation in adult surgical outpatients (Vaghadia and Alahdal), A53-A
- epidural and intravenous bolus morphine for postoperative analgesia in infants (Haberkern et al), 1203
- lower back, chronic treated with epidural steroids, bacterial meningitis and cauda equina syndrome after: clinical report (Cooper and Sharpe), 471
- management in children: refresher course outline (Rice), R155; R159
- perineal post-delivery, a comparison of ibuprofen versus acetaminophen with codeine for (Peter et al), A59-A
- postoperative, see also under Analgesia, postoperative
- antinociceptive synergistic interaction between morphine and n<sup>ω</sup>-nitro l-arginine methyl ester on thermal nociceptive tests in rats: laboratory investigation (Yamaguchi and Naito), 975
- in children: correspondence (Finley and McGrath),
   418
- in elderly men after transvesical prostatectomy, ketorolac does not decrease (Fredman et al), 438
- intravenous ketorolac vs diclofenac for analgesia after maxillofacial surgery (Tarkkila et al), 216
- management: correspondence (Ready), 193: reply (Moote), 194

- patient controlled
  - oral analgesia with morphine: anaesthesia equipment (Striebel et al), 749
  - oral clonidine reduces morphine requirements in (Park et al), 900
- reducing, after inguinal hernia repair in children, propofol vs ondansetron (Splinter et al), A42-A
- suprascapular nerve block for pain relief after arthroscopic shoulder surgery (Ritchie et al), A56-A
- visceral stress conditions in rats, antinociceptive effects of ONO-9902, an enkephalinase inhibitor after: laboratory investigation (Yamamori et al), 1175

see also, Analgesia, postoperative

PEEP, see under Ventilation

Parasympathetic nervous system

 atropine and neuromuscular fade in the mouse phrenic nervediaphragm: laboratory investigation (Storella and Ackerman), 169

### Pharmacodynamics

 dose responses, antinociceptive synergistic interaction between morphine and n<sup>ω</sup>-nitro 1-arginine methyl ester on thermal nociceptive tests in rats: laboratory investigation (Yamaguchi and Naito), 975

#### Pharmacokinetics

- comparative absorption kinetics of intramuscular midazolam and diazepam (Hung et al), 450
- ketamine concentrations during cardiopulmonary bypass (McLean et al), 580

# Pharmacology

- acetaminophen with codeine versus ibuprofen a comparison for perineal post-delivery pain (Peter et al), A59-A
- amlodipine-dantrolene combinations, cardiac implications of: laboratory investigation (Freysz et al), 50
- anti-inflamatory drugs, effect on human leukocyte superoxide generation in vitro (Moudgil et al), A39-A
- carbachol induced tracheal contraction, droperidol inhibits:
   laboratory investigation (Sato et al), 172
- β<sub>2</sub> agonists, theophyline, glucocorticoids in management of bronchial hyper-reactivity: review article (Pinto Pereira et al), 700
- depo-medrol, chronic epidural, effect on the hypothalmicpituitary adrenal axis (Mathieson et al), A17-A
- dexamethasone, decreases vomiting in children after tonsillectomy (Splinter et al), A41-B
- dimenhydrinate compared with ondansetron, for control of postoperative vomiting in children after adenotonsillectomy (Hamid et al), A43-B
- drug errors in anaesthesia: a survey of 650 practitioners (Chen et al), A13-A
- ethane: a non-invasive marker of oxygen free radical induced lipid peroxidation during cardiopulmonary bypass (Mazer et al), A52-B

- ibuprofen compared with acetaminophen with codeine for perineal post-delivery pain (Peter et al), A59-A
- L-Name (nitro l<sup>ω</sup>-arginine methyl ester), antinociceptive synergistic interaction between morphine and, on thermal nociceptive tests in rats: laboratory investigation (Yamaguchi and Naito), 975
- milrinone, single-dose and discontinuation of cardiopulmonary bypass in patients with pre-existing left ventricular dysfunction (Lobato et al), A29-A
- nifedipine compared with metoprolol, effect of, on collateral coronary blood flow in a swine model of chronic coronary obstruction and acute ischaemia during isoflurane anaesthesia: laboratory investigation (Cheng et al), 160
- nitroprusside
  - efficacy of propofol in reducing requirements of, to control mean arterial pressure and systemic vascular resistance during cardiopulmonary bypass (Greenhow et al), A27-A
- omeprazole before emergency Caesarean section: correspondence (Gin), 878
- pentane, a non-invasive marker of oxygen free radical induced lipid peroxidation during cardiopulmonary bypass (Mazer et al), A52-B
- phenyloin, pretreatment with, ensures recovery of synaptic transmission in hippocampal slices after anoxic insults (Ouanounou et al), A45-B
- prostaglandin E<sub>1</sub> attenuates the hypertensive response to tracheal extubation (Nishina et al), 678
- ulinastatin reduces elevation of cytokines and soluble adhesion molecules during cardiac surgery (Kawanura et al), 456

Phenylephrine, see under Sympathetic nervous system, pharmacology

Phenyloin, see under Pharmacology

Piroxican, see under Analgesics, NSAIDS

Placenta, retained, analgesia/anaesthesia for removal (Paetkau et al), A61-A

# Position

- effect on internal jugular vein area (Lobato et al), A22-A
- supine approach to the sciatic nerve in the popliteal fossa: clinical report (Volka et al), 964

Post Anaesthetic Care Unit (PACU)

- bypassing: cost savings vs patient safety (Rose and Cohen), A32-B
- one hundred and fifty (150) years on: editorial (Davies), 323
- problems in the PACU: refresher course outline (Rose),
   R116 R123
- pulmonary edema, obstructive and nonobstructive in (Rose and Cohen), A32-A

### Postoperative

- analgesia, see under Analgesia
- complications, see under Complications
- pain, see under Pain

 recovery room, see under Postoperative anaesthetic care unit (PACU)

Potency, anaesthetic

 MAC of isoflurane in rats, intrathecally administered NMDA receptor antagonists reduce (Ishizaki et al), 724

Propofol, see Anaesthetics, intravenous

#### Predictions

- drug errors in anaesthesia (Chen et al), A13-A

Pregnancy, abruption, intrauterine fetal death, prevalence of coagulation abnormalities associated with (Maslow et al), 1237; see also Anaesthesia, Obstetric

#### Premedication

- atropine
  - antiemetic effect of: correspondence (Ramaioli and De Amici), 1079
  - effect on fentanyl-induced coughing (Lui et al), 1216
  - should it be routine in children? correspondence (Guyton and Scharf), 754
- comparative effects of three regimens on anaesthetic requirements during coronary artery surgery (Peterson et al), A27-B
- midazolam, oral premedication in children to modify propofol induced movement (Bevan et al), A43-A
- phenytoin, pretreatment with, ensures recovery of synaptic transmission in hippocampal slices after anoxic insults (Ouanounou et al), A45-B

Preoperative, see under Surgery

Prochlorperazine, see under Vomiting, anti-emetics

Prowse, Lemuel Ewart (B.1914): History of Canadian Anaesthesia (Shephard), 315

Pruritus, see under Complications

### **Publications**

- abstracts, structured: editorial (Johnson and Bevan), 1
- electronic publishing (internet): correspondence (Doyle),
   640; reply (Duffy and Miller), 640

Pulmonary, see under Lung

### Quality, see under Anaesthesia

Radiotherapy, cobalt in a child, repetitive inhalation endotracheal anaesthesia for: clinical report (LeDez et al), 835

Ranitidine, see under Histamine

# Receptors

- GABAA
  - for propofol, midazolam increases the affinity of (McAdam et al), A49-A
  - modulation, influence of: thiopentone induced enhancement of somatic motor responses to noxious stimulation: laboratory investigation (Archer et al), 503

#### Recovery

- emergence reactions, epidural ketamine has a low incidence of: laboratory investigation (Alam et al), 408
- of cardiac surgical patients, influence of intrathecal morphine on (Fitzpatrick and Stafford-Smith), A56-B

- opioid supplementation of nitrous-oxide anaesthesia: effects of different opioids on (Cohen and Hudson), A14-A
- room see Postanaesthetic care unit

Remifentanil, see under Analgesics, opioid

#### Research

- clinical, study design in: sample size estimation and power analysis: statistics (Lerman), 184
- simulator performance, inter-rater reliability during observation of (Devitt et al), A51-B

Respiration, Respiratory, see under Ventilation

Resuscitation: DNR (Do not resuscitate) orders in the operating room: special report (Craig), 840

Rocuronium, see under Neuromuscular relaxants

Ropivacaine, see under Anaesthetics, local

### Safety

 bypassing the post anaesthetic care unit: cost savings versus patient safety (Rose and Cohen), A32-B

Sevoflurane, see under Anaesthetics, volatile

Sedation, see Analgesia

### Serotonin

 induced tracheal contraction, droperidol inhibits: laboratory investigation (Sato et al), 172

Simulation, see under Research

Sneezing, see under Complications

Strabismus, see under Surgery, ophthalmologic

### Statistics

- ICU for mechanical ventilation, planned and unplanned postoperative admissions: (Rose et al), 333
- methods available to determine sample size estimation and power analysis in clincal research: statistics (Lerman), 184
- multivariate discriminant anlaysis, the receiver operating characteristic (ROC) curve, to identify the need for postoperative ventilation in myasthenia gravis patients (Naguib et al), 1006

Sufentanil, see under Anaesthetics, Intravenous

#### Surgery

- abdominal (upper), acute ventilatory complications during: continuing medical education (Wahba et al), 77
- ambulatory
  - dorsal penile nerve block in children undergoing circumcision in a day-care surgery (Serour et al), 954
  - out patient, day surgery in children, witholding oral fluids in, reduces vomiting (Kearney et al), A42-B
  - pain after: what really matters? (Chung et al), A63-A
- arthroscopic
  - knee, outpatient, a comparison of three peripheral regional anaesthesia techniques for (Goranson et al), A15-A
  - shoulder, suprascapular nerve block for pain relief after (Ritchie et al), A59-A
- breast cancer, paravertebral block for: anaesthetic technique (Greengrass et al), 858

- bronchoscopy findings in post-obstructive pulmonary oedema: clinical report (Koch et al), 73
- cardiac
  - acute L'arginine supplement and (Dagenais et al), A16-A
  - autologous blood and: correspondence (Pinkerton et al), 1180
  - cost effectiveness of high vs low dose tranexamic acid on blood loss and blood product requirements after (Ralley et al). A35-A
  - congenital heart defects, repair, use of propofol for (Parker et al). A5-B
  - extubation after heart surgery, what is delaying? (Ali et al), A40-A
  - high risk patients, post-operative critical oxygen delivery in (Mark et al), A38-B
  - history: evolution of cardiac surgery, contribution of Canadian anaesthetists to: History of Canadian Anaesthesia (Wynands), 518
  - influence of epiaortic scanning on aortic cannulation for (St-Amand et al), A6-A
  - occipital alopecia after: correspondence (Calla et al), 1181
  - open chamber surgery: high-dose thiopentone for (Pascoe et al), 575
  - open heart, propofol and ketamine versus fentanyl for (Botero et al), A4-B
  - patients at high risk of receiving allogeneic blood products, compared efficacy of aprotinin and e-aminoeaproic acid in (Hardy et al), A36-A
  - postoperative, patient controlled analgesia(PCA) in (Tsang and Brush), A55-A
  - recovery of cardiac surgical patients: intrathecal morphine (FitzPatrick and Stafford-Smith), A56-B
  - reoperative valve replacement, effect of tranexamic acid on blood loss in patients undergoing (Dryden et al), A37-A
  - transplant patients; see also under Heart, transplant
    - effect of edrophonium on heart rate in, and in the denervated cat heart (Backman et al), A29-B
    - neostigmine decreases heart rate in (Backman et al),
       373

### - cardiovascular

- aortocoronary bypass graft (ACB)
  - respiratory outcomes in patients anaesthetized with high dose or low dose narcotic (Johnson et al), A4-B
- uintentional intraoperative awareness during sufentanil anaesthesia dose: clinical report (Gilron et al), 295
- cardiopulmonary bypass
  - bronchospasm, severe, during: clinical report (Ecoff et al), 1244
  - effect of surgical dislocation of the heart on cerebral blood flow in the presence of a single, two-stage venous cannula during (Avraamides and Murkin), A36-B

- hypothermic, pharmacodynamics of doxacurium during (McDonagh et al), 134
- ICU length of stay following, can clinicians predict?
   (Tu and Mazer), 789
- ketamine concentrations during CPB (McLean et al), 580
- low flow CPB, phenylephrine increases cerebral blood flow during (Schwartz et al), A50-B
- multicompartment pharmacokinetic model for fentanyl during (Botero et al), A3-B
- pentane and ethane: non-invasive markers of oxygen free radical induced lipid peroxidation during CPB (Mazer et al), A52-B
- propofol, efficacy of, in reducing sodium nitroprusside requirements to control mean arterial pressure and systemic vascular reistance during CPB (Greenhow et al), A27-A
- role of ulinastatin pretreatment on production of cytokines and adhesion molecules during (Kawamura et al), 456
- single-dose milrinone and discontinuation of CPB, in patients with pre-existing left ventricular dysfunction (Lobato et al), A29-A
- transcranial doppler-detected microemboli during CPB, effect of cannula characteristics and blood velocity on (Benaroia et al), A37-B

### - coronary artery

- bypass grafting
  - does sufentanil dose influence haemodynamics during induction of anaesthesia (Thomson et al), A28-B
  - elective
    - comparison of sevoflurane/fentanyl and isoflurane/ fentanyl during (Searle et al), 890
    - multicenter study comparing the cardiovascular effect of sevoflurane and isoflurane anesthesia for (Searle et al), A35-B
    - does sufentanil influence isoflurane requirements during? (Moon et al), A28-B
    - revascularization, on line ST-segment analysis for detection of myocardial ischaemia during and after (Ansley et al), 995
- dental, restorative, in children, comparative effects of three doses of intravenous ketorolac or morphine on emesis and analgesia for (Purday et al), 221
- gynaecological
  - abdominal hysterectomy, a double-blind comparison of ropivacaine and bupivacaine injected epidurally in patients undergoing (Finucane et al), 442
  - anaesthesia for Caesarean hysterectomy in a patient with a preoperative diagnosis of placenta percreta with invasion of the urinary bladder: obstetric forum (Hunter and Kleiman), 246
  - anti-emetic effects of granisetron on postoperative nausea

- and vomiting in patients with and without motion sickness (Fuiii et al). 110
- epidural administered buprenorphine in the perioperative period (Miwa et al), 907
- hysteroscopy and anaesthesia: review article (Ananthanarayan et al), 56
- open-abdominal, reduction of postoperative nausea and vomiting with combination of morphine and droperidol in patient-controlled anaesthesia following (Klahsen et al), 1100
- haemorrhoidectomy with spinal anaesthesia, wound infiltration with lidocaine prolongs postoperative analgesia after (Morisaki et al), 914
- laparoscopic
  - cholecystectomy
    - a combination of low dose spinal and general anaesthesia for: correspondence (Gurmarnik et al), 95
    - in elderly ASA III patients; haemodynamic and ventilatory changes during (Dhoste et al), 783
    - prophylactic antiemetic therapy with ondansetron, tropisetron, granisetron and metoclopramide in patients undergoing (Naguib et al), 226
    - respiratory mechanics and arterial blood gases during and after (Iwasaka et al), 129
  - diagnostic, pre-emptive analgesia: editorial (Penning), 97
  - improved postoperative analgesia with preoperative piroxicam (O'Hanlon et al), 102
- minor, in healthy young adults, usefulness of electrocardiographic monitoring in (Zabani et al), A17-B
- major, measurement of levels of circulating endotoxin in the perioperative period in patients undergoing (Imai et al), 812
- neurological
  - airway management in neuroanaesthesia: review article (Spiekermann et al), 820
  - arterial to end-tidal carbon dioxide differences during: correspondence (Isert), 196; reply (McGuire and Cruise), 197
- ophthalmological
  - cataract surgery in elderly patients, intravenous sedation prior to peribulbar anaesthesia (Wong and Merrick), 1115
    - strabismus
      - and tonsillectomy in children: granisetron reduces vomiting after (Fujii et al), 35; 660; granisetron and dexamethasone provide more improved prevention of postoperative emesis than granisetron alone (Fujii et al), 1229
      - granisetron and metoclopramide in children undergoing (Fujii et al), 1095
      - surgery, prevention of vomiting after: propofol vs ondansetron (Splinter et al), A41-A
- orthognathic, mortality associated with (Beed and Devitt), A40-B

- orthopaedic
  - knee joint replacement, addition of morphine to intraarticular bupivacaine does not improve outcome (Badner et al), A54-B
  - major, continuous epidural infusion of ropivacaine for prevention of postoperative pain after (Badner et al), 17
- otolaryngological
  - adenotonsillectomy in children, prophylactic therapy for postoperative vomiting, a comparison of dimenhydrinate, ondansetron or placebo (Hamid et al), A43-B
  - middle ear surgery, increased incidence of retching and vomiting during periovulatory phase after (Honkavaara et al). 1108
  - otoplasty, analgesia after: regional nerve blockade vs local anaesthetic infiltration of the ear (Cregg et al), 141
  - tonsillectomy in children
  - antiemetic efficacy of granisetron and metoclopramide in (Fujii et al), 1095
  - dexamethasone decreases vomiting by children after (Splinter et al), A41-B
  - granistreon reduces vomiting after (Fujii et al), 35; 660;
     granisetron and dexamethasone provide more improved prevention of postoperative emesis than granisetron alone (Fujii et al), 1229
  - ketorolac
  - pain relief and effect of platelet function: the march of progress: editorial (Hall), 544
  - preoperative, increases bleeding after (Splinter et al), 560
  - tympanoplasty, a comparison of ondansetron and prochlorperazine for the prevention of nausea and vomiting (Van den Berg), 939
- paediatric, see also Anaesthesia, paediatric
  - effective dose of granisetron for preventing postoperative emesis (Fujii et al), 660
  - urological, preemptive analgesia in (Lavoie et al), A10-B see also Anaesthesia, paediatric
- postoperative anaesthesia care: editorial (Ralley), 759
- preoperative
  - anaesthetic outpatient consultation (Klopfenstein and Foster), 317
  - autologous blood donation, is lidocaine-prilocaine cream (EMLA®) always useful for venous puncture in? (Vivien et al), 232
  - hypnotic agents the night before surgery; evaluation of zolpidem, tiazolam and placebo (Morgan et al), A46-A
- prostatectomy, mechanics of expiratory muscles in spinal anaesthesia for (Bellemare et al), A25-B
- sedative infusions during: propofol vs propofol-ketamine (Botero et al), A11-A
- spinal, major, bleeding and coagulopathy associated with (Lin et al), A46-B

- thoracic
  - anaesthetic management of a patient with myasthenia gravis and tracheal stenosis: clinical anaesthesia file (Froelich and Eagle), 84
  - lower airway injuries and anaesthesia: review article
     (Devitt and Boulanger), 148; correspondence (Desjardins and Varon), 1181; reply (Devitt and Boulanger), 1182
- thyroid, spinal ketamine anaesthesia for hemithyroidectomy: correspondence (Sekaran and Needlakandan), 537
- transplantation, organ, anaesthesia for the patient presenting for non-transplant surgery: refresher course outline (Sharpe), R89: R94

see also under names of individual organs

- urological
  - extracorporeal shock wave lithotripsy, patient maintained alfentanil target-controlled infusion for analgesia during (Irwin et al), 919
  - lithotripsy, extra-corporeal shock wave, eutectic mixture of local anaesthetics for (Ganapathy et al), 1030
  - prostatectomy, transvesical, ketorolac does not decrease postoperative pain (Fredman et al), 438
- vascular, anaesthesia for major: refresher course outline (Beattie), R3; R8

Sympathetic nervous system

- pharmacology
  - beta adrenergic agonists,
    - esmolol (Brevibloc)
      - blunts the haemodynamic responses to tracheal intubation in treated hypertensive patients (Sharma et al),
      - packaging to prevent errors: correspondence (Pearce), 419; reply (Raza), 419
    - terbutaline inhalation suppresses fentanyl-induced coughing (Lui et al), 1216
  - beta receptor antagonist, metoprolol, comparison on nifedipine and metoprolol on collateral coronary blood flow in a swine model of chronic coronary obstruction and acute ischaemia during isoflurane anaesthesia: laboratory investigation (Cheng et al), 160
- clonidine
  - and alpha<sub>2</sub>-agonists for postoperative analgesia: editorial (Sandler), 1191
  - comparative assessment of the anaesthetic and analgesic effects of intramuscular and epidural clonidine in humans (Samsó et al), 1195
  - oral reduces postoperative PCA morphine requirements (Park et al), 900
- phenylephrine
  - comparison of glucose 7.5% and 0.75% with or without phenylephrine for tetracaine spinal anaesthesia (Sumi et al), 1138
  - increases cerebral blood flow during low-flow cardiopulmonary bypass (Schwartz et al), A50-B

Synaptic transmission, see under Brain

Technology assessment: a Canadian perspective: refresher course outline (Byrick), R108; R112

#### Temperature

- body
  - effective raising by Bair Hugger Patient Warming device: correspondence (Wong), 1278
  - full body forced air warming: commercial blanket vs air delivery beneath bed sheets: laboratory investigation (Kempen), 1168
  - regulation after acute organophosphate poisoning; correspondence (Hantson et al), 755
  - warming techniques, intraoperative (Weyland et al), A12-A
- core measurement, comparison of four infrared tympanic thermometers compared those recorded from thermocouples (Matsukawa et al), 1224

Terbutaline, see under Sympathetic nervous system, betaadrenergic agonists

Tetracaine, see under Anaesthetics, local

Thiamylal, see under Anaesthetics, intravenous

Thiopentone, see under Anaesthetics, intravenous

Tonsillectomy, see under Surgery, otolaryngological Toxicity

hepatic caused by halothane, and hepatic free radical metabolism in rats, protective role of vitamin E (Durak et al), 741
 Trachea, see under Lung

Train-of-four, see under Neuromuscular relaxants, measurement response

Tranexamic Acid, see under Blood

### Transfusion

- autologous blood donation, is lidocaine-prilocaine cream (EMLA®) always useful for venous puncture? (Vivien et al), 232
- autologous red blood cells, bovine haemoglobin is more potent than, in restoring muscular tissue oxygenation after profound isovolaemic haemodilution in dogs (Standl et al), 714; editorial (Bélisle et al), 649
- blood, development of: the contributions of Norman Bethune in the Spanish Civil War, 1936-1939: History of Anaesthesia (Franco et al), 1076

Transplantation, *see under* names of individual organs; Surgery

Triazolam, see under Hypnotics

Twins, conjoined with complex cardiac anomalies, anaesthetic management for: clinical report (Chen et al),1161

 ${\bf Tympanoplasty}, see\ under\ {\bf Surgery},\ {\bf otolaryngological}$ 

Ulinastatin, see under Pharmacology

Vascular resistance, see under Lungs Vascular surgery, see under Surgery

# Vecuronium, see under Neuromuscular relaxants Veins

### - cannulation

- aortic for cardiac surgery, influence of epiaortic scanning on (St-Amand et al). A6-A
- effect of cannula characteristics and blood velocity on transcranial doppler-detected microemboli during cardiopulmonary bypass (Benaroia et al), A37-B
- single, two-stage venous cannula during cardiopulmonary bypass, effect of surgical dislocation of the heart on cerebral blood flow in the presence of (Avraamides and Murkin), A36-B
- internal jugular, effect of position, positive intrathoracic pressure, and hepatic compression on (Lobato et al), A22-A
- venipuncture in preoperative autologous blood donation: is lidocaine-prilocaine cream (EMLR®) always useful for (Vivien et al), 232

#### Ventilation

- anaesthetics, effects of halothane on pattern of ventilation in infants less than two months of age (Brown), 121
- apnoea (sleep apnoea syndrome), anaesthetic management of patients with: review article (Boushra), 599
- changes during laparoscopic cholecystectomy in elderly ASA III patients (Dhoste et al), 783
- control, respiratory mechanics in children: propofol anaesthesia compared with halothane (Kulkarni and Brown), 653
- jet, use of an endotracheal ventilation catheter in management of difficult extubations: technical report (Cooper), 90
- lung, and bronchopleural fistula: correspondence (McGuire), 1275

# - mechanical

- for ARDS, new concepts: refresher course outline; R42;
   R50
- efficacy of, using the oxylator EM-100 (Daloze et al), A22-B

## - PEEP

- at sternotomy, cardiopulmonary function with (Wahba et al), A5-A
- of surfactant, effects of, on acute lung injury caused by tracheal instillation of acidified human breast milk (Chin et al), A50-A
- peritoneal, effect on mixed venous O<sub>2</sub> in a porcine model of hypoxemia (Giffin et al), A13-B
- planned and unplanned postoperative admissions to critical care unit for (Rose et al), 333
- positive pressure, airway management during, a comparison of face mask and laryngeal mask airway (Ho-Tai et al), A26-B

### - respiratory

- depression after low-dose caudal morphine (Karl et al), 1065
- distress, paradoxical vocal cord motion in the recovery

- room: a masquerader of pulmonary dysfunction: clinical report (Arndt and Voth), 1249
- mechanics and arterial blood gases during and after laparoscopic cholecystectomy (Iwasaka et al), 129
- outcomes in patients anaesthetized with high dose or low dose narcotic for aortocoronary bypass surgery(ACB), (Johnson et al), A4-B
- studies, a low resistance, reusable heat and moisture exchanger for (Volgyesi et al). A23-B
- ventilatory parameters during propofol anaesthesia in children: a comparison with halothane (Brown and Kulkarni), A24-B

# Vomiting

#### - antiemetics

- atropine, central effect of: correspondence (Ramaioli and Amici), 1079
- granisetron reduces vomiting after strabismus surgery and tonsillectomy in children (Fujii et al), 35; effective dose (Fujii et al), 660
- in children undergoing ophthalmic or ENT surgery, granisetron and metoclopramide (Fujii et al), 1095
- increased incidence of retching and vomiting during periovulatory phase after middle ear surgery (Honkavaara et al), 1108

#### - ondansetron

- compared with dimenhydrinate
  - for control of postoperative vomiting in children after adenotonsillectomy (Hamid et al), A43-B
  - for prevention of vomiting after strabismus surgery compared with profolol (Splinter et al), A41-A
  - prophylactic antiemetic therapy with, atropisetron, granisetron and metoclopramide in patients undergoing laparoscopic cholecystectomy: a randomized, doubleblind comparison with placebo (Naguib et al), 226
- compared with prochlorperazine for prevention of nausea and vomiting after tympanoplasty (van den Berg),
- compared with tropisetron, granisetron and metoclopramide for prophylactic antiemetic therapy, in patients undergoing laparoscopic cholecystectomy (Naguib et al), 226
- prophylaxis, droperidol and metoclopramide for (Belo and Vaillancourt), A63-B
- ranitidine, droperidol or placebo in prevention of, after hysterectomy (Cozanitis et al), 106

### - postoperative

- anti-emetic effects of granisetron in patients with and without motion sickness (Fujii et al), 110
- anti-emetic prophylaxis, comparison of profolol, droperidol and metoclopramide (Lacroix et al), 115
- following otoplasty, comparison of regional nerve block vs local anaesthetic infiltration of the ear on (Cregg et al), 141

- in children
  - after strabismus surgery, prevention: granistron reduces (Fujii et al), 35; propofol vs ondansetron (Splinter et al), A41-A
  - after tonsillectomy, dexamethasone decreases (Splinter et al), A41-B; granisetron (Fujii et al), 35
  - antiemetic efficacy of granisetron and metoclopramide in children undergoing ophthalmic or ENT surgery (Fujii et al), 1095; granisetron and dexamethasone provide more improved prevention than granisetron alone (Fujii et al), 1229
  - comparative effects of three doses of intravenous ketorolac or morphine on emesis and analgesia for restorative dental surgery (Puday et al), 221
  - increased by prolonged exposure to nitrous oxide (Splinter et al), A9-B
  - undergoing day surgery, reduced by withholding oral fluids (Kearney et al), A42-B
  - undergoing adenotonsillectomy, prophylactic therapy: dimenhydrinate, ondansetron or placebo compared (Hamid et al), A43-B
- increased incidence of retching and vomiting during periovulatory phase after middle ear surgery (Honkavaara et al), 1108
- reduction with the combination of morphine and droperidol in patient controlled analgesia (Klahsen et al), A14-B

Warming, see Equipment; Temperature

Xenon, see under Anaesthetics, gases

Zolpidem, see under Hypnotics

